



# ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006  
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

**ICAS INTERNATIONAL LTD**

**House:- 376 (Level 2), Lane 06**

**Baridhara DOHS, Dhaka.**

This is to certify that this  
**Inspection Body(Type-A)**

is accredited in accordance with the international standard  
**ISO/IEC 17020:2012**

in respect of the associated scope, subject to the terms and  
conditions governing the relevant conformity assessment  
body (CAB) accreditation.

Certificate Number : 05.029.25  
Accreditation Date : 19 March 2025  
Date of Issuance : 19 March 2025  
Date of Expiration : 18 March 2028



*19.03.2025*  
**Md. Anwarul Alam**  
**Director General**

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.

## SCOPE OF ACCREDITATION

(For Inspection Bodies)

**CAB Name & Address:** ICAS International Ltd.  
House#376, Road#6, Baridhara DOHS, Dhaka, Bangladesh

**Accreditation Standard:** ISO/IEC 17020:2012 **Accreditation Date:** 19 March, 2025


**Certificate Number:** 05.029.25 **Issued on:** 19 March, 2025

**Last Amended on:** - **Valid until:** 18 March, 2028

**Amendment no:** -

**Types :** A

Head Office or Primary Location			Additional Locations (If different from Head Office)		
House#376, Road#6, Baridhara DOHS, Dhaka, Bangladesh			1	N/A	
			2	N/A	
			3	N/A	
Type (A, B, C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	Range of inspections	Stage of inspection	Inspection requirements or criteria
A	Services	Light Level Assessment	0 to 200000 Lux	On Site Inspection	In-house (SOP-01)
		Indoor & Ambient Air Quality Assessment	PM2.5: 0 to 999 µg/m <sup>3</sup> PM10: 0 to 999 µg/m <sup>3</sup> PM1: 0 to 999 µg/m <sup>3</sup> SO <sub>2</sub> : 0 to 20 ppm NO: 0 to 250 ppm NO <sub>2</sub> : 0 to 20 ppm CO: 0 to 1000 ppm CO <sub>2</sub> : 0 to 9999 ppm O <sub>3</sub> : 0 to 20 ppm TVOC: 0.001 to 9.999 mg/m <sup>3</sup> HCHO: 0.001 to 9.999 mg/m <sup>3</sup>	On Site Inspection	In-house (SOP-02)
		Stack Air Emission Monitoring	O <sub>2</sub> : 0 to 25% CO: 0 to 10000 ppm CO <sub>2</sub> : 0 to max 100% NO: 0 to 4000 ppm NO <sub>2</sub> : 0 to 500 ppm SO <sub>2</sub> : 0 to 5000 ppm Flue Gas Temperature: -40°C to 1200°C Drought: Δ p1: -40 to 40hpa Δ p2: -200 to 200hpa	On Site Inspection	In-house (SOP-03)
		Indoor & Ambient Noise Level Assessment	30.0 to 130.0 dB(A)	On Site Inspection	In-house (SOP-04)
		Indoor & Ambient	-20.0°C ~ 70.0°C	On Site	In House

  
Quality Manager

		Temperature Level Inspection of work Environment		Inspection	(SOP-05)
		Indoor & Ambient Humidity Level Inspection of work Environment	0% ~ 99.9%	On Site Inspection	In House (SOP-06)
		Leak Detection	All Refrigerant Gas	On Site Inspection	In House (SOP-07)
		Air Flow Rate	0~140 Km/hr	On Site Inspection	In House (SOP-08)

\*\*\*END\*\*\*

  
 Quality Manager