



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

Engineering Resources International Ltd.
Level-02 & 03, House-1238, Road-09, Avenue-02
DOHS, Mirpur, Dhaka-1216, Bangladesh

This is to certify that this
Inspection Body(Type-A)

is accredited in accordance with the international standard
ISO/IEC 17020:2012

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : 05.027.24
Accreditation Date : 24 September 2024
Date of Issuance : 24 September 2024
Date of Expiration : 23 September 2027



24.09.2024
Md. Anwarul Alam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific
scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.




SCOPE OF ACCREDITATION

(For Inspection Bodies)

CAB Name & Address: Engineering Resources Internation Ltd.
House- 1238, Road- 09, Avenue- 02
Mirpur DHHS, Dhaka-1216, Bangladesh

Accreditation Standard: ISO/IEC 17020:2012 **Accreditation Date:** 24 Sep 2024
Certificate Number: 05.027.24 **Issued on:** 24 Sep 2024
Last Amended on: N/A **Valid until:** 23 Sep 2027
Amendment no: N/A
Types : Inspection Body (Type-A)

Head Office or primary location			Additional Locations (If different from Head Office)		
Type (A, B, C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	1	House- 1238, Road-09, Avenue- 02 Mirpur DOHS, Dhaka- 1216, Bangladesh	
			2	N/A	
			3	N/A	
Type (A, B, C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	Range of inspections	Stage of inspection	Inspection requirements or criteria
A	Noise Level Assessment	Environmental Testing	Noise(30-130dB)		
A	Light Level Assessment	Environmental Testing	Light (0.1 - 2000000 lux)		
A	Temperature Level Inspection of Work Environment	Environmental Testing	Temperature (0 – 40 C)		
A	Humidity Level Inspection of Work Environment	Environmental Testing	Humidity (5% - 98%)		
	Stack Air Emission Assessment	Environmental Testing	O2 (0-21%), SO2 (0 - 5000 ppm), NOx (up to 5000ppm), NO2 (0 – 500 ppm), NO (0 - 5000 ppm), CO2 (0 - 99.9%), CO (0 - 100000		


Quality Manager

			ppm), SOx (up to 5000 ppm), Excess air (0 - 2500%), Efficiency (0- 100%) Temperature (up to 1000 C)		
A	Indoor Air Quality Assessment	Environmental Testing	O3 (0-100ppm) CO (0 - 1000 ppm), SO2(0 - 20 ppm), NO2(0 - 20 ppm), HCHO (0-1.999 mg/m ³), TVOC (0 - 9.9 mg/m ³), Temperature (-40 - 125°C), PM2.5 (0 ~ 999ug/ m ³) PM10 (0 ~ 999ug/ m ³)		

END


 Quality Manager