



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

Bureau Veritas Consumer Products Services (CTG) Ltd.

IIUC Tower (2nd Floor), Holding # 1700/A, Plot #9, Agrabad C/A

Sk. Mujib Road, Chattogram, Bangladesh

This is to certify that this


Testing Laboratory

is accredited in accordance with the international standard

ISO/IEC 17025:2017

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : 01.016.19
Accreditation Date : 15 April 2019
Date of Issuance : 25 September 2025 (2nd Renewal)
Date of Expiration : 14 April 2028



A. Aminul Islam
25.09.25
Mohd. Aminul Islam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific
scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
Field: Textile and Textiles Materials (Mechanical & Chemical)				
1.	Textile and Textiles Materials	Mass per unit area (weight) of fabric	ASTM D3776 –2020, (Option C).	20 GSM to 1000 GSM
2.	Textile and Textiles Materials	Mass per unit length and area of fabric	ISO 3801:1977, BS EN ISO12127:1998	20 GSM to 1000 GSM
3.	Textile Materials	Fabric count of woven fabric	ASTM D3775 –17 Last updated Aug 04,2023	100 Threads per dm to 1000 Threads per dm (25TPI to 250 TPI)
4.	Textile Materials	Maximum force & Elongation using strip method	BS EN ISO 13934-1: 2013	2 kg to 450 kg (20 N to 4500 N)
5.	Textile Materials	Max force & Elongation using grab method	BS EN ISO 13934-2: 2014.	2 kg to 450 kg (20 N to 4500 N)
6.	Textile Materials	Breaking strength of textile Fabrics: Grab test	ASTM D 5034-2021	2 kg to 450 kg (20 N to 4500 N)
7.	Textile Materials	Determination of maximum force to seam rupture using the grab method	ISO 13935-2:2014	2 kg to 450 kg (20 N to 4500 N)
8.	Textile Materials	Failure in seam of woven fabric	ASTM D 1683 :2022	1Kg to 450 Kg (10N to 4500N)
9.	Textile Materials	Resistance to Slippage of Yarns in woven fabric using a standard seam	ASTM D434 -1995	4 lbf to 992 lbf (20 N to 4500 N)
10.	Textile Materials	Slippage Resistance of Yarns in woven fabrics: Seam Opening Method	BS EN ISO 13936-1: 2004	2 kg to 450 kg (20 N to 4500 N)
11.	Textile Materials	Resistance to unsnapping of snap fasteners	ASTM D4846:2021	4 lbf to 992 lbf (20 N to 4500 N)
12.	Textile Materials	Tearing Strength of fabrics by falling Pendulum Type (Elmendorf Apparatus)	ASTM: D1424: 09 (2021) BS EN ISO 13937-1: 2000	2 N to 128 N (200 g to 6400g)
13.	Textiles Garment / Fabric	Tearing Strength of fabrics by tongue (single rip method)	ASTM D2261 :(2024) ISO 13937 -2 : 2000	1Kg to 450 Kg (10N to 4500N)
14.	Textile Materials	Bursting Strength of Textile Fabrics-Diaphragm Bursting Strength Tester Method	ASTM D3786/ D3786M:18 Last update July 14,2023 ISO 13938-1:2019	275 kPa to 1380 kPa (10 psi to 200 psi)
15.	Textile Materials	Bursting properties of fabrics -- Part 2: Pneumatic method for determination of bursting strength and bursting distension	ISO 13938-2:2019	125kpa to 620kpa (20psi to 90psi)
16.	Textile Materials	Pilling Resistance and other	ASTM D3512/	Grade 1 to 5


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh


Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		related surface changes of textile fabrics (Random Tumble Pilling Tester)	D3512 M-22	
17.	Textile Materials	Fabric Propensity to surface Fuzzing and to Pilling. Part-1: Pilling Box Method	BS EN ISO 12945-1:2020	Grade 1 to 5
18.	Textile Materials	Fabric Propensity to surface Fuzzing and to Pilling. Part-2: Modified Martindale Method	BS EN ISO 12945-2: 2020	Grade 1 to 5
19.	Textile Materials	Abrasion Resistance of fabrics by the Martindale Method	BS EN ISO 12947-2:2016 BS EN ISO 12947-4:1999	Up to 999999 rubs
20.	Textile Materials	Abrasion Resistance of fabrics by the Martindale Method. Part-3: Determination of Mass Loss	BS EN ISO 12947-3:1999	Up to 30%
21.	Textile Materials	Stretch and Recovery(Knit) Stretch and Recovery(Woven)	ASTM D2594 :2021 ASTM D3107 : 2019	0 to 100 % 0 to 100 %
22.	Textile Materials	Pilling Resistance –Modified Martindale	ASTM D4970-16e3 Last update Dec 14,2022	Grade 1 to 5
23.	Textile Materials	Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method)	ASTM D4966-2016 Last update Dec 14,2022	Grade 1 to 5
24.	Textile Materials	Tension and Elongation of elastic fabric	ASTM D4964-2020	Qualitative
25.	Textile Materials	Breaking strength of textile Fabrics: strip test	ASTM D5035-2019	Qualitative
26.	Textile Materials	Abrasion resistance of Textile fabrics	ASTM D3885-2004	Qualitative
27.	Textile Materials	Abrasion resistance of Textile fabrics	ASTM D3886-(2022)	Qualitative
28.	Textile Materials	Slide Fastener	AS 2332-2003	2 kg to 450 kg (20 N to 4500 N)
29.	Textile Materials	Test Method for Holding Strength of prong Ring attached Snap Fasteners	ASTM: D7142: 2021	3 kg to 27 kg (30 N to 270 N)
30.	Textile Materials	Button Impact Test	ASTM:D 5171:(2020)	Qualitative
31.	Textile and Textile Materials	Determination of number of threads per unit length	ISO 7211-2:2024	100 to 1000 threads/dm (25 to 250) TPI
32.	Textile and Textile Materials	Standard Test Method for Yarn Number Based on Short-Length Specimens	ASTM D1059 – 17 Last updated Dec 15,2022	(5 to 100 Ne)
33.	Textiles	Determination of the slippage resistance of yarns at a seam in woven fabrics — Part 2: Fixed load method	EN ISO 13936-2:2004	(0 to 10mm)
34.	Textile and Textile	Standard Specification for	ASTM D3887 - 96(2008)	100 Threads per dm


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
	Materials	Tolerances for Knitted Fabrics		to 1000 Threads per dm (25 TPI to 250 TPI)
35.	Textile and Textile Materials	Determination of linear density of yarn removed from fabric	ISO: 7211-5:2020	(5 to 100Ne)
36.	Textile and Textile Materials	Safety of Children's clothing .Recommendations for the design and manufacture of children's clothing. Mechanical safety	PD CEN/TR 16792:2014	(5 to 2000 N)
37.	Textile and Textile Materials	Slide fasteners (zips). Specification	BS EN 16732:2015	2 kg to 450 kg (20 N to 4500 N)
38.	Textile and Textile Materials	Standard Test Method for Pocket Reinforcement	ASTM D7506 / D7506M – 17 Last Updated: Aug 20, 2021	4 lbf to 200 lbf (20 N to 890 N)
39.	Textile Materials	Standard Test Methods for Strength Tests for Zippers	ASTM: D2061:2021	20 N to 4500 N (2.04 to 458.87 kg)
40.	Textile and Textile Materials	Determination of Elasticity of Fabrics ,Strip tests	BS EN 14704-1:2005	(10 to 100%)
41.	Textile and Textile Materials	Determination of Mass per Unit Area and Mass per unit length of fabrics	AS 2001.2.13-1987(R2016)	20 GSM to 1000 GSM
42.	Textile and Textile Materials	Determination of the elasticity of fabrics — Part 1&3: Strip tests	ISO 20932-1&3:2018/Amd 1:2021	(10 to 100%)
43.	Textile and Textile Materials	Standard Test Method for Surface Water Absorption of Terry Fabrics (Water Flow)	ASTM D4772-14(2019)	(10 to 100%)
44.	Toys and similar product/ Leather and Leather product	Identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration or ingestion hazards because of small parts	16 CFR 1501:2024/ F963- 4.6:2023	Qualitative
45.	Toys and similar product/ Leather and Leather product	Sharp point in toys and other articles intended for use by children under 8 years of age.	16 CFR 1500.48: 2024/F963- 4.9:2023	Qualitative
46.	Toys and similar product/ Leather and Leather product	Sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	16 CFR 1500.49: 2024/ F963- 4.8:2023	Qualitative
47.	Toys and similar product	Small Parts Torque and Tension Test	ASTM F 963-2023 (Section 8.8 & 8.9) 16 CFR 1500.51-53:2012	Qualitative
48.	Toys and similar product	Safety of Toys ,Mechanical and physical properties	BS EN 71-1:2014+A1 :2018	Qualitative
49.	Toys and similar product	EU standards on safety of children's clothing	CEN/TS 17394-1:2021 EN 17394-2:2020	20 N to 4500 N (2.04 to 458.87 kg)


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
			CEN/TS 17394-3:2021 CEN/TS 17394-4:2021	
50.	Textile Materials	Bond strength of bonded, fused, and laminated apparel fabrics	ASTM D2724 -2022	4 lbf to 992 lbf (20 N to 4500 N)
51.	Textile Materials	Standard for the Flammability of Clothing Textiles	16 CFR Part 1610: 2024	Quantitative 1 s – 60 s
52.	Textile Materials	Textile Test Methods Flame Resistance — 45° Angle Test — One-Second Flame Impingement	CAN/CGSB-4.2 No. 27.5-2023	Quantitative 1 s – 60 s
53.	Textile and Textile Materials	Color Fastness to Laundering – Home & Commercial : Accelerated	AATCC – 61: 2020; CAN/CGSB 4.2 NO 19.1.2004	Grade 1 to 5
54.	Textile and Textile Materials	Colour fastness to domestic and commercial laundering	ISO-105-C06:2010	Grade 1 to 5
55.	Textile and Textile Materials	Colour fastness to domestic and commercial laundering using a non- phosphate reference detergent incorporating a low-temperature bleach activator	ISO-105-C08:2010	Grade 1 to 5
56.	Textile and Textile Materials	Colour fastness to domestic and commercial laundering — Oxidative bleach response using a non-phosphate reference detergent incorporating a low temperature bleach activator	ISO-105-C09:2001	Grade 1 to 5
57.	Textile and Textile Materials	Colour Fastness to Perspiration	BS EN ISO 105 - E04: 2013 AATCC-15:2021	Grade 1 to 5
58.	Textile and Textile Materials	Colour Fastness to Water	BS EN ISO 105 - E01: 2013 AATCC –107: 2022	Grade 1 to 5
59.	Textile and Textile Materials	Colour Fastness to Sea Water	BS EN ISO 105 - E02: 2013 AATCC-106: 2013	Grade 1 to 5
60.	Textile and Textile Materials	Fiber Analysis: Qualitative	AATCC – 20: 2021	Qualitative
61.	Textile and Textile Materials	Fiber Analysis: Quantitative	AATCC – 20A: 2021	Upto 100%
62.	Textile and Textile Materials	Soil Release : Oily Stain Release Method	AATCC 130:2018	Grade 1 to 5
63.	Textile and Textile Materials	Color Fastness to Dry-Cleaning	ISO 105 D01: 2010 AATCC 132: 2013	Grade 1 to 5
64.	Textile and Textile Materials	Color Fastness to Water: Chlorinated Pool	ISO 105 - E03: 2010 AATCC 162: 2011	Grade 1 to 5
65.	Textile and Textile Materials	Dimensional Changes to Automatic Home Laundering of Woven & Knit Fabrics	AATCC 135: 2018	(-) 50 % to (+) 50 %


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh


Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
66.	Textile and Textile Materials	Dimensional Changes to Automatic Home Laundering of Garments	AATCC 150: 2018	(-) 50 % to (+) 50 %
67.	Textile and Textile Materials	Skewness change in fabric and garment twist resulting from automatic Home laundering	AATCC 179: 2023	(-) 30 % to (+) 30 %
68.	Textile and Textile Materials	Dimensional Change in Laundering	BS EN ISO 6330: 2021 BS EN ISO 5077: 2007 BS EN ISO 3759:2011	(-) 50 % to (+) 50 %
69.	Textile and Textile Materials	CF to Rubbing	BS EN ISO 105X12: 2016 AATCC 8 : 2022	Grade 1 to 5
70.	Textile and Textile Materials	Water Repellency: Spray Test	AATCC 22: 2017	Grade 1 to 5
71.	Textile and Textile Materials	Water Resistance: Rain Test	AATCC 35-2018	Weight Water Pickup: Up to 100 gms.
72.	Textile and Textile Materials	Color Fastness to Burnt Gas Fume	ISO 105-G02:1993 AATCC TM23-2015e(2020)	Grade 1 to 5
73.	Textile and Textile Materials	Colorfastness to Ozone in the Atmosphere Under Low Humidities	ISO 105-G03:1993 AATCC 109:2016	Grade 1 to 5
74.	Textile and Textile Materials	Colour fastness to Assessment of The Potential To Phenolic Yellowing of Materials	BS EN ISO 105-X18-2007	Grade 1 to 5
75.	Textile and Textile Materials	Colour Fastness to Saliva	GB/T 18886:2019	Grade 1 to 5
76.	Textile and Textile Materials	Colour Fastness to Saliva & Sweat	DIN 53160:2023	Grade 1 to 5
77.	Textile and Textile Materials	Colour Fastness to Saliva and Sweat	64 LFGB 82.10-1	Grade 1 to 5
78.	Textile and Textile Materials	Absorbency of textiles	AATCC 79: 2018	Qualitative
79.	Textile and Textile Materials	Colorfastness to Chlorine and non-chlorine bleach	TS 001	Grade 1 to 5
80.	Textile and Textile Materials	Color fastness to bleaching hypochlorite	BS EN ISO 105-N01:1993	Grade 1 to 5
81.	Textile and Textile Materials	Dye Transfer in Storage; Fabric- to-Fabric	AATCC 163-2020	Grade 1 to 5
82.	Textile and Textile Materials	Colour fastness to hot pressing	ISO 105-X11:1994 AATCC 133 : 2020	Grade 1 to 5
83.	Textile and Textile Materials	Determination of resistance to surface wetting (spray test)	ISO 4920:2012	Grade 1.0 to 5.0
84.	Textile and Textile Materials	Standard Test Method for Bow & Skew in Woven & Knitted Fabrics	ASTM D3882 - 08(2020)	1 - 30%
85.	Textile and Textile	Smoothness Appearance of	AATCC 124:2018	Grade 1.0 to 5.0


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
	Materials	Fabrics after Repeated Home Laundering		Grade 1.0 to 5.0
86.	Textile and Textile Materials	Appearance of Apparel & other Textile End Products after Repeated Home Laundering	AATCC 143:2018, ISO 15487:2018	
87.	Textile and Textile Materials	Smoothness of Seams in Fabrics after Repeated Home Laundering	AATCC 88B:2018	Grade 1.0 to 5.0
88.	Textile and Textile Materials	Retention of Creases in Fabrics after Repeated Home Laundering	AATCC 88C:2018	Grade 1.0 to 5.0
89.	Textile and Textile Materials	Quantitative Chemical Analysis	ISO 1833 Part 1: 2020 ISO 1833 Part 2: 2020 ISO 1833 Part 3: 2019 ISO 1833 Part 4: 2017 ISO 1833 Part 5: 2006 ISO 1833 Part 6: 2018 ISO 1833 Part 7: 2017 ISO 1833 Part 8: 2006 ISO 1833 Part 11: 2017 ISO 1833 Part 12: 2019 ISO 1833 Part 16: 2019 ISO 1833 Part 18: 2019 ISO 1833 Part 20: 2018 ISO 1833 Part 21: 2019 ISO 1833 Part 22: 2020 ISO 1833 Part 24: 2010	1 – 100%
90.	Textile and Textile Materials	Colorfastness to Light: Xenon-Arc	AATCC 16.3:2020	Grade 1.0 to 5.0
91.	Textile and Textile Materials	Colour fastness to Light and Perspiration	AATCC 125:2020	Grade 1.0 to 5.0
92.	Textile and Textile Materials	Colour fastness to artificial light: Xenon arc fading lamp test	ISO 105 B02:2014	Grade 1.0 to 8.0
93.	Textile and Textile Materials	Test Method for Vertical Wicking rate of Textiles/to specified distance	AATCC 197:2022	(0 to 16.5cm)
94.	Textile and Textile Materials	Test Method for Vertical Wicking rate of Textiles/to specified times	AATCC 213:2022	(2 to 10min)
95.	Garment/ Fabric	Textiles-Determination of spirality after laundering Woven & knitted fabrics	ISO 16322-2:2021	(-) 50 % to (+) 50 %
96.	Garment/ Fabric	Textiles-Determination of spirality after laundering Woven & knitted garments	ISO 16322-3:2021	(-) 50 % to (+) 50 %


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
97.	Garments/ Fabric	Standard for the Flammability of children's sleepwear.	16 CFR Part 1615-2010 16 CFR Part 1616 -2010	Up to 25.4 cm (10 inch char length)
98.	Garments/ Fabric	A specification for flame-resistant materials used in camping tentage	CPAI-84	Up to 25.4 cm (10 inch char length)
99.	Garments/ Fabric	Tents Regulations	SOR/2016-185	Quantitative 1 s – 60 s
100.	Garments/ Fabric	Canada Consumer Product Safety Act - Children's Sleepwear Regulations	SOR/2016-169	Up to 25.4 cm (10 inch char length)
101.	Garments/ Fabric	Textile Flammability Regulations	SOR/2016-194	Quantitative 1 s – 60 s
102.	Garments/ Fabric	Flammability of Apparel Textiles	ASTM D1230	Quantitative 1 s – 60 s
103.	Textile and Textile Materials	Free and hydrolyzed Formaldehyde	ISO 14184-Part 1: 2011; GB/T 2912-1:2009; SASO ISO 14184-1: 2014; JIS 1041 A & B :2011 as per Japanese law 112:2015 CNS 12943	5 mg/kg to 10000 mg/kg
104.	Textile and Textile Materials	Released Formaldehyde	ISO 14184-2: 2011; GB/T 2912-2: 2009; AATCC 112:2020	5 mg/kg to 10000 mg/kg
105.	Textile and Textile Materials	pH Value	EN ISO 3071:2020; GB/T 7573: 2009; SASO ISO 3071:2014 AATCC TM 81:2016	1 to 14
106.	Leather and Leather Products	Chromium (VI) Content	DIN EN ISO 17075-1:2017; ISO 10195: 2018; GB/T 22807:2019; 64 LFGB B 82.02-11:2008	3 mg/kg to 5000 mg/kg
107.	1. Textile and Textile Materials 2. Plastic, polymers and other non- siliceous materials	Total Lead content in surface coating	16 C.F.R 1303.2 CPSC-CH-E1003-09.1: 2011; ASTM E 1645; ASTM F963-2023; CPSIA-2008-Sec.101; ASTM E 1613-12; EN 16711-1:2015	10 mg/kg to 50000 mg/kg
108.	1. Textile and Textile Materials, 2. Plastic material & Wet paint and surface coating material	Total Lead in Children Metal Products (Including Children Metal Jewelry)	CPSC-CH-E1001-08.3:2012; ASTM F963:2023	10 g/kg to 50000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
109.	1. Textile and Textile Materials 2. Plastic, polymers and other non- siliceous materials	Total lead in non-metal children products under CPSIA & ASTM F963:2023	CPSC-CHE1002-08.3-2012; ASTM F963-2023; CPSIA-2008 Section 101	10 mg/kg to 50000 mg/kg
110.	1. Textile and Textile Materials, 2. Plastic material & Wet paint and surface coating material	Total Cadmium content (Including Wet decomposition & Surface coating)	EN 1122:2001 Method B; EC 1907-2006; ASTM E1645; ASTM E1613-12	1 mg/kg to 50000 mg/kg
111.	1. Inks, Dyes & Pigments 2. Textile and Textile Materials 3. Toy materials	Certain aromatic amines derived from azo colorants: 4-aminobiphenyl Benzidine 4-Chloro-o-toluidine 2-Naphthylamine o-Aminoazotoluene 5-nitro-o-toluidine (2-Amino-4-nitrotoluene) 4-Chloroaniline (p-Chloroaniline) 4-Methoxy-m-phenylenediamine (2,4-Diaminoanisole) 4,4'-Methylenedianiline (4,4'-Diaminodiphenylmethane) 3,3'-Dichlorobenzidine 3,3'-Dimethoxybenzidine (o-Dianisidine) 3,3'-Dimethylbenzidine (4,4'-Bi-o-tolidine) 4,4'-Methylenedi-o-toluidine (3,3'-Dimethyl- 4,4'-diaminodiphenylmethane) p-Cresidine 4,4'-Methylene-bis-(2-chloroaniline) 4,4'-Oxydianiline 4,4'-Thiodianiline o-Toluidine 4-Methyl-m-phenylenediamine (2,4-toluylenediamine) 2,4,5-Trimethylaniline o-Anisidine 2,4-Xyldine	EN 14362-1 2017; CNS 16113-1:2019; EN 14362-3:2017; CNS 16113-3:2019 GB/T 17592-2024; GB/T 23344-2009.	2 mg/kg to 20000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		2,6-Xylidine 4-Aminoazobenzene (p-Aminoazobenzene) 4-chloro-o-toluidinium chloride 2-Naphthylammoniumacetate 2,4-diaminoanisole sulphate 2,4,5-trimethylaniline hydrochloride Aniline 1,4-phenylenediamine		
112.	Leather and Leather Products	Certain aromatic amines derived from azo colorants: 4-aminobiphenyl Benzidine 4-Chloro-o-toluidine 2-Naphthylamine o-Aminoazotoluene 5-nitro-o-toluidine (2-Amino-4-nitrotoluene) 4-Chloroaniline (p-Chloroaniline) 4-Methoxy-m-phenylenediamine (2,4-Diaminoanisole) 4,4'-Methylenedianiline (4,4'-Diaminodiphenylmethane) 3,3'-Dichlorobenzidine 3,3'-Dimethoxybenzidine (o-Dianisidine) 3,3'-Dimethylbenzidine (4,4'-Bi-o-tolidine) 4,4'-Methylenedi-o-toluidine (3,3'-Dimethyl- 4,4'-diaminodiphenylmethane) p-Cresidine 4,4'-Methylene-bis-(2-chloraniline) 4,4'-Oxydianiline 4,4'-Thiodianiline o-Toluidine 4-Methyl-m-phenylenediamine (2,4-toluylenediamine) 2,4,5-Trimethylaniline o-Anisidine 2,4-Xylidine 2,6-Xylidine 4-Aminoazobenzene (p-Aminoazobenzene)	ISO 17234-1: 2024; GB/T 19942:2019; CNS 15204-2:2019; ISO 17234-2: 2011;	2mg/kg to 20000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		4-chloro-o-toluidinium chloride 2-Naphthylammoniumacetate 2,4-diaminoanisole sulphate 2,4,5-trimethylaniline hydrochloride Aniline 1,4-phenylenediamine		
113.	1. Inks, Dyes, Print & Pigments 2. Textile and Textile Materials 3. Plastic & Polymers 4. Footwear & Toys	Determination of Phthalates Di-methyl Phthalate(DMP); Di-ethyl Phthalate(DEP); Di-n-propyl Phthalate(DPRP); Di-isobutyl Phthalate(DIBP); di-n-butyl phthalate (DBP); di-iso-pentyl phthalate (DiPP); n-pentyl iso-pentyl phthalate (PiPP); di-n-pentyl phthalate (DnPP); Di-cyclohexyl phthalate(DCHP); butyl benzyl phthalate (BBP); di-n-hexyl phthalate (DHP); di(ethylhexyl) phthalate (DEHP); di-n-octyl phthalate (DnOP); dinonyl phthalate (DNP); diisooctyl phthalate (DIOP); di-isononyl phthalate (DINP); di-iso-decyl phthalate (DIDP); Di-methoxy-ethyl Phthalate (DMEP); butyl octyl phthalate (BOP); 1,2-benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich (DIHP); diundecyl phthalate (DUP); 1,2-benzenedicarboxylic acid, di-C7- 11 branched and linear alkyl esters (DHNUP); 1,2-benzenedicarboxylic acid, dipentylester, branched and linear (DPP); Diisohexyl phthalate (DIHxP); 1,2-benzenedicarboxylic acid, di-C6- 10- alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	CPSC-CH-C1001-09.4:2018; EN ISO 14389:2014; GB/T 20388:2016 ISO/TS 16181-1:2021	50 to 8000000 mg/kg
114.	1. Plastic & Polymeric similar materials 2. Coatings & paints 3. Metal and Alloys	Migration of Heavy metal Arsenic (As), Barium (Ba), Cadmium (Cd), Chromium (Cr), Lead (Pb),	BS EN 71-3: 2024 BS 5665-3 : 1995; EN 71 – 3: 2024, Amendment 1:2002; ISO 8124-3: 2020;	2.5 mg/kg to 10000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
	4.Toy Materials 5.Textile and Textile products 6.Leather and Leather Products	Mercury (Hg), Selenium (Se), Antimony (Sb)	ASTM F963-2023; CNS 4797-2015; AS/NZS 8124.3:2021; AS/NZS 2172:2013	
115.	Metal Item	Nickel Spot Test	PD CR 12471:2022 DIN 13093:2017	Qualitative
116.	Paint & Coating	Total heavy metal content by Microwave assisted acid digestion method (As, Ba, Cd, Cr, Hg, Pb, Sb, Se, Fe, Al, Zn, Si)	ASTM E1645:2020	5 to 1000 mg/kg
117.	Plastic & Polymers	Total heavy metal content by Microwave assisted acid digestion method (As, Ba, Cd, Cr, Hg, Pb, Sb, Se, Fe, Al, Zn, Si)	(Based on USEPA 3051A (Modified); USEPA 3052 (Modified); EN 16711-1:2015	5 to 1000 mg/kg
118.	Leather & Synthetic leather	Total heavy metal content by Microwave assisted acid digestion method (As, Ba, Cd, Cr, Hg, Pb, Sb, Se, Fe, Al, Zn, Si)	DIN EN 14602:2012; ISO 17072-2: 2011	5 to 1000 mg/kg
119.	Textile & Textile Products	Total heavy metal content by Microwave assisted acid digestion method (As, Ba, Cd, Cr, Hg, Pb, Sb, Se, Fe, Al, Zn, Si)	EN 16711-1:2015 GB/T 30157:2013	5 to 1000 mg/kg
120.	PVC materials	PVC Identification (Qualitative) (Beilstein & FTIR)	ASTM D276-00a; ISO 1833:1977	Qualitative
121.	1. Ink, Dyes & Pigments 2. Textile and Textile Materials 3. Toy materials 4. Leather Products	Disperse Dyes (Sensitizing): Disperse Blue 1 Disperse Blue 3 Disperse Blue 7 Disperse Blue 26 Disperse Blue 35 Disperse Blue 102 Disperse Blue 106 Disperse Red 1 Disperse Red 11 Disperse Red 17 Disperse Red 151 Solvent Red 23 Disperse Orange 1 Disperse Orange 3 Disperse Orange 11 Disperse Orange 37/59/76 Disperse Orange 149 Disperse Yellow 1 Disperse Yellow 3	DIN 54231 : 2022; 64 LFGB 82.02-10 : 2007;	15 mg/kg to 5000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		Disperse Yellow 7 Disperse Yellow 9 Disperse Yellow 23 Disperse Yellow 39 Disperse Yellow 49 Disperse Yellow 56 Solvent Yellow 1 Solvent Yellow 2 Solvent Yellow 3 Disperse Brown 1 Basic violet 14 Basic violet 3 Basic violet 1 Basic Blue 26 Basic Red 9 Disperse Blue 124 1,4-Phenylenediamine Basic Green 4-Major Basic Green 4-Minor Quinoline		
122.	1. Textile and Textile Materials 2. Toy materials 3. Leather and Leather Products	Disperse Dyes (Carcinogenic) Disperse Blue 1 Disperse Orange 11 Disperse Yellow 3 Basic Violet 14 Solvent Yellow 1 Solvent Yellow 2 Solvent Yellow 3 Basic Red 9 Acid Red 26 Direct Black 38 Direct Blue 6 Direct Red 28 Direct Brown 95 Acid Violet 49 Navy Blue	DIN 54231: 2022; 64 LFGB 82.02-10: 2007	15 mg/kg to 5000 mg/kg
123.	Leather and Leather Products	Chloro-Organic Carriers 2-Chlorotoluene 3-Chlorotoluene 4-Chlorotoluene 2,4-Dichlorotoluene 2,5-Dichlorotoluene 2,6-Dichlorotoluene 2,3-Dichlorotoluene 3,4-Dichlorotoluene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,4,5-Tetrachlorobenzene	EN 17137:2024	0.1 mg/kg to 5000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		1,2,3,5-Tetrachlorobenzene 2,3,6-Trichlorotoluene 2,4,5-Trichlorotoluene Pentachlorotoluene 1,2-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,3,5-Trichlorobenzene 1,2,3,4-Tetrachlorobenzene Pentachlorobenzene Hexachlorobenzene 3,5-Dichlorotoluene 2,3,4-Trichlorotoluene Chlorobenzene 2,3,4,5-Tetrachlorotoluene 2,3,4,6-Tetrachlorotoluene 2,3,5,6-Tetrachlorotoluene 2,4,6-Trichlorotoluene 3,4,5-Trichlorotoluene Alpa,alpa,Alpa-Tri Chlorotoluene Alpa,alpa,Alpa 4-Tetrachlorotoluene Benzylchloride Quinoline		
124.	1. Ink, Dyes & Pigment 2. Textile and Textile Materials 3. Toy materials	Chloro-Organic Carriers 2-Chlorotoluene 3-Chlorotoluene 4-Chlorotoluene 2,4-Dichlorotoluene 2,5-Dichlorotoluene 2,6-Dichlorotoluene 2,3-Dichlorotoluene 3,4-Dichlorotoluene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2,4,5-Tetrachlorobenzene 1,2,3,5-Tetrachlorobenzene 2,3,6-Trichlorotoluene 2,4,5-Trichlorotoluene Pentachlorotoluene 1,2-Dichlorobenzene 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene 1,3,5-Trichlorobenzene 1,2,3,4-Tetrachlorobenzene Pentachlorobenzene Hexachlorobenzene 3,5-Dichlorotoluene 2,3,4-Trichlorotoluene Chlorobenzene	EN 17137:2024	0.1 mg/kg to 5000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		2,3,4,5-Tetrachlorotoluene 2,3,4,6-Tetrachlorotoluene 2,3,5,6-Tetrachlorotoluene 2,4,6-Trichlorotoluene 3,4,5-Trichlorotoluene Alpa,alpa,Alpa-Tri Chlorotoluene Alpa,alpa,Alpa 4-Tetrachlorotoluene Benzylchloride Quinoline		
125.	Footwear materials & Textile products	Determination of Dimethyl Fumarate (DMFu) content	ISO/TS 16186:2021; DS / EN 17130-2019	0.03- 50,00 mg/kg
126.	1. Textile & Textile products 2. Footwear & Plastic materials	Determination of Dimethyl Formamide (DMFa) & N,N- Dimethylacetamide (DMAC) content	ISO/TS 16189:2013; EN 17131:2019	1-10,000 mg/kg
127.	Textile & Textile products	Determination of Chlorophenols 2,3,4,5-Tetrachlorophenol 2,3,4,6-Tetrachlorophenol 2,3,5,6-Tetrachlorophenol 2,4,6-Trichlorophenol 2,3,6-Trichlorophenol 2,3,5-Trichlorophenol 2,4,5-Trichlorophenol 3,4,5-Trichlorophenol 2,3,4-Trichlorophenol 2,3,5-Trichlorophenol Pentachlorophenol o-phenylphenol (OPP) 2-Chlorophenol 3-Chlorophenol 4-Chlorophenol 2,3-Dichlorophenol 3,4-Dichlorophenol 3,5-Dichlorophenol 4-Chloro 3-methylphenol	64 LFGB B 82.02-8:2001; ISO 17070 (modified) DIN 53313 EC 1935:2004 DIN 500009	0.05-50,00 mg/kg
128.	Leather	Determination of Chlorophenols 2,3,4,5-Tetrachlorophenol 2,3,4,6-Tetrachlorophenol 2,3,5,6-Tetrachlorophenol 2,4,6-Trichlorophenol 2,3,6-Trichlorophenol 2,3,5-Trichlorophenol 2,4,5-Trichlorophenol 3,4,5-Trichlorophenol	64 LFGB B 82.02-8:2001; ISO 17070 (modified) DIN 53313 EC 1935:2004	0.05-50,00 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
		2,3,4-Trichlorophenol 2,3,5-Trichlorophenol Pentachlorophenol o-phenylphenol (OPP) 2-Chlorophenol 3-Chlorophenol 4-Chlorophenol 2,3-Dichlorophenol 3,4-Dichlorophenol 3,5-Dichlorophenol 4-Chloro 3-methylphenol		
129.	Metal Item	Estimation of Nickel Release	BS EN 1811: 2023 EN 12472:2020	0.02-500 ug/cm2/week
130.	1. Textile and Textile Materials 2. Plastic & Polymers	Determination of Alkylphenoethoxylate (APEO) and Alkylphenol (AP) [(Octylphenoethylates (OPEOs); Nonylphenoethylates (NPEOs); n-4-Octylphenol (n-OP); tert-4-Octylphenol (tert-4-OP); Nonylphenol (NP); 4-n- Nonylphenol (4-n-NP)]	I ISO 18254-1 :2016 CNS 15579 ISO 18218-1:2015 AFIRM ISO 21084:2019 AFIRM, GAFTI, CADS, CNS, ISO 21084, ISO 18254-1 & 18218-1, GB/T 23322)	1-1000 mg/kg
131.	Leather and leather products	Determination of Alkylphenoethoxylate (APEO) and Alkylphenol (AP) [(Octylphenoethylates (OPEOs); Nonylphenoethylates (NPEOs); n-4-Octylphenol (n-OP); tert-4-Octylphenol (tert-4-OP); Nonylphenol (NP); 4-n- Nonylphenol (4-n-NP)]	ISO 18218-1: 2015 AFIRM,	1-1000 mg/kg
132.	Textile and Textile Materials	Determining Odour	GB 18401:2003 GB/T 23170:2019 SNV 195651 modified	Sensory
133.	Textile and Textile Materials	Formaldehyde by spot test	AATCC Test Method 94-2007	Qualitative
134.	Leather	Free and released Formaldehyde	ISO/DIS 17226-1:2021; ISO/DIS 17226-2:2018; GB/T 19941-1&2:2019	5-10000 mg/kg
135.	Packaging Material	Total heavy metal content (Pb, Cd, Cr and Hg)	TPCH (Code 25214.11-25214.26 (TIPPA);	5-1000 mg/kg


Quality Manager

SCOPE OF ACCREDITATION

(For Testing Laboratory)

CAB Name & Address: Bureau Veritas Consumer Products Services (CTG) Ltd
IIUC Tower (2nd Floor), Holding# 1700/A, Plot# 9, Agrabad C/A,
Sk. Mujib Road, Chattogram, Bangladesh

Accreditation Standard: ISO/IEC 17025:2017 **Accreditation Date:** 15 April 2019

Certificate Number: 01.016.19 **Issued on:** 25 September 2025

Last Amended on: - **Valid until:** 14 April 2028

Amendment no: -

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
			EU Directive 94/62/EC	
136.	Metal Item	Lead in metals and metal alloys	CPSC 16 CFR 1500.17; EN 16711-1:2015	10-1000 mg/kg
137.	Textile and Textile Materials	Aniline & 1,4 phenylene-diamine	In House (CPSD-AN-00154- MTHD)	2-1000mg/Kg
138.	Leather	pH Value	EN ISO 4045:2018	1-14

END


Quality Manager