



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

GMS Testing Laboratory Limited

**Building-05 (2nd & 3rd Floor) & ETP Building
Shardaganj, Kashimpur, Gazipur, Bangladesh**

This is to certify that this

Testing Laboratory

is accredited in accordance with the international standard

ISO/IEC 17025:2017

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : 01.039.16
Accreditation Date : 6 November 2016
Date of Issuance : 13 January 2026 (3rd Renewal)
Date of Expiration : 5 November 2028



A. Aminul Islam
13.01.26
Mohd. Aminul Islam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific
scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.

SCOPE OF ACCREDITATION

CAB Name & Address: **GMS TESTING LABORATORY LIMITED**
Building-05 (2nd & 3rd Floor) & ETP Building
Shardaganj, Kashimpur, Gazipur, Bangladesh.

Accreditation Standard: ISO/IEC 17025:2017

Accreditation Date: 06 November 2016

Certificate Number: 01.039.16


Issued On: 13 January 2026

Last Amended On: NA

Valid Until: 05 November 2028

Amended No: NA

S.N.	Products/ Materials/ Items of test	Type of tests performed	Specifications/ Standard test methods/Techniques used	Range of testing/Limit of detection
Field: Mechanical / Physical Performance Testing				
1.	Textile, Garments & Accessories	Dimensional Stability to Washing	ISO 6330:2021 BS EN ISO 6330:2021 ISO 5077:2007 BS EN ISO 5077:2008 ISO 3759:2011 BS EN ISO 3759:2011 AATCC TM135:2018e2 AATCC TM150:2018t	Elongation & Shrinkage Percentage (%) 0 to 30 %(±)
2.	Textile, Garments & Accessories	Appearance apparel and other textile products repeated after home laundering	In House Test Method No: GMS_LT_IHTM_APP-006 Based On ISO 15487:2018	Grade:SA 1 to SA 5 Grade: SS 1 to SS 5 Grade:CR 1 to CR 5 Grade:1 to 5
3.	Textile, Garments & Accessories	Print /Motif Durability	In House Test Method No: GMS-LT_IHTM_PD-007	Grade:1 to 5
4.	Textile, Garments & Accessories	Spirality / Skewing of Fabrics & Garments	ISO16322-1:2005 ISO16322-2:2021 ISO16322-3:2021 AATCC TM179-2023	Up to ±50%
5.	Textile, Garments & Accessories	Determination of the elastic fabrics (Part 1: Strip Tests)	BS EN ISO 20932-1:2020+A1:2021	1 to 500%
		Determination of the elastic fabrics (Part 3: Narrow Fabrics)	BS EN ISO 20932-3:2020	
6.	Textile, Garments & Accessories	Pilling Resistance (ICI Pilling)	ISO 12945-1:2020 BS EN ISO 12945-1:2020 ISO 12945-4:2020	Grade:1 to 5
7.	Textile, Garments & Accessories	Pilling Resistance (Martindale)	ISO 12945-2:2020 BS EN ISO 12945-2:2020	Grade:1 to 5
8.	Textile, Garments & Accessories	Snagging Resistance	BS 8479:2008	Grade:1 to 5
9.	Textile, Garments & Accessories	Abrasion Resistance (Martindale)	BS EN ISO 12947-1:1998 BS EN ISO 12947-2:2016 BS EN ISO 12947-3:1999 BS EN ISO 12947-4:1999	Up to required Cycle Grade:1 to 5 1 to 50%
10.	Textile, Garments & Accessories	Bursting Strength (Pneumatic & Accessories)	ISO 13938-2:2019 BS EN ISO 13938-2:2019	Up to 750 kPa
11.	Textile, Garments & Accessories	Fabric Weight	ISO 3801:1977 BS EN 12127:1998 ASTM D3776/D3776-20	100 cm ²
12.	Textile, Garments & Accessories	Determination of Single thread Strength	ISO 2062:2009 BS EN ISO 2062:2009	0.5 to 3000 N
13.	Textile, Garments & Accessories	Yarn Twist	ISO 2061:2015 BS EN ISO 2061:2015	1 to 100 TPI



BAB Quality Manager

14.	Textile, Garments & Accessories	Yarn Count	BS EN ISO 2060:1995 ASTM D1059:2017 (Reapproved 2022)	1 to 200 'S
15.	Textile, Garments & Accessories	Breaking Strength and elongation (Grab Test)	ISO 13934-2:2014 BS EN ISO 13934-2:2014 ASTM D5034-25	10 to 3000 N
16.	Textile, Garments	Seam Properties – Seam Strength – Seam Slippage	ISO 13935-1:2014 ISO 13935-2:2014 ISO 13936-1:2004 ISO 13936-2:2004 ASTM D 434:1995 ASTM D1683/D1683M-22	2.5N to 3000 N 0 - 80% Up to 10mm
17.	Textile, Garments	Tearing Strength of Fabrics (Elmendorf)	ISO 13937-1: 2000 ASTM D1424-21	3 N – 50 N (320gf–5120 gf)
18.	Textile, Garments	Determination of tear force of trouser-shaped test specimens (Single tear method)	ISO 13937-2:2000	3 N – 50 N (320gf–5120 gf)
19.	Textile, Garments and Toys	Pull Strength Test	BS EN 71-1:2014+A1:2018 BS 7907-2007: Annex-B 16 CFR 1500.53	1 N – 600 N (0.1 kg – 60 kg) 1kgf-300kgf
20.	Textile, Garments and Toys	Zipper Strength	BS 3084:2006	1 N – 600 N (0.2 kg – 60 kg) 1kgf-300kgf
21.	Textile, Garments, Accessories and Toys	Torque Test	ISO 8124-1:2022 Clause 5.4.5 BS EN 71-1:2014+A1:2018 Clause-8.3 16 CFR 1500.51/52/53 ASTM F963-2017 Section-8.8	Qualitative
22.	Textile, Garments, Toys products (Textile Metal Glass, Plastic, stone Leather Accessories) in Garments, Metal Jewelry, other article intended to use for children	Determination of Sharp Points Under a Force of 4.45 N (1 Pound)	BS EN 71-1:2014+A1:2018 Clause 8.12 16 CFR 1500.48 (Sharp Point) ASTM F 963-17, Sec-4.9 (Sharp Point)	Qualitative
23.	Textile, Garments, Toys products (Textile Metal Glass, Plastic, stone Leather Accessories) in Garments, Metal Jewelry, other article intended to use for children	Determination of Sharp Edges Under a force of up to 8.90 N (2 Pound)	BS EN 71-1:2014+A1:2018 Clause-8.11 16 CFR 1500.49 (Sharp Edges), ASTM F 963-17, Sec. 4.7(Sharp Edges)	Qualitative
24.	Textiles, Garments	Industrial Washing and finishing procedures for testing of workwear	ISO 15797:2018	Elongation & Shrinkage (%) 0 to 30% (±) Grade:1 to 5
25.	Textiles, Garments	Water Repellency (Spray Test)	ISO 4920:2012 AATCC TM22-2017e	ISO 1 to ISO 5 (0 to 100)
26.	Textile, Garments & Accessories	Absorbency of Textiles	AATCC TM79:2010e2(2018)e	1-60 +Seconds
27.	Textile, Garments	Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Random Tumble Pilling Tester	ASTM D3512/D3512M-22	Grade:1 to 5


BAB Quality Manager

Field: Fibre Testing				
28.	Textile, Garments & Accessories	Fibre Analysis	ISO 1833-1:2020 ISO 1833-2:2020 ISO 1833-4:2023 ISO 1833-5:2006 ISO 1833-7:2017 ISO 1833-11:2017 ISO 1833-12:2020 ISO 1833-20:2018 ISO 20705:2019 BS 4407:1988 AATCC TM20-2021 AATCC TM20A-2021e AS 2001.7:2005 Regulation (EU) N0 1007/2011	Up to 100%
29.	Textile, Garments	Flammability of General Clothing Textile	ASTM D1230-25 16 CFR Part 1610:2016 CAN/CGSB 4.2 No 27.5-2023	1 to 100 sec


Field: Chemical Testing (Colour Fastness)				
30.	Textile, Garments & Accessories	Colour Fastness to Washing	ISO 105 C06:2010 BS EN ISO 105 C06:2010 DIN EN ISO105 C06:2010 ISO 105 C08:2010 BS EN ISO 105 C08:2010 ISO 105 C10:2006 BS EN ISO 105 C10:2007 AATCC TM61:2020 AS 2001.4.15-2006 (R2016) GB/T 3921:2008	Grade:1 to 5
31.	Textile, Garments & Accessories	Colour Fastness to Rubbing / Crocking	ISO 105X12:2016 BS EN ISO 105X12:2016 AATCC TM8:2016e AS 2001.4.3-1995 (R2016) GB/T 3920:2024	Grade:1 to 5
32.	Textile, Garments & Accessories	Colour Fastness to Perspiration	ISO 105-E04:2013 BS EN ISO 105-E04:2013 AATCC TM15-2021 AS 2001.4. E04:2005 (R2016) GB/T 3922:2013	Grade:1 to 5
33.	Textile, Garments & Accessories	Colour Fastness to Water	ISO 105-E01:2013 BS EN ISO 105-E01:2013 AATCC TM107-2013e2 AS 2001.4. E01-2001 (R2016) GB/T 5713:2013	Grade:1 to 5
34.	Textile, Garments & Accessories	Colour Fastness to Saliva	DIN 53160-1:2010 GB/T18886:2019	Grade:1 to 5
35.	Textile, Garments & Accessories	Colour Fastness to Light	ISO 105-B02:2014 BS EN ISO 105-B02:2014 AATCC TM16.3-2020 AS 2001.4. B02:2001 (R2016) GB/T 8427:2019	Rating:1 to 8 Rating:1 to 5
36.	Textile, Garments & Accessories	Colour Fastness to Light of Textiles wetted with artificial Perspiration	ISO 105-B07:2009 BS EN ISO 105-B07:2009	Rating:1 to 8 Rating:1 to 5
37.	Textile, Garments & Accessories	Color fastness to Dye Transfer in Storage	AATCC TM163:2013(2020)e2	Grade:1 to 5
38.	Textile, Garments & Accessories	Assessment of the Potential to Phenolic yellowing of materials	ISO 105 X18:2007 BS EN ISO 105 X18:2007	Grade:1 to 5


BAB Quality Manager


39.	Textile, Garments & Accessories	Color Fastness to Chlorinated Water (Swimming-Pool Water)	ISO 105-E03:2010 BS EN ISO 105-E03-2010	Grade:1 to 5
40.	Textile, Garments & Accessories	Color Fastness to Hot Pressing	ISO 105-X11:1994 BS EN ISO 105-X11: 1994 AATCC TM133: 2020e	Grade:1 to 5
41.	Textile, Garments & Accessories	Colour fastness to Sea Water	ISO 105-E02:2013 AATCC TM106-2009e(2013)e3	Grade:1 to 5
42.	Textile, Garment, Leather, Footwear & Fabrics	Vertical Wicking	AATCC TM197-2022 AATCC TM213-2022	2 to 30 min 1 to 200mm
43.	Textile, Garments & Accessories	Colorfastness to Ozone in the Atmosphere	ISO 105-G03:1993	Grade:1 to 5

Field: Chemical Testing (Analytical)


44.	Textile, Garments & Accessories	Determination of free and Hydrolyzed Formaldehyde	ISO 14184-1:2011 BS EN ISO 14184-1:2011 GMS_LT_SOP_HCHO-004 ISO 14184-2:2011 BS EN ISO 14184-2:2011 GMS_LT_SOP_HCHO-005 AATCC TM112:2020 GMS_LT_SOP_HCHO-006	16 mg/kg -3500 mg/kg 20 mg/kg -3500 mg/kg
45.	Textile, Garments & Accessories	PVC Identification	In House Test Method No: GMS_LT_SOP_PVC-007 Belistein Method- (Preliminary Method), FTIR Method by Solvent Extraction-Confirmatory Method	Qualitative
46.	Textile, Garments & Accessories	Determination of Phthalate Content	In House Test Method No: GMS_LT_SOP_PHT-008 (Based On BS EN ISO 14389:2022) CPSC-CH-C1001-09.4:2018 GMS_LT_SOP_PHT-009	Quantitative 0.005% to 0.2%
		- di-n-butyl Phthalate (DBP) - butyl benzyl Butyl Phthalate (BBP) - di (ethylhexyl) Phthalate (DEHP) - di-n-octyl Phthalate (DnOP) - di-isononyl Phthalate (DINP) - di-iso-dekyl Phthalate (DIDP) - di-iso-butyl Phthalate (DIBP) - dimethoxyethyl Phthalate (DMEP) - di-iso-pentyl Phthalate (DIPP) - Diethyl Phthalate (DEP) - di-n-hexyl Phthalate (DnHP) - Diundecyl Phthalate (DUP) - Dicyclohexyl Phthalate(DCHP) - Di-iso-hexyle Phthalate(DIHP) - Di methyl Phthalate(DMP) - Di-n-propyle Phthalate(DnPrP)		


BAB Quality Manager


		- Butyl octyl Phthalate(BOP) - n-pentyl-isopentyl Phthalate(PiPP) - Di-n-pentyl phthalate(DnPP)		
47.	COC on Leather, Textile, Garments & Accessories	Determination of Chlorinated Organic Carriers	In House Test Method No: GMS_LT_SOP_COC-010 (Based On EN 17137:2024)	Quantitative 0.1 mg/kg to 100.0 0.1 mg/kg
		2-Chlorotoluene 3-Chlorotoluene 4-Chlorotoluene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichlorobenzene 2,4- Dichlorotoluene 2,5- Dichlorotoluene 2,6- Dichlorotoluene 1,3,5-Trichlorobenzene 2,3-Dichlorotoluene 3,4-Dichlorotoluenes 1,2,4-Trichlorobenzene 1,2,3-Trichlorobenzene 2,4,5- Trichlorotoluene 2,3,6-Trichlorotoluene 1,2,3,5-Tetrachlorobenzene 1,2,4,5-Tetrachlorobenzene 1,2,3,4-Tetrachlorobenzene - Pentachlorobenzene 2,3,4,6-Tetrachlorotoluene 2,3,5,6-Tetrachlorotoluene 2,3,4,5-Tetrachlorotoluene 2,3,4,5,6-Pentachlorotoluene - Hexachlorobenzene - P-chlorobenzotrichloride - Benzotrichloride - Benzyl chloride		
48.	Textile, Garments & Accessories	Determination of Chlorinated Phenol	In House Test Method No: GMS_LT_SOP_CP-011 (Based On ISO 17070:2015 / § 35 LMBG 82.02 / DIN EN 17134-2:2023)	Quantitative 0.05 mg/kg to 1000 mg/kg
		- Pentachlorophenol 2,3,4,5-tetrachlorophenol 2,3,4,6-tetrachlorophenol 2,3,5,6-tetrachlorophenol 2,3,4-trichlorophenol 2,3,5-trichlorophenol 2,3,6-trichlorophenol 2,4,5-trichlorophenol 2,4,6-trichlorophenol 3,4,5-trichlorophenol - O-Phenyl Phenol 2-Chlorophenol 3-Chlorophenol		


BAB Quality Manager

		4-Chlorophenol 2,3-Dichlorophenol 2,4-Dichlorophenol 2,5-Dichlorophenol 2,6-Dichlorophenol 3,4-Dichlorophenol 3,5-Dichlorophenol		
49.	Textile, Garments & Accessories	pH Value	ISO 3071:2020 GMS_LT_SOP_pH-002 BS EN ISO 3071:2020 AATCC TM81-2022 GMS_LT_SOP_pH-003	1.0 to 14.0
50.	Textile, Garments & Accessories	Determination of Nickel Spot	In House Test Method No: GMS_LT_SOP_NS-022	Qualitative
51.	Metals	Determination of Nickel Release	EN 1811:2023 EN 12472:2020 (Analysis by ICP-OES) In House Test Method No: GMS_LT_SOP_NR-023	0.1ug/cm2/week-
52.	Textiles its accessories, Components, Chemicals/raw materials.	Total Lead, Cadmium (Cd) & Other metal Content - Sb - As - Pb - Cd - Cr - Co - Cu - Ni - Hg	EN 16711-1:2015 CPSC-CH-E1001-08.3-2012 CPSC-CH-E1002-08.3-2012 CPSC-CH-E1003-09.1-2011 GMS_LT_SOP_TM-020 ASTM E1645-25 BS EN 1122:2001 GMS_LT_SOP_Cd-021	5 mg/kg-500 mg/kg
53.	Textiles its accessories, components, Chemicals/raw materials.	Migration Of Certain Element - Aluminium - Antimony - Arsenic - Barium - Boron - Cadmium - Chromium (III) - Chromium (VI) - Cobalt - Copper - Lead - Manganese - Mercury - Nickel - Selenium - Strontium - Tin - Organic tin - Zinc	ISO 8124-3:2020+A1:2023 EN 71-3:2019+A1:2021 EN 14372:2004 CPSC-CH-E1004-11-2011 In House Test Method No: GMS_LT_SOP_MCE-019	0.05-25 mg/kg
54.	Textiles its accessories, Components, chemicals/raw materials	Determination of Aromatic Amine	BS EN 14362-1:2017 GMS_LT_SOP_AZO-012 BS EN 14362-3:2017 GMS_LT_SOP_AZO_PAAB-013 By GC-MSD	5 mg/kg-500 mg/kg
		- O-Toluidine 3,3 Dimethyl benzidine - Methoxy -5- methyl aniline 3,3' Dichloro benzidine 4 Chloro aniline		


BAB Quality Manager

		2,4,5-Trimethylaniline 1,4-Phenyldiamine - Aniline 2,4-Diamino Anisole 2,4-Diaminotoluene 3,3 Dimethoxy Benzidine - O-Anisidine 4 Amino Biphenyl 4-Chloro-O-Toluidine 4,4 Methylene bis (2 chloroaniline) - O-Aminoazotoluene 5-Nitro-Otoluidine 2-Naphthylamine 4,4 Diaminophenylmethene 4-4-Methylenedi-o-toluidene 2,4-Xylidine 4-4 Oxydianiline 4,4-Thiodianiline 2,6-Xylidine 4,4-Benzidine 4-aminoazobenzene		
55.	Textiles, Garments, Leather, Plastic, Paper, Liquid & Powder materials	Determination of Disperse Dyes	DIN 54231:2022 In House Test Method No: GMS_LT_SOP_DD-017	05 mg/kg to 150 mg/kg
		- Disperse blue 1 - Disperse blue 3 - Disperse blue 7 - Disperse blue 26 - Disperse blue 35 A - Disperse blue 35 B - Disperse blue 102 - Disperse blue 106 - Disperse blue 124 - Disperse Brown 1 - Disperse orange 1 - Disperse orange 3 - Disperse orange 11 - Disperse orange 37 - Disperse orange 76 - Disperse orange 59 - Disperse orange 149 - Disperse Red 1 - Disperse Red 11 - Disperse Red 17 - Disperse Red 151 - Disperse Yellow 1 - Disperse Yellow 3 - Disperse Yellow 7 - Disperse Yellow 9 - Disperse Yellow 23 - Disperse Yellow 39 - Disperse Yellow 49 - Disperse Yellow 56 - Acid Red 26 - Basic Red 9 - Basic Green 4 - Basic Violet 3		


BAB Quality Manager

		- Basic Violet 14 - Basic Blue 26 - Direct Black 38 - Direct Blue 6 - Direct Red 28 - Direct Brown 95 - Solvent Yellow 2 - Solvent Yellow 14/Sudan 1 4,4-Bis(dimethylamino) 4'-(methylamino) trityl alcohol - Quinoline - Basic Violet 1 - Solvent Blue 4 - Navy Blue		
56.	Textiles, Garments, Leather, Plastic, Paper, Liquid & Powder materials	Determination of Alkylphenol (AP) & Alkylphenol Ethoxylates (APEO)	ISO 18254-1:2016 ISO 21084:2019 EN ISO 21084:2019 Solvent Extraction, analysis by LC-MSD. In House Test Method No: GMS_LT_SOP_APEO-016	2.0 mg/kg to 100 mg/kg
		- Nonylphenol (NP), mixed isomer - Octylphenol (OP), mixed isomer - Nonylphenoethoxylates (NPEO) - Octylphenoethoxylates (OPEO)		
57.	Textiles its accessories, Components, Chemical and allied materials	Determination of Extractable Heavy Metals	GMS_LT_SOP_EHM-024 (Based on EN 16711-2:2015 ISO 105-EO4:2013, DIN 53160-1:2010)	0.05 mg/kg-25mg/kg For Hg-0.02mg/kg-2.0 mg/kg
		- Antimony (Sb) - Arsenic (As) - Lead (Pb) - Cadmium (Cd) - Copper (Cu) - Cobalt (Co) - Chromium (Cr) - Chromium VI (Cr-VI) - Nickel (Ni) - Mercury (Hg) - Selenium (Se) - Barium (Ba) - Tin (Sn) - Aluminium (Al) - Boron (B) - Iron (Fe) - Manganese (Mn) - Silver (Ag) - Strontium (Sr) - Zinc (Zn)		


BAB Quality Manager


58.	Textiles & Leather its accessories, components, Chemical and allied materials and footwear	Determination of Dimethyl Formamide (DMFa)	ISO 16189:2021 GMS_LT_SOP_DMFa-014	5 mg/kg – 1000 mg/kg
59.	Textiles & Leather, its accessories, components, Chemical and allied materials and footwear	Determination of Dimethyl Fumarate (DMFu)	ISO 16186:2021 GMS_LT_SOP_DMFu-015	0.05 mg/kg-50 mg/kg
60.	Textiles, garments, plastic, accessories, liquid & powder material	Determination of Bisphenols Bisphenol A (BPA), Bisphenol B (BPB), Bisphenol F (BPF), Bisphenol S (BPS), Bisphenol AF (BPAF)	ISO 11936:2023 AFIRM Version 10 2025 GMS_LT_SOP_BP-018	0.1 – 100 mg/kg


BAB Quality Manager

Field: Water and Environment Testing

61.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Water Hardness	ISO 6059:1984 APHA 23 rd Edition:2017 GMS_LT_SOP_WW_HD-008	5ppm to 1000ppm
62.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Biochemical Oxygen Demand (BOD)	ISO 5815-1:2019 APHA 23 rd Edition:2017 GMS_LT_SOP_WW_BOD-007	5.0- 15000.0 mg/l
63.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Chemical Oxygen Demand (COD)	ISO 6060:1989 APHA 23 rd Edition:2017 GMS_LT_SOP_WW_COD-006	5 – 50000 mg/l
64.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Dissolve Oxygen (DO)	ISO 5813:1983 ISO 5814:2012 USEPA Method# 360.1-1971 GMS_LT_SOP_WW_DO-002	1.0 – 15.00 mg/l
65.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Total Suspended Solids (TSS)	ISO 11923:1997 APHA 2540 D 23 rd Edition:2017 GMS_LT_SOP_WW_TSS-005	5.0 – 5000.0 mg/l
66.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Total Dissolved Solids (TDS)	ISO 11923:1997 APHA 23 rd Edition:2017 GMS_LT_SOP_WW_TDS-004	5.0 – 5000.0 mg/l
67.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	pH Value	ISO 10523:2008 APHA 23 rd Edition:2017 GMS_LT_SOP_WW_pH-003	1.0-14.0
68.	Discharged Wastewater, Raw Wastewater, Incoming water, Drinking water, STP water	Electrical Conductivity	ISO 7888:1985 USEPA Method# 120.1-1982 GMS_LT_SOP_WW_EC-009	1.0 – 35000.0 µs/cm

END


BAB Quality Manager