



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

Evergreen Environmental Solution

**Kawlar Maddhapara, Dakhil Madrasa Road, Bhuiyan Tower
Dakshinkhan, Dhaka-1229, Bangladesh**

This is to certify that this
Inspection Body(Type-A)

is accredited in accordance with the international standard
ISO/IEC 17020:2012

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : **05.033.26**
Accreditation Date : **15 March 2026**
Date of Issuance : **15 March 2026**
Date of Expiration : **14 March 2029**



A. J. Islam
2024/03/24
Mohd. Aminul Islam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.

SCOPE OF ACCREDITATION

(For Inspection Bodies)

CAB Name & Address: Evergreen Environmental Solution., Kawlar Maddhapara, Dakhil Madrasa Road, Bhuiyan Tower, Dakshinkhan, Dhaka-1229, Bangladesh.

Accreditation Standard: ISO/IEC 17020:2012 **Accreditation Date:** 15 March 2026

Certificate Number: 05.033.26 **Issued on:** 15 March 2026

Last Amended on: N/A **Valid until:** 14 March 2029

Amendment no: N/A

Types : Inspection Body (Type-A)

Head Office or primary Location			Additional Locations (If different from Head Office)		
Kawlar Maddhapara, Dakhil Madrasa Road, Bhuiyan Tower, Dakshinkhan, Dhaka-1229, Bangladesh.			1		
			2		
			3		
Type (A,B,C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	Range of inspections	Stage of inspection	Inspection requirements or criteria
A	Services	Ambient Air Quality Inspection	O3: 0-2000 ppb NO2: 0-2000 ppb SO2: 0-2000 ppb CO: 0-200 ppm VOCs: 0-20 ppm H2S: 0-20 ppm PM2.5: 0-1000 µg/m ³ PM10: 0-1000 µg/m ³ HCHO: 0.000-1.000 mg/m ³ TVOC: 0.000-2.000 mg/m ³ CO2: 350-2000 ppm Air Velocity: 0.4 to 30.0 m/s	On Site Inspection	In House (EES/SOP/01)
		Indoor Air Quality Inspection and Hygiene Assessment	O3: 0-2000 ppb NO2: 0-2000 ppb SO2: 0-2000 ppb CO: 0-200 ppm VOCs: 0-20 ppm H2S: 0-20 ppm PM2.5: 0-1000 µg/m ³ PM10: 0-1000 µg/m ³ HCHO: 0.000-1.000 mg/m ³ TVOC: 0.000-2.000 mg/m ³ CO2: 350-2000 ppm Air Velocity: 0.4 to 30.0 m/s		In House (EES/SOP/02)



Quality Manager

	Noise Level Inspection	30 to 130 dB		In House (EES/SOP/03)
	Light Level Inspection	0 to 20,000 Lux		In House (EES/SOP/04)
	Temperature Level Inspection	-35 °C to 100 °C		In House (EES/SOP/05)
	Humidity Level Inspection	0% to 100% RH		In House (EES/SOP/05)
	Stack Emission Inspection and Efficiency Assessment	O ₂ : 0 - 25 Vol. % NO: 0 - 4000 mg/Nm ³ NOx: 0 - 25 Vol. % CO: 0 - 10000 ppm CO ₂ : 0 - CO ₂ max. SO ₂ : 0 - 5,000 ppm Flue Temperature: -40 to +1200 °C		In House (EES/SOP/06)
	Ozone Depleting Substances (ODS) Leakage Inspection	CFCs, HCFCs, HFCs, and blends: < 0.5 oz/year (approximately 14 g/year) leakage rate Detection Distance: Sensor probe can detect leaks up to ~5–30 mm away from the source (practical working range).		In House (EES/SOP/07)
	Vibration Level Assessment	0.1 to 199.9 m/s ²		In House (EES/SOP/08)

END



Quality Manager