



ACCREDITATION CERTIFICATE

Issued under the authority of Bangladesh Accreditation Act, 2006
by Bangladesh Accreditation Board (BAB), Ministry of Industries to

Greentech Testing Company Ltd., Inspection Services

271/24, Niribili Project, Eastern Housing Society

West Dhanmondhi, Dhaka-1207, Bangladesh

This is to certify that this
Inspection Body(Type-A)

is accredited in accordance with the international standard
ISO/IEC 17020:2012

in respect of the associated scope, subject to the terms and
conditions governing the relevant conformity assessment
body (CAB) accreditation.

Certificate Number : 05.034.26
Accreditation Date : 29 April 2026
Date of Issuance : 29 April 2026
Date of Expiration : 28 April 2029



A. Aminul Islam
29. April 2026
Mohd. Aminul Islam
Director General

This certificate must be returned on request; reproduction must follow BAB guidelines. For the specific scopes to which this accreditation applies, please refer to the Directory of CABs at BAB website.


SCOPE OF ACCREDITATION

(For Inspection Bodies)

CAB Name & Address: Greentech Testing Company Ltd., Inspection Services
 271/24, Niribili Project, Eastern Housing Society, Shankar, West
 Dhanmondi, Dhaka -1207, Bangladesh

Accreditation Standard: ISO/IEC 17020:2012 **Accreditation Date:** 29 April 2026
Certificate Number : 05.034.26 **Issued on:** 29 April 2026
Last Amended on : NA **Valid until:** 28 April 2029
Amendment no : NA
Types : A

Head Office or primary location			Additional Locations (If different from Head Office)		
271/24, Niribili Project, Eastern Housing Society, Shankar, West Dhanmondi, Dhaka -1207, Bangladesh			1	NA	
			2	NA	
			3	NA	
Type (A,B,C)	Inspection Category (Product, Process, Services or Installation)	Inspection Field (and sub-fields)	Range of inspections	Stage of inspection	Inspection requirements or criteria
A	Services	Indoor Air Quality Assessment	TSP: 0~10 mg/m ³ PM2.5: 0-2000 ug/m ³ PM10: 0-2000 ug/m ³ O ₂ : 0-30% VOL O ₃ : 0-20 ppm (or mg/m ³) CO: 0-1000 ppm CO ₂ : 0-9999 ppm NO: 0-250 ppm (or mg/m ³) NO ₂ : 0-20 ppm (or mg/m ³) SO ₂ : 0-20 ppm (or mg/m ³) HCHO: 0.00 to 5.00 ppm (or mg/m ³) H ₂ S: 0-500 ppm LEL: 0-100% CH ₂ O: 0-5 ppm TVOC: 0.00 to 9.99 ppm NH ₃ : 0-100 ppm	Onsite Inspection	In House (GTCL-SOP-01)
		Indoor & Ambient Noise Level Assessment	30.0 -130.0 dB		In House (GTCL-SOP-02)
		Light Level Assessment	0-200000 Lux		In House (GTCL-SOP-03)
		Indoor & Ambient Temperature Level	Temperature (10.00C ~ 50.00C)		In House (GTCL-SOP-04)



 Quality Manager

		Assessment		
		Indoor & Ambient Humidity Level Assessment	Humidity (5% ~ 98%)	In House (GTCL-SOP-05)
		Stack Air Emission Assessment	O ₂ : 0-25% CO: 0-10000 ppm CO ₂ : 0-CO ₂ max (Calculated from O ₂) NO: 0-4000 ppm NO ₂ : 0-500 ppm NO _x : 0-500 ppm SO ₂ : 0-5000 ppm Flue Gas Temperature: (-40 °C-1200 °C) Flue Gas Draught: -40 to 40 hPa Pressure: -200 to 1150 hPa	In House (GTCL-SOP-006)
		Ambient Air Quality Assessment	TSP: 0~10 mg/m ³ PM _{2.5} : 0-2000 ug/m ³ PM ₁₀ : 0-2000 ug/m ³ O ₂ : 0-30% O ₃ : 0-20 ppm (or mg/m ³) CO: 0-1000 ppm CO ₂ : 350-9999 ppm HCHO: 0.00 to 5.00 ppm (or mg/m ³) TVOC: 0.00 to 9.99 ppm NO: 0-250 ppm (or mg/m ³) NO ₂ : 0-20 ppm (or mg/m ³) SO ₂ : 0-20 ppm (or mg/m ³) H ₂ S: 0-500 ppm LEL: 0-100% CH ₂ O: 0-5 ppm NH ₃ : 0-100 ppm	In House (GTCL-SOP-007)
		Leak Test & ODS	Ozone Depleting Gases: (0-100) %	In House (GTCL-SOP-08)

END



Quality Manager