




GOVERNMENT OF THE PEOPLE'S REPUBLIC OF BANGLADESH

# DISASTER PRONE AREA ATLAS BANGLADESH

## PATUAKHALI ZILA



**BANGLADESH BUREAU OF STATISTICS (BBS)**  
**STATISTICS AND INFORMATICS DIVISION (SID)**  
**MINISTRY OF PLANNING**

## **Cover Photographs (Front):**

Map of Bangladesh highlighting the concern Zila

## **Cover Photographs (Back):**

Stat4Dev Project

## **Photographs and Cover Design:**

Md. Zahidul Hoque Sardar, Project Director, Stat4Dev Project

Md. Mehedi Iqbal, Asst. Professor, J. U

Md. Maksud Hossain, Deputy Director, Stat4Dev Project

## **Compose and Format:**

Dinesh Chandra Roy, Asst. Statistical Officer, BBS

**ISBN: 978-984-34-4930-6**

## **Complimentary**

# **DISASTER PRONE AREA ATLAS OF BANGLADESH**

**PATUAKHALI ZILA**

December, 2018



**BANGLADESH BUREAU OF STATISTICS (BBS)  
STATISTICS AND INFORMATICS DIVISION (SID)  
MINISTRY OF PLANNING  
GOVERNMENT OF THE PEOPLE'S REPUBLIC OF BANGLADESH**

## EDITORIAL COMMITTEE

### CONVENOR

#### **Mohammad Tajul Islam**

Deputy Director General  
Bangladesh Bureau of Statistics

### MEMBERS

Dr. Amanat Ullah Khan	Professor (Retd.), Department of Geography and Environment, Dhaka University
Dr. Md Samsul Alam	Professor, Department of Geography and Environment, Jahangirnagar University
Dr. Md. Shahedur Rashid	Professor, Department of Geography and Environment, Jahangirnagar University
Dr. Md. Moniruzzaman	Professor, Department of Geography and Environment, Jagannath University
Netai Dey Sarker	Assistant Director (GIS), Department of Disaster Management
Md. Mosharaf Hossen	Assistant Director (survey), Survey of Bangladesh
Md. Shadekul Alam	Assistant Director (training), Bangladesh Meteorological Department
Md. Zahidul Hoque Sardar	Project Director, Stat4Dev Project, BBS
Dr. Dipankar Roy	Project Director, HIES Project, BBS
Rezaul Roni	Assistant Professor, Department of Geography and Environment, Jahangirnagar University
Md. Sohel Rana	Sr. Assistant Engineer (GIS), LGED
Md. Mostafizur Rahman	Director, CEGIS
A. S. M. Quamruzzaman	Deputy Director, BBS
Md. Alamgir Hossen	Deputy Director, BBS
Md. Maksud Hossain	Deputy Director, BBS

## REPORT REVIEW COMMITTEE

### CHAIRMAN

#### **Mr. Bikash Kishore Das**

Additional Secretary (Development Wing)  
Statistics and Informatics Division

### MEMBERS

Mrs. Mahmuda Akther	Additional Secretary, Informatics Wing, SID
Dr. Quayyum Ara Begum	Director (Joint Secretary), Statistics Staff Training Institute, BBS.
Md. Tarikul Alam	Joint Secretary, (Budget, Financial Management) and Program, SID.
Md. Maniruzzaman Khan	Deputy Secretary, Informatics Branch, SID.
Md. Abul Basher	Deputy Secretary, Admin Branch-1, SID
Mrs. Nur Jahan	Deputy Secretary, Development Branch-1, SID.
Mr. Shaikh Murshidul Islam	Deputy Secretary, Admin and Co-ordination Branch, SID.
Dr. Dipankar Roy	Deputy Secretary, SDG Cell, SID.
Mrs. Rubina Ferdoushy	Deputy Secretary, Development Branch-2, SID.
Mr. Mohammad Shahadat Hossain	PS to Secretary, SID.
Md. Zahidul Hoque Sardar	Project Director (Stat4Dev.) Project, BBS.
Md. Osman Bhuiyan	Deputy Secretary, Development-3, SID



### Secretary

Statistics and Informatics Division (SID)

Ministry of Planning

Government of the People's Republic of Bangladesh

### Foreword

Bangladesh Bureau of Statistics (BBS), the National Statistical Organization (NSO), is responsible for collecting, compiling and disseminating of statistics on population, demography, and economics as well as on other social indicators to measure the trends of the country's growth and development. Conducting Population and Housing Census is one of the core activities of BBS. Beside this, BBS conduct lots of Inter-censal survey and generate lots of analytical reports for the users which are mainly used for planning and policymaking at the national and sub-national levels. These reports are widely used for poverty alleviation interventions and initiatives for the improvement of the people's quality of life.

Bangladesh has taken a holistic approach towards disaster management, where emphasis has been given for working together with all stakeholders to build strategic, scientific and implementation partnerships with all relevant government departments and agencies, other key non-government players including NGOs, academic and technical institutions, the private sector and development partners. The role of Government is mainly to ensure that risk reduction and comprehensive disaster management programmes are in place. Given emphasis on that, BBS took an initiative to produce disaster prone area atlas for 15 coastal districts of the country. These atlases will focus on the existing situation of hazards, risk and disaster proneness of the districts and at the same time it will help to visualize the vulnerability through map and statistics. The disaster prone atlas of Patuakhali District is one of the output of such initiative.

Let me take privilege to thank UNFPA for providing financial and technical support to Stat4Dev Project of BBS under which this Atlas is prepared. I would like to thank the working group comprising relevant experts from Government of Bangladesh, Research Organizations and International Organizations for their technical backstopping in preparing the maps and the Atlas. I also would like to express my sincere thanks to the Director General of BBS, Project Director, GIS and his team for their sincere efforts in successful completion of this tremendous job. Thanks are also due to the distinguished members of the technical committee and report review committee for their valuable guidance in finalizing of the Atlas.

Saurendra Nath Chakrabharty

Dhaka: December, 2018





## Director General

Bangladesh Bureau of Statistics (BBS)  
Statistics and Informatics Division (SID)

Ministry of Planning  
Government of the People's Republic of Bangladesh

## Preface

Bangladesh Bureau of statistics (BBS) already has been entered into a new era through the enactment of the Statistical Act, 2013. As per this Act, BBS is mandated as the standalone agency for generating official statistics. The law has also empowered BBS to provide guidance to other agencies for producing official statistics and authenticate statistics generated by them. The Act also given responsibility to BBS to prepare Integrated Geographical Information System (GIS) to foster integration of GIS with Statistics. According to Statistical Act 2013, BBS has prepared the National Strategy for Development of Statistics (NSDS) aimed at capacity building of the nationwide use of statistics with a special focus on Environment, Climate Change and Disaster related quality statistics. Following that mandate, previously BBS published small area atlas for 64 districts and now BBS is going to prepare the disaster prone area atlas for 15 coastal districts of the country for the first time. The disaster prone area atlas of Bangladesh is a tool to enhance decision-making to reduce the economic and social impacts of natural hazards in the country. It is intended to provide a wide range policymakers with appropriate risk information in order to strengthen the capacity of the country to develop disaster risk reduction & management strategies. It provides an excellent tool in identifying, showcasing and disseminating important information needed to make timely and sound technical decisions to enhance the development process. The atlas serves as a catalyst for the holistic approach of building resilient communities. The disaster prone area atlas of Patuakhali District is one of the outcome of our disaster prone area mapping exercise.

I am grateful to UNFPA for their technical and financial assistance and to the representatives of universities; research organizations for their valuable guidance in preparing the Atlas; and in conducting the field verification. My earnest thanks to Mr. Md. Zahidul Hoque Sardar, Project Director; A.S.M. Quamruzzaman, Deputy Director (cc); Md. Maksud Hossain, Deputy Director (cc); and other colleagues of Stat4Dev Project of BBS for their relentless effort in preparing the disaster prone area atlas and for bringing out this atlas. The members of the editorial committee deserve special thanks for their input in the technical improvement of the atlas.

I think this atlas will be useful to the policymakers, researchers and development partners to meet their demand for mapping the country. Any constructive suggestion for further improvement of this report will be highly appreciated.

Dhaka: December, 2018



Dr. Krishna Gayen





**Representative**  
UNFP Bangladesh

## Message

I am glad to know the Bangladesh Bureau of Statistics (BBS), under the Statistics and Informatics Division (SID) of the Ministry of Planning of the Government of Bangladesh, has taken the initiative of publishing the Disaster-Prone Area ATLAS prepared by the UNFPA-supported project with BBS. An ATLAS is a handy tool to identify and reveal the exact location and geophysical and socio-economic characteristics of a geographical area. I believe this Disaster-Prone ATLAS will give a clear understanding of spatial and temporal occurrences of natural calamities and will be beneficial in mitigation strategies and preparedness plans, allocation of resources for a response, and will provide the decision support system in disaster management.

UNFPA assists the national efforts at building and sustaining capacities for knowledge management and data/ statistics systems, for integrating population dynamics into national planning and monitoring systems. It commits UNFPA Bangladesh to strengthen national capacity for the production and use of age, sex and location disaggregated population data, in line with the Sustainable Development Goals (SDGs) and International Conference on Population and Development (ICPD) beyond 2014. The 2030 Agenda for Sustainable Development, adopted in 2015, has placed the highest priority on ensuring that “no one is left behind”, calling on national statistical systems to disaggregate national indicators and monitor and redress inequalities as a matter of human rights. This aspiration places a high demand on national data ecosystems, and on data disaggregation by age, sex and location in particular.

Climate change is one of the greatest challenges facing humanity today. Due to its geographical location, geological and climatic conditions, Bangladesh is one of the most disaster-prone countries in the world. UNFPA is working with the Governments and other development partners to understand population dynamics better, how they affect the changing climate and how people can become resilience in the face of these changes. This disaster-prone area ATLAS has visualized through maps and statistics of the existing situation of hazard and the risk of Patuakhali district.

I would like to express my sincere appreciation to the Director General of BBS, Project Director, and his team for their sincere efforts in successful completion of this tedious job.

Dhaka: December, 2018

  
Ms. Asa Torkelsson





**Project Director**  
Stat4Dev Project  
Bangladesh Bureau of Statistics (BBS)  
Statistics and Informatics Division (SID)  
Ministry of Planning

### Acknowledgement

I am delighted to acknowledge the active role of officials concerned in undertaking the exercise for preparation of Disaster Prone Area Atlas. It is worth-mentioning that the staff members of BBS have professionally and successfully completed the Atlas by overcoming all the challenges.

I would like to express my humble gratitude and thanks to Saurendra Nath Chakrabhatty, Secretary, Statistics and Informatics Division (SID), Md. Amir Hossain, Director General, Bangladesh Bureau of Statistics, Ms Mahmuda Akhter, Additional Secretary (Development), Statistics and Informatics Division (SID), for their valuable suggestions, patient guidance, and all-out support for completion of the disaster prone area atlas.

Thanks to UNFPA Bangladesh for their generous support to BBS for conducting National Population Census and other outputs, like preparing disaster prone area maps, using census data for the very meaningful use by different government and non-government agencies.

Particularly I am grateful to ASM Quamuzzaman, Deputy Director, Md. Maksud Hossain, Deputy Director, Md. Firoz Ahmed Sardar, Statistical Officer and other Stat4Dev project's officials who were the active members of this Atlas team.

I have the pleasure to express my deepest gratitude to Mr. Mehedi Iqbal, Consultant and Assistant Professor, Department of Geography and Environment, Jahangirnagar University, who gave his full effort in preparing this Atlas. My great appreciation is due to the members of the project management team of stat4Dev project for their relentless efforts in this exercise.

I am deeply indebted to various stakeholders and agencies concerned who always provided their valuable suggestions and comments for successful completion of the Atlas and data collection from field.

Hope, users and readers will continue to forward their suggestion and comments for further improvement of those documents.

Dhaka: December, 2018

  
Md. Zahidul Hoque Sardar



# Contents

	<i>Page</i>
Forward	III
Preface	V
Message from UNFPA	VII
Acknowledgements	IX
<b>Chapter 1: Introduction</b>	
1.1 Background	3
1.2 Objectives	3
1.3 Scope of the work	3
1.4 About the national disaster atlas	3
1.5 Expected benefits	4
1.6 Key stakeholders	4
1.7 Key concepts and definition	5
1.8 Data and Map sources	11
<b>Chapter 2: Methodological Framework for Hazard and Risk Assessment</b>	
2.1 Understanding country situation and baseline data compilation	15
2.2 List of Disaster and disaster calendar	15
2.3 Hazard assessment and mapping	16
2.4 Exposure assessment	16
<b>Chapter 3: Basic Data and Maps of Patuakhali District</b>	
3.1 Geography and administrative division	21-34
3.2 Population/Demography	35-48
3.3 Households	49
3.4 Topography and climate	50
3.5 Land use land cover	51
3.6 Education	51
3.7 Health facilities	52
3.8 Transportation	52
3.9 Cyclone Shelters	52-64
3.10 Poverty status	65-70
<b>Chapter 4: Hazard Assessment and Mapping</b>	
4.1 Cyclone affected area map	73-84
4.2 Excess Rainfall affected area map	85-96
4.3 Flood affected area map	97-108
4.4 Thunderstorm affected area map	109-120
4.5 Tidal Bore affected area map	121-132
4.6 Windstorm affected area map	133-144
4.7 Risk Mapping based on settlements	145-156
4.8 Others	157-162
Appendix A	163-168



*Chapter 1*  
**Introduction**



## **1.1 Background**

Bangladesh is broadly distinguished as one of the world's countries most susceptible to climate change and one of the most vulnerable countries of the world in terms of natural and anthropogenic hazards. As per World Risk Report 2015 Bangladesh has been identified as the sixth most natural disaster-prone country among 173 countries in the world. The geography and climate have made the country vulnerable to different meteorological, hydrological and geological hazards. Natural hazards are a direct result of increased rainfall in the monsoon season, rising sea levels from climate change, and tropical cyclones. The occurrences of natural disasters in the nation are expected to increase as a result of climate change. Each disaster brings about devastating effects on the nation's agriculture, water supply, food resources, health and shelter. It is predicted that the effects of climate change, in the future, will generate more than 20 million climate refugees. Bangladesh is among the countries most predisposed to extensive flooding, tornados and destructive cyclones. Additionally, the water in Bangladesh is frequently contaminated with arsenic due to flooding and the high arsenic contents in the soil. It is estimated that nearly 77 million people in Bangladesh are exposed to toxic arsenic from drinking water.

Bangladesh Bureau of statistics (BBS) already has been entered into a new era through the enactment of the Statistical Act 2013. As per Act BBS is mandated as the standalone agency for generating official statistics. The law has empowered BBS to provide guidance to other agencies for producing official statistics and also to authenticate statistics generated by them. According to Statistical Act 2013, BBS has prepared the National Strategy for Development of Statistics (NSDS) aimed at capacity building of the nationwide use of statistics as well as Environment, Climate Change and Disaster related quality statistics.

## **1.2 Objectives**

As a consequence of the above NSDS, BBS is going to prepared 15 coastal district disaster prone area atlas based on field verification and updating GIS map with other related information. Each disaster prone area atlas will represent single district and existing situation of hazard, risk and will visualized through map and statistics.

## **1.3 Scope of the work**

Geographically, the survey covered the entire district for the selected 15 coastal district area. To identify the disaster-prone areas, a list of mauzas/mahallahs with the dominating type of disaster, which were collected from the field survey, was generated for 15 districts. The risk analysis was done at the extent of both the national and local levels. It will focus on main disaster namely flood, salinity, storm surge, excess rainfall, cyclone, thunderstorm and windstorm.

## **1.4 About the national disaster atlas**

The main deliverable of the project is the district specific disaster prone area atlas. The atlas contains general information about demographic and climatic characteristics of specific district. It describes the main elements at risk and the hazard

profile of the local level based on settlements. The information were collected from the local level community and compiled to construct the maps. It contains an analysis of the risk and vulnerability of the district. The disaster prone area atlas of Bangladesh is a tool to enhance decision-making to reduce the economic and social impacts of natural hazards in the country. It is intended to provide a wide range of decision makers and policy makers with appropriate risk information in order to strengthen the capacity of the country to develop strategic risk management strategies. It provides an excellent tool in identifying, showcasing and disseminating important information needed to make timely and sound technical decisions to enhance the development process. The atlas serves as a catalyst for the holistic approach of building resilient communities.

## **1.5 Expected benefits to the nation**

At the end of this Atlas, a lot of information on disaster and risks will be available and is able to define the disaster profile of specific district of Bangladesh. Such disaster risk profile will help to better coordinate all disaster management related initiatives in a proactive manner at national and local levels, leading to the reduction of disaster risk for all Bangladeshi citizens.

## **1.6 Key stakeholders**

The National Disaster Atlas is intended to benefit a range of stakeholders and potential users. Mainly, the key decision/policy-makers will be able to ensure policy making and decisions are based on robust risk information. The atlas will benefit donors and development partners by informing their respective project formulation and design and risk-proofing development interventions. It will also ensure a risk informed planning by Planners in the government institutions, non-government organizations and the private sector. In addition, the academe is one of the expected beneficiary and user of the atlas specifically as basis or reference for further researches and academic papers. Moreover, the private sector will also benefit from the atlas as its findings could guide them in disaster risk proofing their investments. The humanitarian actors could also utilize the atlas as guide in identifying hazard-safe areas where humanitarian interventions are placed and implemented. The Districts and the local communities will by and large be the main beneficiaries and users of the atlas.

As herein listed, these stakeholders were grouped into ministries, governmental institutions, regional organizations, and international organizations (including UN Agencies and NGOs). Some of the other stakeholders, particularly the regional organizations, participated in the project by providing data required in the assessment including thematic inputs in the use of software, and modeling, including the development of the methodology and analysis. In particular, the UNFPA, aside from providing funding support to the project, have extensively provided technical guidance and assistance to the risk assessment process through its in-house disaster risk assessment expertise.

## **1.7 Key concepts and definitions**

### ***Disaster.***

Disaster means any such incidents mentioned below created by nature or human or created due to climate change and its massiveness and devastation cause such damage to cattle, birds and fisheries including life, livelihood, normal life, resources, assets of community and the environment of the damaged area or create such level of hassle to that community whose own resources, capability and efficiency is not sufficient to deal this and relief and any kind of assistance is needed to deal that situation, such as: (a) Cyclone, northwester, tornado, sea high tides, abnormal tides, earthquake, tsunami, excessive rains, shortfall of rains, flood, erosion of river, erosion of coastal area, drought, excessive salinity, excessive pollution of arsenic, building slide, landslide, hill slide, gushing water from hills, hailstorm, heat wave, cold wave, long term water logging etc.; (b) Explosion, fire, capsizing of vessel, massive train and road accident, chemical and nuclear radiation, pilferage of oil or gas, or any mass destruction incident; (c) Disease causing pandemic, such as pandemic influenza, bird flu, anthrax, diarrhea, cholera, etc.; (d) Harmful microorganism, poisonous materials and infection of life active object including infection by bio based or biological infectious object; (e) Ineffectiveness or damage of essential service or disaster protection infrastructure; and (f) Any unnatural incident or a misfortune causing massive life loss and damage (Disaster Management Act 2012).

### ***Disaster risk***

The potential disaster losses, in lives, health status, livelihoods, assets and services, which could occur to a particular community or a society over some specified future time. The definition of disaster risk reflects the concept of disasters as the outcome of continuously present conditions of risk. Disaster risk comprises different types of potential losses, which are often difficult to quantify. Nevertheless, with knowledge of the prevailing hazards and the patterns of population and socio-economic development, disaster risks can be assessed and mapped, in broad terms at least.

### ***Disaster risk reduction***

Disaster Risk Reduction (DRR) is development and application of policies and practices that minimizes risks to vulnerabilities and disasters, applies to managing and /or responding to current disaster risks.

### ***Early warning system***

It is a major element of disaster risk reduction. It prevents loss of life and reduces the economic and material impact of disasters. To be effective, early warning systems need to actively involve the communities at risk, facilitate public education and awareness of risks, effectively disseminate alerts and warnings and ensure there is constant state of preparedness (Ibid).

## ***Exposure***

People, property, systems, or other elements present in hazard zones that are thereby subject to potential losses. Measures of exposure can include the number of people or types of assets in an area. These can be combined with the specific vulnerability of the exposed elements to any particular hazard to estimate the quantitative risks associated with that hazard in the area of interest.

## ***Hazard***

A dangerous phenomenon, substance, human activity or condition that may cause loss of life, injury or other health impacts, property damage, loss of livelihoods and services, social and economic disruption, or environmental damage. There are hazards of natural origin and related environmental and technical hazard and risks. Such hazards arise from a variety of geological, meteorological, hydrological, oceanic, biological and technical sources, sometimes acting in combination. In technical settings, hazards are described quantitatively by the likely frequency of occurrence of different intensities for different areas, as determined from historical data or scientific analysis.

## ***Natural hazard***

Natural process or phenomenon that may cause loss of life, injury or other health impacts, property damage, loss of livelihoods and services, social and economic disruption, or environmental damage. Natural hazards are a sub-set of all hazards. The term is used to describe actual hazard events as well as the latent hazard conditions that may give rise to future events. Natural hazard events can be characterized by their magnitude or intensity, speed of onset, duration, and area of extent. For example, earthquakes have short durations and usually affect a relatively small region, whereas droughts are slow to develop and fade away and often affect large regions. In some cases hazards may be coupled, as in the flood caused by a hurricane or the tsunami that is created by an earthquake.

## ***Resilience***

The ability of a system, community or society exposed to hazards to resist, absorb, accommodate to and recover from the effects of a hazard in a timely and efficient manner, including through the preservation and restoration of its essential basic structures and functions. The resilience of a community in respect to potential hazard events is determined by the degree to which the community has the necessary resources and is capable of organizing itself both prior to and during times of need.

## ***Return period***

A return period, also known as a recurrence interval or repeat interval, is an estimate of the likelihood of an event to occur. It is a statistical measurement typically based on historical data denoting the average recurrence interval over an

extended period of time. The theoretical period is the inverse of the probability that the event will be exceeded in any other year. For example, a 25 year flood has a  $1/25 = 0.25$  or 25% chance of being exceeded in any one year. Despite the connotations of the name “return period”, it does not mean that a 25 year flood will happen regularly every 25 years or only once in 25 years (Wikipedia, 2015).

## ***Risk***

Risk means hazards, factors of dangers and possible harmful situation created due to internal process of the environment or assembling and capability. (Disaster Management Act, 2012)

## ***Risk analysis***

The process to comprehend the nature of risk and to determine the level of risk (ISO 31010).

## ***Risk assessment***

A methodology to determine the nature and extent of risk by analyzing potential hazards and evaluating existing conditions of vulnerability that together could potentially harm exposed people, property, services, livelihoods and the environment on which they depend. Risk assessments (and associated risk mapping) include: a review of the technical characteristics of hazards such as their location, intensity, frequency and probability; the analysis of exposure and vulnerability including the physical social, health, economic and environmental dimensions; and the evaluation of the effectiveness of prevailing and alternative coping capacities in respect to likely risk scenarios. This series of activities is sometimes known as a risk analysis process.

## ***Vulnerability***

Vulnerability means any such existing socio-economic, geographical and environmental condition of any community, which may make expected capability of the community vulnerable, weak, unskill and limited to adapt with affect of natural or human created hazard or any adverse reaction.

## ***Natural Disaster***

A natural disaster is a major adverse event resulting from natural processes of the Earth; examples include cyclones, drought, floods, erosion, volcanic eruptions, earthquakes, tsunamis, and other geologic processes. A natural disaster can cause loss of life or property loss and damages, and typically leaves some economic loss and damages, the severity of which depends on the affected population's resilience, or ability to recover. Following is the description of some of the natural disasters (with their code number) in Bangladesh.

### ***Drought***

Bangladesh faces unpredictable drought hazard in the dry monsoon due to inadequate and uneven rainfall. It varies from place to place, however, and the north-western region/ districts of Bangladesh suffers most from the drought almost regularly in two-year cycle. It is unusual dryness of soil, resulting in crop failure and shortage of water for other uses, caused by significantly lower rainfall than average over a prolonged period. Hot dry winds, shortage of water, high temperatures and consequent evaporation of moisture from the ground can contribute to conditions of drought. This may have initiated the process of desertification in those districts where the affected areas maintain high temperatures, non-availability of surface water due to drying out of water sources, crops die out and there is a crisis of fodder as well. For people who are directly dependent on rainwater, drought is a big problem.

### ***Flood***

Flood is one of the major natural disasters in Bangladesh. In general the normal inundation of flood-free areas by water caused by excessive rain and spillage from the over flown riverbanks is called flood. Floods bring about immense havoc to the lives of the people. Flooding is a natural phenomenon in Bangladesh and occurs on an annual basis. The rivers are huge by global standards, and can inundate over 30% of the land mass at a time. Bangladesh is prone to serious and chronic flooding. Even in an average year, 18% of the landmass is inundated and previous floods have affected 75% of the country (as in 1988). 75% of the country is below 10m above sea level and 80% is classified as floodplain as Bangladesh is principally the delta region of South Asia's great rivers. Bangladesh floods on a regular basis, recent notable and catastrophic floods have occurred in 1988, 2004, 2007 and 2010. Floods cause erosion of chars (islands) by flooding rivers, cause landlessness amongst Bangladesh's poor; environmental refugees, loss of property, lives, epidemic, other water borne diseases, lack of drinking water, loss of agricultural land and crops, communication disruption are some of the major effects of this natural disaster.

### ***Water Logging***

Bangladesh's high vulnerability to frequently occurring natural disaster is known worldwide, a lesser-known new phenomenon - water logging - has been disrupting livelihoods of people during the past two decades. The phenomenon involves deterioration of drainage condition in a number of southern coastal rivers leading to temporary to permanent inundation of floodplains along those rivers, causing enormous difficulties towards maintaining livelihoods and disrupting land-based productive system including agricultural crops. The problem has become severe in the southwestern parts of Bangladesh, especially along the Kapataksma river system covering parts of Jessore, Khulna and Satkhira districts. Water logging is also becoming an issue in central southern Noakhali district, where gradual chocking of the Noakhali rivulet (i.e., khal) has given rise to temporary water logging every year.

### ***Cyclone***

A large-scale closed circulation system in the atmosphere with low barometric pressure and strong winds that rotate counter clockwise in the northern hemisphere and clockwise in the southern hemisphere. The system is referred to as a cyclone in the Indian Ocean and South Pacific, hurricane in the western Atlantic and eastern Pacific and typhoon in the western Pacific. Cyclones are the most devastating of the natural disasters. Generally, the disasters faced by the coastal areas are related to tides, river flows and weather conditions leading to cyclonic winds. A major hazard that occurs in the coastal areas is mostly due to weather conditions associated with depressions of varying severity. The hazards due to cyclones are associated with elements such as depressions, cyclone surges, effect of wind speed, hazard areas, etc. High winds cause rough conditions and high waves during the time of depression over the sea and cause damage and loss throughout the land they pass over. In Bangladesh, the main cause of damage and loss is the severe cyclonic storm with Hurricane intensity. In Bangladesh, most of the cyclones occur during the pre-monsoon (April/ May/ early-June) and post-monsoon (late-September/ October/ November) period. The pre-monsoon period is the sowing or broadcasting season for Aus rice and the post monsoon season is the harvesting season for Aman rice in the coastal areas. Hence, the impact of cyclones is severe in terms of economic loss, as well as loss of lives and property.

### ***Tornado***

The two transitional periods between southwest and northeast monsoons over the Indian sub-continent are characterized by local severe storms. The transitional periods are usually referred to as pre-monsoon (March-May), and post-monsoon (October-November). It is the pre-monsoon period when most of the abnormal rainfall or drought conditions frequently occur in different parts of Bangladesh. Also there are severe local seasonal storms, popularly known as nor'westers (Kalbaishakhi). Severe nor 'westers are generally associated with tornadoes. Tornadoes are embedded within a mother thundercloud, and moves along the direction of the squall of the mother storm. The frequency of devastating nor' westers usually reaches the maximum in April, while a few occur in May, and the minimum in March. Nor' westers and tornadoes are more frequent in the afternoon.

### ***Storm/Tidal Surge***

Storms are caused by atmospheric disturbance involving perturbations of the prevailing pressure and wind fields, on scales ranging from tornadoes (1 km across) to extra-tropical cyclones (2000-3000 km across). This causes a rise in sea level that result in the inundation of areas along coastlines. The movement of ocean and sea currents, winds and major storms causes these phenomena.

### ***Thunderstorm***

A thunderstorm, also known as an electrical storm, a lightning storm, or a thundershower, is a type of storm characterized by the presence of lightning and its acoustic effect on the Earth's atmosphere known as thunder. Thunderstorms occur

in association with a type of cloud known as a cumulonimbus. They are usually accompanied by strong winds, heavy rain and sometimes hail, or, in contrast, no precipitation at all. Thunderstorms result from the rapid upward movement of warm, moist air. They can occur inside warm, moist air masses and at fronts. As the warm, moist air moves upward, it cools, condenses, and forms cumulonimbus clouds that can reach heights of over 20 km (12.45 miles). As the rising air reaches its dew point, water droplets and ice form and begin to fall through the clouds towards the Earth's surface. As the droplets fall, they collide with other droplets and become larger. The falling droplets create a downdraft of cold air and moisture that spreads out at the Earth's surface, causing the strong winds commonly associated with thunderstorms, and occasionally fog.

### ***River/Coastal Erosion***

A combination of natural processes, including weathering, dissolution, abrasion, corrosion, and transportation, by which material is worn away from the earth's surface. The energy in a river causes erosion. The bed and banks can be eroded making it wider, deeper and longer. River erosion and submerging of the coastal lands are the natural phenomenon being one of the main natural disasters. River and coastal erosion causes much more destruction to the socioeconomic mechanism than any other natural disasters. Loss of life may not happen due to erosion but it makes people undone. It causes a massive financial loss and damages. The immense pressure of the downwards tide, current force and twirl, waves and tides, storm, tidal surges, lack of trees on the riverbank causes erosion to the coastal islands every year. The collision between downwards current of fresh water and uprising sea level creates strong twirling that cause erosion to the coast. Moreover, due to combined sudden flood, heavy rain, and downwards freshwaters causes collision to the riverbank and cause erosion to the riverbanks and coastal areas. Deforestation and lack of plantation in the riverbanks and coastal areas also complement to riverbank and coastal erosion.

### ***Landslide***

Landslides are a complex-disaster phenomenon that can be caused by earthquakes, volcanic eruptions, heavy rainfall (typhoons, hurricanes), sustained rainfall, heavy snowmelt, unregulated anthropogenic developments, mining, and others. In Bangladesh, landslides are mostly triggered by heavy rainfall. However, underlying causes of landslide include deforestation, hill cutting, unregulated development work, etc. Moreover, poverty and landlessness force poor people to live in the risky hill-slopes. However, recently landslide has emerged as a major hazard, particularly after the Chittagong Landslide 2007. Due to heavy rainfall during 10 -11 June 2007, landslides and collapsed walls caused widespread damages in six areas of Chittagong city and in different Upazilas of the District.

### ***Salinity***

Saline water intrusion is mostly seasonal in Bangladesh; in winter months the saline front begins to penetrate inland, and the affected areas rise sharply from 10 percent in the monsoon to over 40 percent in the dry season. Coastal districts such as Satkhira, Khulna, Bagerhat, Barguna, Patuakhali, Barisal are the victims of salinity intrusion. Agricultural production,

fisheries, livestock, and mangrove forests are affected by higher salinity in the dry season. It is observed that dry flow trend has declined as a result of which sea flow (saline water) is traveling far inside the country resulting in contamination both in surface and ground water. The population of pure freshwater fish species decline and species that are more tolerant survive and dominate changing the composition of the ecosystem and affecting the livelihoods of the people dependent of the freshwater resources.

### ***Hailstorm***

Hailstorm is a very curious geographical and climatic phenomenon. A hailstorm is named such, because during the storm, hail or balls of ice fall in huge quantities on the Earth. It is nothing but irregular lumps or balls of ice. The specialty of a hailstorm is that both hail, i.e. balls of ice, and rainwater fall during the storm, at the same time. The hailstorms are not exactly storms, but are a side effect of a much bigger storm, the thunderstorm. In fact, this phenomenon originates from thunderclouds that are known as Cumulonimbus clouds. When the existing temperature of a mass of air currents falls down rapidly over decreasing altitude, it results in a hailstorm. The hailstones are formed due to the process of freezing and grow over time. They are carried by the updrafts or the air currents moving in the upward direction, until they become large for these currents to continue carrying them. Hailstones must have at least 3/4 inch of diameter to become severe, and cause a substantial amount of damage and loss to life and property. Being a nature's phenomenon and a type of natural disaster, hailstorms are unavoidable. The impact of hailstones can cause widespread damage and loss to vulnerable plant, agricultural crops, infrastructure and equipment that is stored outside. Hailstones have the potential to destroy animals and human life upon impact if strong enough.

### **1.8 Data and Map source**

The development of a comprehensive disaster risk profile requires foremost a good understanding of the general context and background of the country. Accordingly, many country data has been gathered. These data were organized in a dataset and converted into GIS formats. The data includes administrative entities, population, infrastructure, buildings and settlement, livelihood, health, education, elevation and topography and land use countrywide. It is important to note that the data availability constitutes a main challenge and constraint for the preparation of this atlas. The subsequent page demonstrates a table detailing data collected from different institutions, governmental, international organization and UN Agencies.

Table 1.1: Database Inventory

S/N	Type of data	Format	Content	Source
1	DEM	Point-based GIS shapefiles	Digital elevation model of 10 meter	BWDB
2	Topographic Maps	Image	Images covering the specific area produced in 2010	SoB
3	Land Cover Map	GIS Shapefiles	Land use land cover information	MoL

4	Education facilities location	GPS locations	Specific locations and other related informations	GPS survey
5	Health facilities location	GPS locations	Specific locations and other related informations	GPS survey
6	Administrative boundary	GIS Shapefiles	Admin boundary with Geocode	BBS
7	River Network	GIS Shapefiles	Detail river network with name	BWDW
8	Meteorological data	Spreadsheet	Daily Temperature, Rainfall, Humidity with station location's latitude and longitude	BMD
9	Demographic data	Spreadsheet	mauza specific Various demographic related data	BBS
10	Soil salinity	Point based GIS shapefiles	Salinity measurement for specific location of the study area	BARC
11	Disaster information	Spreadsheets	Various disaster and damage related information	Field survey

*Chapter 2*

## Methodological Framework for Hazard and Risk Assessment



## 2.1 Understanding country situation and baseline data compilation

The risk assessment process was an extensive inventory and compilation of existing data and information related to hazards and elements at risk. It involves an understanding of the country's disaster risk management framework, practices and institutional set-up. It entails collection of baseline data of the country such as administrative boundaries, infrastructure, socioeconomic data (e.g. demographics, poverty index, employment, agriculture, etc.), spatial data (e.g. Digital Elevation Model, geology, soil, land cover, land use, road network, etc.) and meteorological data (e.g. rainfall, temperature, etc.). This process also include collection of historical disaster events and the damage and losses they caused. The collected data are compiled and structured in different datasets according to its nature, format and contents. Subsequently, the datasets are integrated in the Geographical Information System (GIS) platform and processed into maps and spatial formats. Some of the baseline data are presented in figures and tables. These maps, figures and tables are presented in chapter 3.

## 2.2 List of Disaster and disaster calendar

Each district has different hazards and occurred in different time. To identify the different hazards in particular district one questionnaire form was produced to collect the data from field and compiled together. The table shows the disaster calendar for the Patuakhali district.

Upazila Name	Disaster Name	Jan	Feb	Mar	Apr	May	June	Jul	Aug	Sep	Oct	Nov	Dec	Rank
Bauphal	Cyclone				✓	✓	✓							
	Drought			✓	✓	✓								
	Excess Rainfall						✓	✓	✓					
	Flood						✓	✓	✓					
	Thunderstrom				✓	✓	✓	✓						
	Tidal Bore						✓	✓	✓	✓	✓	✓	✓	
	Windstrom		✓	✓	✓									
Dasmina	Cyclone				✓	✓								
	Excess Rainfall						✓	✓	✓					
	Thunderstrom				✓	✓	✓	✓						
	Windstrom		✓	✓										
Dumki	Cyclone				✓	✓	✓							
	Excess Rainfall						✓	✓	✓	✓	✓			
	Flood							✓	✓	✓	✓			
	River Erosion						✓	✓	✓	✓	✓			
	Thunderstrom				✓	✓	✓	✓	✓	✓	✓			
	Tidal Bore					✓	✓	✓	✓	✓	✓	✓	✓	
	Windstrom				✓	✓	✓							

Upazila Name	Disaster Name	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Rank
Galachipa	Cyclone				✓	✓	✓	✓		✓	✓	✓		
	Drought	✓	✓	✓	✓	✓								
	Excess Rainfall						✓	✓	✓	✓				
	Flood						✓	✓	✓	✓	✓	✓	✓	
	River Erosion					✓	✓	✓	✓	✓	✓	✓	✓	
	Thunderstrom				✓	✓	✓	✓						
	Tidal Bore				✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Windstrom				✓	✓	✓	✓						
Kalapara	Cyclone				✓	✓	✓							
	Flood						✓	✓	✓	✓	✓	✓	✓	
	Thunderstrom				✓	✓	✓							
	Windstrom				✓	✓	✓							
Mirjagonj	Cyclone					✓	✓	✓	✓	✓	✓	✓	✓	
	Drought				✓	✓	✓							
	Excess Rainfall					✓	✓	✓	✓	✓				
	Flood						✓	✓	✓	✓	✓	✓	✓	
	River Erosion					✓								
	Thunderstrom					✓	✓	✓	✓					
	Tidal Bore					✓	✓	✓	✓					
Patuakhali Sadar	Cyclone					✓	✓	✓	✓					
	Excess Rainfall					✓	✓	✓	✓					
	Flood						✓	✓	✓	✓				
	River Erosion						✓	✓	✓	✓	✓	✓	✓	
	Thunderstrom				✓	✓	✓	✓						
	Tidal Bore					✓	✓	✓	✓					
Rangabali	Cyclone					✓	✓	✓	✓		✓	✓		
	Drought										✓	✓		
	Excess Rainfall						✓	✓	✓					
	Flood						✓	✓						
	Thunderstrom						✓	✓	✓					
	Tidal Bore						✓	✓	✓		✓	✓		
	Windstrom					✓	✓							

### 2.3 Hazard assessment and mapping

Hazard assessment and mapping is the first step of the risk assessment process. It involves characterizing the hazards in terms of its spatial distribution, frequency and intensity. It covers four major hazards that are prevalent in Patuakhali

District namely, cyclone, thunderstorm, coastal flood and windstorms. Specific hazard intensity maps are produced per hazard. The hazard maps identify the hazard-prone areas, describe the physical characteristics of the hazards and characterize the hazards in terms of magnitude, frequency, duration, extent, intensity and probability. The hazard assessment and mapping phase also entails building of plausible scenarios for each hazard and developing hazard intensity maps.

## 2.4 Exposure assessment

Identifying and assessing the elements at risk is the next step in the risk assessment process. Exposure assessment is an intermediate stage of risk assessment, which links the hazard assessment with the targeted elements under consideration for the risk assessment (ADPC, 2013). The elements at risks in this study, also labelled as sectors of activity, are population, building, critical facilities such as health and education facilities, infrastructure (e.g. roads) and agriculture (Table 2.1). Exposure will be quantified and expressed as the number of population (or human lives) and the value of properties and assets that can potentially be affected by a specific hazard.

Table 2.1 : Elements considered in the assessment per hazard

Type	Population	Settlement	Crop	Infrastructure	Transport
Drought	X		x		
Flood	X	x	x	x	x
Landslide	X	x	x	x	x
Windstorm	X	x	x	x	
Coastal flood	X	X	X	X	X
Thunderstorm	X	X	X	X	
Cyclone	X	X	X	X	X
Salinity	X		X		
Excess Rainfall		X	X		X
Strom surge/tidal bore	X	X	X	X	X
Water logging	X	X	X		X
Tornado	X	X	X	X	X
Earthquake	X	X	X	X	X

The exposure assessment is aimed at creating a national database of elements at risks. It qualifies the elements located in hazard-prone areas. The goal is to develop a comprehensive profile of elements at risk and analysis of their exposure to various natural hazards. The analysis is carried out based on available data.



*Chapter 3*

## **Basic Data and Base Maps of Patuakhali District**



### 3.1 Geography and administrative division

Patuakhali, a coastal zila of Barisal Division, is situated at the fringe of the Bay of Bengal. It became a sub-division of Barisal (former Bakerganj) district in 1871 and a district in 1969. Former Patuakhali district was constituted with two sub-division viz. Patuakhali Sadar and Barguna. In 1983, Patuakhali Sadar subdivision was upgraded to zila. The total area of the zila is 3221.31 sq.km. (1243.75 sq. miles). It lies between 21°48' and 22°36' north latitudes and between 90°08' and 90°41' east longitudes. The zila is bounded on the north by Barisal Zila, east by Bhola Zila, south by the Bay of Bengal and west by Barguna Zila. The administrative units of the Patuakhali district is given below in a table 3.1.

Table 3.1: The administrative units of Patuakhali district

Geographic Unit	Units
Upazila/Thana	8
Union	71
Mauza	561
Village	878
City Corporation	0
City Ward	0
City Mahalla	0
Paurashava	5
Paura Ward	45
Paura Mahalla	82



## **Geography and Administrative Division**



90°0'0"E

90°25'0"E



## ADMINISTRATIVE UNITS

### PATUAKHALI ZILA

0 10 20  
Kilometer

### BARISAL ZILA

22°30'0"N




### BARGUNA ZILA

22°50'N

#### Paurashava List

- A: 16-Bauphal Paurashava
- B: 25-Galachipa Paurashava
- C: 50-Kalapara Paurashava
- D: 60-Kuakata Paurashava
- E: 75-Patuakhali Paurashava




#### Legend


- Zila Boundary
- Upazila Boundary
- Union Boundary
- Paurashava Boundary
- Highway
- Metalled Road
- Zila Headquarters
- Upazila Headquarters
- River
- Union Geocode

47

BAY OF BENGAL

90°25'0"E







90°30'0"E

90°40'0"E

## ADMINISTRATIVE UNITS

### DASHMINA UPAZILA



22°20'0"N

### BAUPHAL UPAZILA

22°20'0"N

LALMOHAN UPAZILA  
(BHOLA ZILA)

Tentulia River

### GALACHIPA UPAZILA

22°10'0"N

Tentulia River

84-Rangopaldi

21-Bahrampur

42-Betagi  
Sankipura


10-Alipur

52-Dashmina

31-Banshbaria

### CHAR FASSON UPAZILA (BHOLA ZILA)

### 78-PATUAKHALI ZILA



#### Legend

- Zila Boundary
- Upazila Boundary
- Union Boundary
- Metalled Road
- Upazila Headquarters
- River/Canal

90°30'0"E


90°20'0"E

90°25'0"E

## ADMINISTRATIVE UNITS

### DUMKI UPAZILA

0 1 2 4  
Kilometer





22°30'0"N

22°30'0"N

22°25'0"N


22°25'0"N


### BAKERGANJ UPAZILA (BARISAL ZILA)



90°20'0"E

90°25





## **ADMINISTRATIVE UNITS**

### **KALAPARA UPAZILA**



## ADMINISTRATIVE UNITS

### MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N

BETAGI UPAZILA  
(BARGUNA ZILA)

22°20'0"N

22°15'0"N

90°10'0"E 90°15'0"E 90°2

BAKERGANJ UPAZILA  
(BARISAL ZILA)

90°15'0"E

DUMKI  
UPAZILA

Rajganj River

81-Mirzaganj

PATUAKHALI SADAR  
UPAZILA

27-Deuli  
Subidkhali

40-Kakrabunia

67-Majidbari

BARGUNA SADAR UPAZILA  
(BARGUNA ZILA)

Rajganj River


PATUAKHALI ZILA


0 10 20  
Kilometer

Dumki Bauphal  
Patuakhali Sadar  
Mirzaganj Dashmina  
Galachipa  
Kalapara Rangabali

Legend  
Zila Boundary  
Upazila Boundary  
Union Boundary  
Metalled Road  
Upazila Headquarters  
River/Canal

90°10'0"E







### 3.2 Population

The total population of the zila enumerated in 2011 Census is 1535854 of which 201882 (13.14%) constitute urban population and the remaining 1333972 (86.86%) constitute rural population. It is observed that the total population of both urban and rural areas has been increasing but the percent contribution to the total population by rural area has been showing a little decreasing trend since 1981. This particular situation, which appeared in Table 3.2, is mainly attributed to the expansion of urban area and possibly due to the migration of a section of people from rural area to urban area.

Table 3.2: Population changes between 1974 and 2011 of Patuakhali District

Residence	2011		2001		1991		1981	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Zila	1535854	100.00	1460781	100.00	1273872	100.00	1165076	100.00
Urban	201882	13.14	175284	12.00	132472	10.40	114255	9.80
Rural	1333972	86.86	1285497	88.00	1141400	89.06	1050821	90.20



# Population Demography



90°0'0"E

90°25'0"E


## POPULATION DENSITY 2011

### PATUAKHALI ZILA

0 10 20  
Kilometer


### BARISAL ZILA

22°30'0"N



### BARGUNA ZILA


22°30'0"N





BAY OF BENGAL


90°25'0"E


Name	Area (Sq. Km)	Settlement Area (Sq Km)	Household	Population
Bauphal Upazila	485.24	112.03	67833	304284
Dashmina Upazila	303.69	50.35	28490	123388
Dumki Upazila	92.46	23.48	15542	70655
Galachipa Upazila	1268.37	92.35	80054	361518
Kala Para Upazila	477.64	66.57	57525	237831
Mirzaganj Upazila	167.18	49.65	28205	121716
Patuakhali Sadar Upazila	362.77	105.99	68813	316462
Rangbali Upazila	374.32	34.59	22588	103003
<b>Patuakhali Zila Total</b>	<b>3221.31</b>	<b>535.01</b>	<b>346462</b>	<b>1535854</b>













## POPULATION DENSITY 2011

### MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N


BETAGI UPAZILA  
(BARGUNA ZILA)

22°20'0"N

#### Legend

- Zila Boundary
- Upazila Boundary
- Union Boundary
- Upazila Headquarters
- River/Canal
- Population Density (per Sq Km)  
(Based on Settlement Area)


< 2249	
2250 - 2695	
2696 - 4944	
4945 - 16297	
> 16298	




### PATUAKHALI ZILA

0 10 20  
Kilometer









### 3.3 Households

The total household of Patuakhali zila as enumerated in Population and Housing Census 2011 is 346462 of which 45231(13.05%) in urban area and 301231(86.95%) in rural area. Household by type are 345113 (99.61%) general (dwelling), 157(0.05%) institutional and 1192(0.34%) other households in the zila. It is observed that the increase of general household during the decade 2001-2011 are 22.13% in the zila, 35.35% in urban area and 20.64% in rural area. General household by residence is furnished in Table 3.3 for the last five consecutive censuses.

Table 3.3: General household by residence, 1974-2011

Residence	2011		2001		1991		1981		1974	
	Number	Percent								
Zila	345113	100.00	282570	100.00	224284	100.00	193594	100.00	175770	100.00
Urban	44508	12.90	32883	11.64	22442	10.01	17886	9.24	5309	3.02
Rural	300605	87.10	249687	88.36	201842	89.99	175708	90.76	170461	96.98

It is observed in the above table that the total general households have been increasing since 1974 in both urban and rural areas. The increasing trend for urban households reflects the pattern of migration from rural to urban area. The upward trend of urban general households over the decades registers a record of 236.90% during 1974-1981 suggesting a very rapid urbanization in Patuakhali zila. The urbanization, though exhibits a downward slide 25.47% over the decade 1981-1991 but it has gone up to 46.52% in the decade 1991-2001 and again a down ward slope of 35.35% during 2001-2011. The rural general household recorded the highest 23.70% expansion during 1991-2001 as compared to next increase of 20.39% in 2001-2011.

Table 3.4: Changes of household by percentage during different census year.

Residence	2001-2011	1991-2001	1981-1991	1974-1981
Zila	22.13	25.99	15.85	10.14
Urban	35.35	46.52	25.47	236.90
Rural	20.39	23.70	14.87	3.08

### 3.4 Topography and climate

Patuakhali's climate is classified as tropical. During most months of the year, there is significant rainfall in Patuakhali. There is only a short dry season. According to Köppen and Geiger, this climate is classified as Am. The average annual temperature in Patuakhali is 25.9 °C. Precipitation here averages 1955 mm. At an average temperature of 30.0 °C, May is the hottest month of the year. In January, the average temperature is 19.4 °C. It is the lowest average temperature of the whole year. Between the driest and wettest months, the difference in precipitation is 576 mm. The average temperatures vary during the year by 10.6 °C.

Table 3.5: The climatic variables of the Patuakhali district (After BMD, 2016)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Avg. Temp (°C)	19.4	22.1	26.2	28.6	30	28.5	27.9	28	28.4	27.6	24.1	20.3
Min. Temp (°C)	13.1	16	20.6	24.1	25.5	25.7	25.6	25.6	25.6	24.1	19.2	14.4
Max. Temp (°C)	25.8	28.2	31.9	33.1	34.6	31.4	30.3	30.5	31.2	31.2	29	26.3
Precipitation / Rainfall (mm)	12	27	51	99	242	536	586	499	348	197	47	10

### 3.5 Land cover/ Land use

Patuakhali District is a riverine area with 20.60% of the total area and only 2.21 % is covered with forest area. Rest of the total land (78.19 %) is land area Dumki has the maximum land area and Galachipa has minimum land area. There are no forest area in Bauphal, Dasmina, Dumki, Mirzaganj and Patuakhali Sadar Upazila.

Table 3.6 : Land area distribution to different upazilas of Patuakhali district (in sq km)

Upazila	Land area	Percentage	Reserve forest	Percentage	River area	Percentage	Total area
Bauphal	423.44	86.93	0.00	0.00	63.66	13.07	487.10
Dashmina	269.44	76.57	0.00	0.00	82.43	23.43	351.87
Dumki	92.41	100.00	0.00	0.00	0.00	0.00	92.41
Galachipa	463.06	51.79	29.68	3.32	401.31	44.89	894.05
Kalapara	467.11	94.96	21.05	4.28	3.73	0.76	491.89
Mirzaganj	156.05	93.34	0.00	0.00	11.13	6.66	167.18
Patuakhali Sadar	354.51	97.81	0.00	0.00	7.95	2.19	362.46
Rangabali Upazila	260.40	69.57	20.60	5.50	93.32	24.93	374.32
<b>Total Zila</b>	<b>2486.45</b>	<b>77.19</b>	<b>71.33</b>	<b>2.21</b>	<b>663.53</b>	<b>20.60</b>	<b>3221.31</b>

### 3.6 Education

The literacy rate of the Patuakhali district is 54.1% where male is 56.2% and female is 52.0%. There are many educational institutes in Patuakhali such as 1 university, 2 government college, 1 polytechnic institute, 1 vocational institute, 1 primary education training institute, 1 nurse training institute, 32 non-government college, 1 law college, 1 homeopathic college, 2 government high school, 295 non-government high school, 1101 government primary school, 284 madrasa, 3893 mosques, 490 temple, 8 pagoda etc.

### **3.7 Health facilities**

The Patuakhali district consists of the following health institutes - 1 Civil Surgeon Office, 1 Patuakhali Sadar hospital with 250 bed, 2 Upazila Health Complexes with 50 bed, 4 Upazila Health Complexes with 31 bed, 2 20 Bed Hospitals, 12 Sub Centers.

### **3.8 Transportation**

The total 6812 kilometer where metalled road is 2969 kilometer, semi metalled is 439 and Katch is 5555 kilometers. There is no rail way line in this district. However, there are 3135 kilometer of water way in both river and canal. Palanquin, horse carriage, bullock cart, Gaina boat are the traditional transports found in the rural area of Patuakhali Zila. These means of transport are either extinct or nearly extinct. Now-a- days, all the upazilas are connected with the zila headquarters with metalled roads. Bus, minibus, three wheelers ply over the zila.

### **3.9 Cyclone Shelters**


There are 529 number of infrastructures were found which are used as cyclone shelter during the emergency time. The total capacity of those shelters are only one-third of the total population of the district. The following table 3.7 gives the statistics of the cyclone shelters according to the upazilas and compare to the total population.

Table 3.7: Upazila specific distribution of cyclone shelters and population.

Upazila Name	Cyclone Shelter (nos)	Capacity (population)	Population 2011
Bauphal	113	110750	304284
Dashmina	81	86250	123388
Dumki	39	37250	70655
Galachipa	93	89750	361518
Kalapara	22	21500	237831
Mirzaganj	26	29250	121716
Patuakhali Sadar	131	123750	316462
Rangabali	24	24250	103003
<b>Total</b>	<b>529</b>	<b>522750</b>	<b>1535854</b>

# **Cyclone Shelters Area Map**





## CYCLONE SHELTER BAUPHAL UPAZILA

0 1 2 4  
Kilometer



22°30'0"N

90°30'0"E

BAKERGANJ UPAZILA  
(BARISAL ZILA)

BHOLA SADAR UPAZILA  
(BHOLA ZILA)

22°30'0"N

BURHANUDDIN UPAZILA  
(BHOLA ZILA)

DUMKI UPAZILA

LALMOHAN UPAZILA  
(BHOLA ZILA)

PATUAKHALI SADAR  
UPAZILA

22°20'0"N

PATUAKHALI ZILA

0 10 20  
Kilometer

GALACHIPA  
UPAZILA

DASHMINA UPAZILA




90°30'0"E

### Legend

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Metalled Road
- Upazila Headquarters
- River/Canal
- Cyclone Shelter Capacity (person)

< 750	●
751 - 1000	○
> 1000	○○




90°20'0"E

90°25'0"E


## CYCLONE SHELTER

### DUMKI UPAZILA




22°30'0"N


22°30'0"N



90°20'0"E

90°25'0"E





## CYCLONE SHELTERS KALAPARA UPAZILA

0 1 2 4  
Kilometer



22°0'0"N

AMTALI UPAZILA  
(BARGUNA ZILA)

Andamanica River

Mohipur

Nilganj

Mithaganj

Lalua

GALACHIPA  
UPAZILA

BAY OF BENGAL

90°10'0"E

90°20'0"E

Dalbuganj

Baliatali

Dhulasar

Lata Chapli

Kuakata  
Paurashava


PATUAKHALI ZILA

0 10 20  
Kilometer



### Legend

Zila Boundary  
Upazila Boundary  
Paurashava Boundary  
Union/Ward Boundary  
Upazila Headquarters  
River/Canal



Metalled Road  
Cyclone Shelter Capacity (person)

< 750	○
751 - 1000	○○
> 1000	○○○

## CYCLONE SHELTERS

### MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N

90°10'0"E 90°15'0"E 90°2

BAKERGANJ UPAZILA  
(BARISAL ZILA)

DUMKI  
UPAZILA

Rajganj River

BETAGI UPAZILA  
(BARGUNA ZILA)

PATUAKHALI SADAR  
UPAZILA

22°25'0"N

22°20'0"N

Kakrabunia

Majidbari


Rajganj River


BARGUNA SADAR UPAZILA  
(BARGUNA ZILA)

90°15'0"E

Legend	
Zila Boundary	-----
Upazila Boundary	.....
Union Boundary	.....
Metalled Road	.....
Upazila Headquarters	▲
River/Canal	~~~~~
Cyclone Shelter Capacity (person)	
< 750	○
751 - 1000	○○
> 1000	○○○









### 3.10 Poverty status

The poverty graph (figure 3.1) shows that the both upper and lower poverty line goes down from 2005 to 2010, which indicates the improvement of poverty status of Patuakhali district.




Figure 3.1: Comparison of poverty status for upper and lower line between 2005 and 2010 of the Patuakhali district.




# **Poverty Status Area Map**



## POVERTY STATUS 2010

**PATUAKHALI ZILA**

0 10 20 Kilometer





*Chapter 4*

## Hazard Assessment and Mapping



## Cyclone Affected Area Map





# **CYCLONE AFFECTED SETTLEMENTS BAUPHAL UPAZILA**

0 1 2 3

### Kilometer



## BAKERGANJ UPAZILA (BARISAL ZILA)

## BHOLA SADAR UPAZILA (BHOLA ZILA)

Nº00266

DUMKU PAZITA

1980-81

K=1.11

Surivamani

## Keshabpur

## BURHANUDDIN UPAZILA (BHOLA ZILA)

## LALMOHAN UPAZILA (BHOLA ZILA)

## PATUAKHALI SADAR UPAZILA

## GALACHIPA UPAZILA

## DASHMINA UPAZILA

10  
20  
Kilometer


A map of the Ghati River basin showing six sub-catchments: Mirzaganj, Sadar, Dashmina, Galachipa, Kalapara, and Rangabali. The sub-catchments are delineated by lines and labeled with their names in a bold, black, sans-serif font. The map is a black and white line drawing.

Affected Settlements Area : 23.16 Sq Km  
Affected Population: 64,379

**Legend**

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

# CYCLONE AFFECTED SETTLEMENTS DASHMINA UPAZILA




90°20'0"E

90°25'0"E

## CYCLONE AFFECTED SETTLEMENTS

### DUMKI UPAZILA


0 1 2 4  
Kilometer



### BAKERGANJ UPAZILA (BARISAL ZILA)


22°30'0"N

22°30'0"N



22°25'0"N

22°25'0"N



Affected Settlements Area : 16.25 Sq Km  
Affected Population: 63,365


90°20'0"E


90°25'

Source : After DDM, Field Survey 2018

78

Stat4Dev Project, 2018








# CYCLONE AFFECTED SETTLEMENTS

## MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



Affected Settlements Area : 27.62 Sq Km  
Affected Population: 65,548

## BETAGI UPAZILA (BARGUNA ZILA)

22°20'0"N

22°15'0"N

Legend

- Zila Boundary
- Upazila Boundary
- Union Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

## BARGUNA SADAR UPAZILA (BARGUNA ZILA)


90°10'0"E


## BAKERGANJ UPAZILA (BARISAL ZILA)

90°15'0"E

90°2

90°15'0"E










## **Excess Rainfall Affected Area Map**






# EXCESS RAINFALL AFFECTED SETTLEMENTS

## BAUPHAL UPAZILA

0 1 2 4  
Kilometer



### BAKERGANJ UPAZILA (BARISAL ZILA)

### BHOLA SADAR UPAZILA (BHOLA ZILA)

Dhulia

Tentulia River

### BURHANUDDIN UPAZILA (BHOLA ZILA)

Keshabpur

22°30'0"N

### DUMKI UPAZILA

Kalsuri  
Kanchipara  
Kanakdia

Surjyamani

Madanpura

Nazirpur

Bauphal

Noamala

Daspara

Kalaiya

### LALMOHAN UPAZILA (BHOLA ZILA)

Tentulia River  
Char Chandra Dwip

### PATUAKHALI SADAR UPAZILA

0 10 20  
Kilometer



### GALACHIPA UPAZILA

### DASHMINA UPAZILA


Affected Settlements Area : 10.68 Sq Km  
Affected Population: 1,00,549

**Legend**

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

90°30'0"E

# EXCESS RAINFALL AFFECTED SETTLEMENTS DASHMINA UPAZILA





90°20'0"E 90°25'0"E

## EXCESS RAINFALL AFFECTED SETTLEMENTS DUMKI UPAZILA

0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)




Affected Settlements Area : 7.87 Sq Km  
Affected Population: 62,735

90°20'0"E

90


Source : After DDM, Field Survey 2018


Stat4Dev Project, 2018




Source : After DDM, Field Survey 2018












## **Flood Affected Area Map**





# FLOOD AFFECTED SETTLEMENTS BAUPHAL UPAZILA

0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)

BHOLA SADAR UPAZILA  
(BHOLA ZILA)

90°30'0"E

22°30'0"N

DUMKI UPAZILA

PATUAKHALI SADAR  
UPAZILA

BURHANUDDIN UPAZILA  
(BHOLA ZILA)

22°30'0"N

LALMOHAN UPAZILA  
(BHOLA ZILA)

22°20'0"N

90°30'0"E

Tentulia River

Dhulia

Tentulia River

Kalsuri

Keshabpur

Kanchipara

Surjyamani

Kanakdia

Madanpura

Nazirpur

Baga

Bauphal  
Paurashava

Bauphal

Kalaiya

Noamala

Char  
Chandra  
Dwip

GALACHIPA  
UPAZILA

DASHMINA UPAZILA

0 10 20  
Kilometer

Kilometer

PATUAKHALI ZILA

20

Kilometer

0

Kilometer

10

Kilometer

Affected Settlements Area : 14.62 Sq Km  
Affected Population: 1,08,521

**Legend**

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

90°30'0"E


100



Stat4Dev Project, 2018

Source : After DDM, Field Survey 2018

## FLOOD AFFECTED SETTLEMENTS DASHMINA UPAZILA




90°20'0"E

90°25'0"E

## FLOOD AFFECTED SETTLEMENTS

### DUMKI UPAZILA

0 1 2 4  
Kilometer





### BAKERGANJ UPAZILA (BARISAL ZILA)

22°30'0"N

22°30'0"N

22°25'0"N

22°25'0"N





90°20'0"E

90°25'

Source : After DDM, Field Survey 2018

102

 Stat4Dev Project, 2018





Source : After DDM, Field Survey 2018



# FLOOD AFFECTED SETTLEMENTS

## MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N

90°10'0"E 90°15'0"E 90°2

BAKERGANJ UPAZILA  
(BARISAL ZILA)

Madhabkhali

DUMKI  
UPAZILA

Rajganj River

BETAGI UPAZILA  
(BARGUNA ZILA)

Mirzaganj

PATUAKHALI SADAR  
UPAZILA

Denul  
Subidkhali

Kakrabunia

Majidbari

22°20'0"N

22°20'0"N

90°2

22°25'0"N

22°15'0"N

90°10'0"E

90°15'0"E

**Legend**


- Zila Boundary
- Upazila Boundary
- Union Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

BARGUNA SADAR UPAZILA  
(BARGUNA ZILA)

PATUAKHALI ZILA

0 10 20  
Kilometer

Dumki  
Bauphal  
Patuakhali  
Sadar  
Mirzaganj  
Dashmina  
Galachipa  
Kalapara  
Rangabali








## **Thunderstorm Affected Area Map**








# THUNDERSTORM AFFECTED SETTLEMENTS

## DASHMINA UPAZILA



## THUNDERSTORM AFFECTED SETTLEMENTS DUMKI UPAZILA

0 1 2 4

Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)

MIRZAGANJ  
UPAZILA

BAUPHAL  
UPAZILA

Bishkhali River

Pangashia




Angaria

Bishkhali River

Sreerampur

Muradia

PATUAKHALI SADAR  
UPAZILA



# THUNDERSTORM AFFECTED SETTLEMENTS GALACHIPA UPAZILA

0 1 2 4  
Kilometer



Source : After DDM, Field Survey 2018

## THUNDERSTORM AFFECTED SETTLEMENTS KALAPARA UPAZILA

0 1 2 4  
Kilometer



22°0'0"N

AMTALI UPAZILA  
(BARGUNA ZILA)


Andamanica River


BAY OF BENGAL


90°10'0"E


90°20'0"E

90°10'0"E











## **Tidal Bore Affected Area Map**





# TIDAL BORE AFFECTED SETTLEMENTS BAUPHAL UPAZILA

0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)

BHOLA SADAR UPAZILA  
(BHOLA ZILA)

90°30'0"E

22°30'0"N

DUMKI UPAZILA

Kalsuri

Keshabpur

22°30'0"N

BURHANUDDIN UPAZILA  
(BHOLA ZILA)

LALMOHAN UPAZILA  
(BHOLA ZILA)

PATUAKHALI SADAR  
UPAZILA


Karpani River  
Baga  
Adabaria  
Noamala  
Daspara  
Kalaiya

Tentulia River  
Char Chandra Dwip

22°20'0"N

GALACHIPA  
UPAZILA

DASHMINA UPAZILA




Legend

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements

90°30'0"E

# TIDAL BORE AFFECTED SETTLEMENTS DASHMINA UPAZILA




90°20'0"E

90°25'0"E

## TIDAL BORE AFFECTED SETTLEMENTS

### DUMKI UPAZILA



0 1 2 4  
Kilometer



### BAKERGANJ UPAZILA (BARISAL ZILA)

22°30'0"N

22°30'0"N



90°20'0"E

90°25'

Source : After DDM, Field Survey 2018


126

Stat4Dev Project, 2018

### PATUAKHALI ZILA

0 10 20  
Kilometer





## TIDAL BORE AFFECTED SETTLEMENTS KALAPARA UPAZILA

0 1 2 4  
Kilometer



22°0'0"N

AMTALI UPAZILA  
(BARGUNA ZILA)

Andamanica River


BAY OF BENGAL

22°0'0"N

GALACHIPA  
UPAZILA

PATUAKHALI ZILA

0 10 20  
Kilometer




90°10'0"E 90°20'0"E

90°10'0"E

# TIDAL BORE AFFECTED SETTLEMENTS

## MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N

90°10'0"E 90°15'0"E 90°2

BAKERGANJ UPAZILA  
(BARISAL ZILA)

Madhabkhali

DUMKI  
UPAZILA

Rajganj River

Mirzaganj

PATUAKHALI SADAR  
UPAZILA

BETAGI UPAZILA  
(BARGUNA ZILA)

Denil  
Subidkhali

Kakrabunia

Majidbari

22°20'0"N

22°20'0"N

90°10'0"E

90°15'0"E

BARGUNA SADAR UPAZILA  
(BARGUNA ZILA)

90°10'0"E

### Legend

- Zila Boundary
- Upazila Boundary
- Union Boundary
- Upazila Headquarters
- River/Canal
- Less Affected Settlements
- Highly Affected Settlements




PATUAKHALI ZILA

0 10 20  
Kilometer











## Windstorm Affected Area Map





# WINDSTORM AFFECTED SETTLEMENTS BAUPHAL UPAZILA

0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)

BHOLA SADAR UPAZILA  
(BHOLA ZILA)

90°30'0"E

22°30'0"N

DUMKI UPAZILA

PATUAKHALI SADAR  
UPAZILA

Kalsuri

Keshabpur

BURHANUDDIN UPAZILA  
(BHOLA ZILA)

22°30'0"N

Kanchipara

Kanakdia

Surjyamani

Madanpura

Nazirpur

LALMOHAN UPAZILA  
(BHOLA ZILA)

22°20'0"N

Baga

Bauphal

Daspara

Kalaiya

Adabaria  
GALACHIPA  
UPAZILA

DASHMINA UPAZILA

Noamala

DASHMINA UPAZILA

Tembila River

Tembila River

Char  
Chandra  
Dwip


0 10 20  
Kilometer



Legend  
Zila Boundary  
Upazila Boundary  
Paurashava Boundary  
Union/Ward Boundary  
Upazila Headquarters  
River/Canal  
Less Affected Settlements  
Highly Affected Settlements

90°30'0"E

# WINDSTORM AFFECTED SETTLEMENTS DASHMINA UPAZILA



0 1 2 4  
Kilometer

90°30'0"E

90°40'0"E

22°20'0"N

22°20'0"N

BAUPHAL UPAZILA

LALMOHAN UPAZILA  
(BHOLA ZILA)

Bahrampur

Betagi  
Sankipura

Banshbaria

Alipur

Dashmina

Rangopaldi

GALACHIPA UPAZILA

Tentulia River

CHAR FASSON UPAZILA  
(BHOLA ZILA)

PATUAKHALI ZILA

0 10 20  
Kilometer

Dumki Bauphal  
Patuakhali Sadar  
Mirzaganj Dashmina  
Galachipa  
Kalapara Rangabali

**Legend**  
Zila Boundary  
Upazila Boundary  
Union Boundary  
Upazila Headquarters  
River/Canal  
Less Affected Settlements  
Highly Affected Settlements

90°30'0"E


90°20'0"E

90°25'0"E

## WINDSTORM AFFECTED SETTLEMENTS

### DUMKI UPAZILA

0 1 2 4  
Kilometer





### BAKERGANJ UPAZILA (BARISAL ZILA)

22°30'0"N

22°30'0"N

22°25'0"N

22°25'0"N




90°20'0"E


90°25'

Source : After DDM, Field Survey 2018

138

Stat4Dev Project, 2018






Source : After DDM, Field Survey 2018



## WINDSTORM AFFECTED SETTLEMENTS

### MIRZAGANJ UPAZILA

0 1 2 4  
Kilometer



22°25'0"N

90°10'0"E 90°15'0"E 90°2

BAKERGANJ UPAZILA  
(BARISAL ZILA)

Madhabkhali

DUMKI  
UPAZILA

Rajganj River

Mirzaganj

PATUAKHALI SADAR  
UPAZILA

BETAGI UPAZILA  
(BARGUNA ZILA)

Denil  
Subidkhali

Kakrabunia

Majidbari

BARGUNA SADAR UPAZILA  
(BARGUNA ZILA)

22°20'0"N

22°15'0"N


90°10'0"E 90°15'0"E

22°20'0"N


PATUAKHALI ZILA


0 10 20  
Kilometer

Dumki Bauphal  
Patuakhali Sadar  
Mirzaganj Dashmina  
Galachipa  
Kalapara Rangabali



Source : After DDM, Field Survey 2018







## **Risk Mapping Based on Settlements**




90°0'0"E

90°25'0"E

## RISK MAP

### PATUAKHALI ZILA

0 10 20  
Kilometer



22°30'0"N

22°30'0"N

22°50'0"N

22°50'0"N

BARISAL ZILA

BARGUNA ZILA

BHOLA ZILA

Mirziganj

Patuakhali Sadar

Galachipa

Kusal River

Andamank River

BAY OF BENGAL

Tensilia River

90°25'0"E


#### Paurashava List

- A: 16-Bauphal Paurashava
- B: 25- Galachipa Paurashava
- C: 50-Kalapara Paurashava
- D: 60-Kuakata Paurashava
- E: 75-Patuakhali Paurashava

#### Legend

- Zila Boundary
- Upazila Boundary
- Union Boundary
- Paurashava Boundary
- Zila Headquarters
- Upazila Headquarters
- River
- Risk Intensity

Very Low	
Low	
Moderate	
High	
Very High	



## RISK MAP BAUPHAL UPAZILA

0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)

BHOLA SADAR UPAZILA  
(BHOLA ZILA)

BURHANUDDIN UPAZILA  
(BHOLA ZILA)

22°30'0"N

22°30'0"N

DUMKI UPAZILA

PATUAKHALI SADAR  
UPAZILA

Kalsuri  
Kanchipara  
Kanakdia

Surjyamani

Madanpura

Keshabpur

Nazirpur

Baga

Noamala

Adabaria  
GALACHIPA  
UPAZILA

Daspara

Kalaiya


Char

Chandra

Dwip

LALMOHAN UPAZILA  
(BHOLA ZILA)

22°20'0"N



90°30'0"E

### Legend

- Zila Boundary
- Upazila Boundary
- Paurashava Boundary
- Union/Ward Boundary
- Upazila Headquarters
- River/Canal

Risk Intensity

- Very Low
- Low
- Moderate
- High
- Very High




90°30'0"E

90°40'0"E

## RISK MAP

### DASHMINA UPAZILA



0 1 2 4  
Kilometer


22°20'0"N

22°20'0"N

22°10'0"N

GALACHIPA UPAZILA

BAUPHAL UPAZILA

LALMOHAN UPAZILA  
(BHOLA ZILA)CHAR FASSON UPAZILA  
(BHOLA ZILA)

90°30'0"E

90°20'0"E

90°25'0"E

## RISK MAP

### DUMKI UPAZILA


0 1 2 4  
Kilometer



BAKERGANJ UPAZILA  
(BARISAL ZILA)


22°30'0"N


22°30'0"N





PATUAHALI SADAR  
UPAZILA


90°20'0"E














Source : After DDM, Field Survey 2018




## **Others by Mauza**



## DROUGHT AFFECTED SETTLEMENTS PATUAKHALI ZILA

0 10 20  
Kilometer



Affected Settlements Area 15.70 Sq Km  
Affected Population 48,534

BARISAL ZILA

Bauphal

Mirzaganj

Dukki

Patuakhali Sadar

Dashmin

BARGUNA ZILA

Galachipa

BHOLA ZILA

Rangabali

Kalapara

### Paurashava List

- A: 16-Bauphal Paurashava
- B: 25- Galachipa Paurashava
- C: 50-Kalapara Paurashava
- D: 60-Kuakata Paurashava
- E: 75-Patuakhali Paurashava

### Legend


- Zila Boundary
- Upazila Boundary
- Union Boundary
- Paurashava Boundary
- Zila Headquarters
- Upazila Headquarters
- River
- Less Affected Settlements
- Highly Affected Settlements

BAY OF BENGAL

90°25'0"E

BANGLADESH


0 100 200  
Kilometer



# **RIVER BANK EROSION AFFECTED SETTLEMENTS PATUAKHALI ZILA**

22°30'0"N

220300" N



## BARISAL ZILA

## **BARGUNA ZILA**

BHOLA ZILA

1  
22°5'0"N

### **Paurashava List**


- A: 16-Bauphal Paurashava
- B: 25- Galachipa Paurashava
- C: 50-Kalapara Paurashava
- D: 60-Kuakata Paurashava
- E: 75-Patuakhali Paurashava

### Legend

**Zila Boundary**  
**Upazila Boundary**  
**Union Boundary**  
**Paurashava Boundary**  
**Zila Headquarters**  
**Upazila Headquarters**  
**River**  
**Less Affected Settlements**  
**Highly Affected Settlements**

## BAY OF BENGAL

90°25'0"E





90°0'0"E

90°25'0"E


## SALINITY AFFECTED AREA

### PATUAKHALI ZILA



22°30'0"N

22°30'0"N



### BARGUNA ZILA

### BHOLA ZILA

22°50'0"N

22°50'0"N

#### Paurashava List

- A: 16-Bauphal Paurashava
- B: 25- Galachipa Paurashava
- C: 50-Kalapara Paurashava
- D: 60-Kuakata Paurashava
- E: 75-Patuakhali Paurashava

#### Legend

Zila Boundary

Upazila Boundary

Union Boundary

Paurashava Boundary

Zila Headquarters

Upazila Headquarters

River

Salinity (dS/m, upto 10 feet)

&lt; 3.0

3.0 - 6.0

6.0 - 9.0

9.0 - 12.0

&gt; 12.0

Andamona River


Kumma River

Rangabali

Kalapara

BAY OF BENGAL

90°25'0"E





## **Appendix A**



ফোলার নামঃ কোড়ঃ	সিটি কর্পোরেশনের নামঃ কোড়ঃ	উপজেলার নামঃ কোড়ঃ	পৌরসভার নামঃ কোড়ঃ
ইউনিয়নের নামঃ কোড়ঃ	ওয়ার্ডের নামঃ কোড়ঃ	গ্রামের নামঃ কোড়ঃ	মহল্লার নামঃ কোড়ঃ
১. অবকাঠামো / স্থাপনার নামঃ	দায়িমাংশ (X):  অক্ষাংশ (Y):		
২. অবকাঠামো / স্থাপনার অবস্থানঃ	৩. স্থাপনার প্রতিষ্ঠাকালঃ		
৪. স্থাপনার ধরন (অবকাঠামো):	৪. স্থাপনাটি কত তলাবিমিটঃ  পাঁকা <input type="checkbox"/> ১      আধা পাঁকা <input type="checkbox"/> 2		
৫. স্থাপনার নেট (নেট অন্তর্যামী লিঙ্ক):	৫. নেট আয়তন (বর্গফুট):  ক. সড়কপথঃ কৌচা / পাকা ..... কি.বি.		
৬. নেট কানার সংখ্যাঃ	৭. নেট আয়তন (বর্গফুট):  খ. জলপথঃ ..... কি.বি.		
৭. জেলার সংংস্কোষের নাম্বারঃ	গ. জলপথঃ ..... কি.বি.		
৮. উপজেলার সংংস্কোষের নাম্বারঃ	৮. হালে,আয়তন (বর্গফুট):  ক. সড়কপথঃ কৌচা / পাকা ..... কি.বি.		
৯. খোলা মাঠারে কি? <input type="checkbox"/> হাঁ <input type="checkbox"/> না <input type="checkbox"/> 2	৯. বিদ্যুৎসুবিধি আছে কি? <input type="checkbox"/> হাঁ <input type="checkbox"/> না <input type="checkbox"/> 2		
১০. খোলা মাঠারে কি? <input type="checkbox"/> হাঁ <input type="checkbox"/> না <input type="checkbox"/> 2	১১. টেলিভিশন আছে কি? <input type="checkbox"/> হাঁ <input type="checkbox"/> না <input type="checkbox"/> 1		
১২. সংস্থিত দূরোগের বিবরণঃ	১৩. সংস্থিত দূরোগের বিবরণঃ		

\*\*\* যে সমস্ত তথ্য সংগ্রহ করতে হবে: 1. শিক্ষাপ্রতিষ্ঠান (প্রাথমিক / নিম্নমাধ্যমিক/উচ্চ মাধ্যমিক বিদ্যালয়, মাদ্রাসা, কলেজ/বিশ্ববিদ্যালয়) 2. সাইক্রোনেশেল্ট বা 3. হাসপাতাল/ক্লিনিক 4. যাত্রি মালিকানাধীন

৩.ৰাস/ৱেলচেন ৫.ৰেলপ্যাট / .প্রস্তুতি/লঃৰণাত ৪.বিমানবন্দর  
৫.ৰাস/ৱেলচেন ৬.ৰেলপ্যাট / .প্রস্তুতি/লঃৰণাত ৭.ৰাস/ৱেলচেন ৮.ৰাস/ৱেলচেন

তথ্য প্রদানকারীর নামঃ	তথ্য সংগ্রহকারীর স্বাক্ষরঃ
পিতার নামঃ	কর্মকর্তার নামঃ
মাতার নামঃ	পদবিঃ
বয়সঃ	তথ্য সংগ্রহের তারিখঃ
পেশাঃ	নোবাইল নথুরঃ

## Paurashava/Union Wise Disaster Calendar for Coastal Area of Bangladesh

তথ্য প্রদানকারীর নামঁৰ

૨૫૮

231

ମୋତାର ନାମ୍ୟ

୧୦

ପଦାବ:

ତ୍ର୍ୟା ସଂ ଗତେର ତାବିଖ୍ଯା

6

ମୋଦୋହାର୍ତ୍ତଳ ନାନ୍ଦବର୍ମ

111

ପାତ୍ର

三

三

३५४

卷二

সংগীতের তাত্ত্বিক্য়।

111

ତଡ଼ାବଧ୍ୟାକ କା

କାନ୍ତିକାନ୍ତିର ଗୀତ

卷之三

୩୮







**Strengthening Statistical Capacity of BBS for  
Collecting Data on Population and Development Project**

**Bangladesh Bureau of Statistics (BBS)  
Statistics and Informatics Division (SID)  
Ministry of Planning**



Parishankhyan Bhaban (Level-9, Block-B)  
E-27/A, Agargaon, Dhaka-1207  
Phone : 880-2-9110823  
[www.bbs.gov.bd](http://www.bbs.gov.bd), [www.sid.gov.bd](http://www.sid.gov.bd)

