

DETAILS SPECIFICATION

Ser	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
1.	Spring Collet Size: ER 16, Dia: (3~12) mm, (1 Set = 10 Nos)(Best quality) Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/ Guhring Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	3			
2.	Spring Collet Size: ER 32 Dia-(2, 3, 4, 5, 6, 8 & 10) mm (Best quality) Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/ Guhring Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	6			
3.	Straight Shank Twist Drill Size: (Ø4~4.9) mm, Length: Minimum 75 mm Interval 0.1 mm, (1 set = 10 Nos) (Best quality) Hardness: HRC 62~65 Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/Guhring. Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	6			
4.	Straight Shank Twist Drill Size: (Ø6~6.9) mm, Length: Minimum 93 mm Interval 0.1 mm, (1Set=10Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/Guhring. Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	6			
5.	Straight Shank Twist Drill Size: (Ø7~7.9) mm, Length: Minimum 109 mm Interval 0.1 mm, (1 set = 10 Nos) (Best quality) Hardness: HRC 63~66 Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/Guhring. Country of Origin & Manufacture: Group A Country.	Set	6			

Ser	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
6.	<p>Straight Shank Twist Drill Size: (Ø8~8.9) mm, Length: Minimum 117 mm Interval 0.1(1 set = 10 Nos) (Best quality) Hardness: HRC 63~66 Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/ Horn/ Kyocera/Guhring. Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	6			
7.	<p>Shell Mill Holder with High Positive Shell Mill, Pull Stud and Insert Shell Mill Holder: BT40, Shell Mill Dia: 2inch (1 Set : Shell Mill holder=1Nos, Shell Mill= 1Nos, Pull Stud= 1 No and Insert =50 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:HAAS/Sandvik/Seco/Kennametal/Mitsubishi/Cerati ziti/Horn/Kyocera/Guhring Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer</p>	Set	6			
8.	<p>Mini Indexable End Mill with Insert Size: Dia16 mm (1 Set : Indexable End Mill = 1 No and Insert = 100 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/Guhring/HAAS Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	6			
9.	<p>Mini Indexable End Mill with Insert Size: Dia 20 mm (1 Set : Indexable End Mill=1 No and Insert=100 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera/Guhring/HAAS Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	6			
10.	<p>Centre Drill (Size: Ø5) mm, Code: K1411S-5X14 Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.</p>	No	30			

Ser	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
11.	Coro Drill Insert Code: WPMT 040208-PF Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/Guhring /Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	No	100			
12.	Coro Drill with Tip (Exchangeable tip drill) Drill: 870-1000-6L16-10, Tip: 870-1020-6-PM (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera /Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer	Set	10			
13.	Coro Drill with Tip (Exchangeable tip drill) Drill: 870-1400-14L20-10,Tip: 870-1400-14-PM (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn(Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
14.	Coro Drill with Tip (Exchangeable tip drill) Drill: 870-1500-15L20-10, Tip: 870-1550-15-PM (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer	Set	5			
15.	Coro Drill with Tip (Exchangeable tip drill) Coro Drill: 870-1700-17L20-10, Tip: 870-1750-17-PM (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
16.	Coro Drill with Tip (Exchangeable tip drill) Drill: 870-2000-20L25-8,Tip: 870-2000-20-GP (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer	Set	10			
17.	Coro Drill with Tip (Exchangeable tip drill) Drill: 870-2500-25L32-8, Tip: 870-2500-25-GP 4334 (1 Set: Coro Drill = 1 No, Tip = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn(Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	6			
18.	Turning Insert Code: DNMG150404CQ CA025P Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	No	40			

Ser	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
19.	Turning Insert Holder with Insert Holder: DWLNL 2020K06, Insert: WNMG 060408 WF, (1 set: Holder = 1No, Insert = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
20.	Turning Tool Shank with Insert Shank: SVJBL 2020K 11-B, Insert: VBMT 11 03 04-PF (1 set: Shank = 1No, Insert = 20Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
21.	Turning Tool Shank with Insert Shank: QS-TR-V13JBL 2020HP, Insert: TR-VB1304-F (1 set: Shank = 1No, Insert = 20 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn(Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
22.	Turning Tool Shank with Insert Shank : SDJCL 2020K 11, Insert : DCMT 11 T3 04-PF (1 set: Shank = 1No, Insert = 20Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
23.	Turning Tool Shank with Insert Shank :TR-D13JCL 2020K, Insert :TR-DC1308-M 4225 (1 set: Shank = 1No, Insert = 10 Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn(Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	Set	10			
24.	Turning Tool Shank with Insert Shank : DCLNL 2020K 12 Insert :CNMG 12 04 08-WF4315 (1 set: Shank = 1No, Insert = 20Nos) Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the	Set	10			
25.	Parting Insert Holder Code: CFSL 2525M03 Brand:Sandvik/Seco/Walter//Kennametal/Kyocera/ Guhring/Ceratizit/Horn (Best quality) Country of Origin & Manufacture : Group A Country Supplier must submit letter of Authorization from the original manufacturer.	No	15			

বিঃদ্রঃ

ক। উল্লিখিত দর CD & Vat ব্যতিত দাখিল করতে হবে। প্রয়োজনবোধে পণ্য খালাসের জন্য বিওএফ এর নিকট ছাড়পত্রের আবেদন করা যাবে।

খ। দরপত্র দাখিলের সময় টেকনিক্যাল এবং ফিন্যান্সিয়াল অফার একই খামে দাখিল করতে হবে।

গ। বৈদেশিক উৎস হতে পণ্য সরবরাহের ক্ষেত্রে পণ্য সরবরাহের প্রাক্কালে অবশ্যই আমদানী সংক্রান্ত কাগজপত্র, বিল অব লেডিং, শিপিং ডকুমেন্টস প্রদান করতে হবে।

ঘ। পণ্যের উৎস দেশ উল্লেখ না থাকলে কিংবা একাধিক উৎস দেশের বেলায় মূল্যোদ্ধতি প্রদান কালে অবশ্যই নির্দিষ্ট করে উৎস দেশ উল্লেখ করতে হবে।

ঙ। সরবরাহ আদেশের বিপরীতে সরবরাহকৃত পণ্য প্রত্যাখ্যাত হলে প্রত্যাখ্যাত পণ্য ফেরতযোগ্য নয় যা বাজেয়াপ্ত হবে।

চ। দেশীয় মুদ্রায় ক্রয়ের ক্ষেত্রে স্থানীয় উৎস হতে সরবরাহের ক্ষেত্রে ৯০ দিন এবং বৈদেশিক উৎস হতে সরবরাহের ক্ষেত্রে ১৮০ দিন অথবা তৎপূর্বে পণ্য সরবরাহ করতে হবে।

ছ। সরবরাহ আদেশ প্রদানের প্রাক্কালে মোট মূল্যের উপর ৫% হারে কম্যান্ড্যান্ট বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পিএস (পে-অর্ডার) দাখিল করতে হবে। সন্তোষজনকভাবে আলোচ্য পণ্যসমূহ সরবরাহ এবং পরিদর্শনে গৃহীত হবার পর উক্ত পে-অর্ডার ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থতায় দাখিলকৃত পে-অর্ডার বাতিল পূর্বক উক্ত অর্থ সরকারী কোষাগারে জমা করা হবে।

জ। নিম্নোল্লিখিত সনদপত্রের সত্যায়িত ফটোকপি দরপত্রের সাথে সংযুক্ত করতে হবে :

১। ভ্যাট রেজিস্ট্রেশন সনদ

২। টি আই এন সনদ

৩। হালনাগাদ ট্রেড লাইসেন্স

দরপত্রে অংশ গ্রহণকারীর স্বাক্ষর

(বড় অক্ষরে নাম)

‘সীলমোহর’

স্থানঃ

তারিখঃ