



BANGLADESH REFERENCE INSTITUTE FOR CHEMICAL MEASUREMENTS BRICM

Ministry of Science and Technology

Dr. Quadrat-e-Khuda Road (Laboratory Road), Dhanmondi, Dhaka-1205, Bangladesh
Contact: 02-44612451, +8801308030003, rmd@bricm.gov.bd, www.bricm.gov.bd

“শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন”



Measurement Service Section (MSS)

Reference Measurement Division

Measurement Service Report

BRICM Report Ref:	BRICM/MSR/2023/02/12-02	Report Delivery Date:	12 FEBRUARY 2023
Service Ref: FEB2023A001963			
Name of the Client:	MST RITA AKTER Passport no : A03289489	Sample Receiving Date:	12 FEBRUARY 2023
Age:	21 y	Sex:	Female
Ref. by:	Self		
Type of Vaccine	COVISHIELD(AstraZeneca),Pfizer	Date:	1 st dose of Vaccine : 20-11-2021 2 nd dose of Vaccine : 18-01-2022 3 rd dose of Vaccine : 21-06-2022
Vaccine Certificate No.	BD943582197593		
Address of the Client: (Including Tel, Fax, E-mail)	BAMUNIYA, BALIADANGI, BAMUNIYA-5140, THAKURGAON Cell : 01717779404 E-mail : sabbirhossen956@gmail.com		

Specimen Type	Blood
Specimen Description	Blood Serum
Lab Specimen ID	MSDA23021202

S/N	Parameter	Method/ Instrument	Unit	Antibody Index Value of patient	Antibody Index Interpretation Reference
01	COVID-19 IgG Antibody	ELISA	-	1.0	<0.9 : Not detectable IgG antibody to Covid-19 0.9-1.1 : Borderline positive. >1.1 : Detectable IgG antibody to Covid-19

Comments: Borderline positive. Follow up testing is recommended if clinically indicated

	Special Notes:
	a. The result reported here pertained to the specimen received in the laboratory only. b. The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process. c. The result should not be reproduced and/or published partly or fully without prior approval of the laboratory. d. The analysis is done only for research purpose. e. Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

Analysis Performer Process Owner Date: 12-02-23	Checked by QC In-Charge Date: 12.02.23	Approved by QA In-Charge Date: 12.2.23
---	--	--

Bureau International des Poids et Mesures
Dr. Iqbal Hossain
Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRICM)

Zayed Bin Ahmed
Senior Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRICM)

Dr. Mala Khan
Chief Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRICM)

