

Reference Measurement Division

Measurement Service Report

BRiCM Report Ref:	BRiCM/MSR/2022/06/05-08	Report Delivery Date: 05 JUNE 2022	
Service Ref: JUN2022A001620			
Name of the Client:	MD IMRUL HASAN EMON Passport no : EE0915246	Sample Receiving Date: 05 JUNE 2022	
Age:	40 y	Sex:	Male
Ref. by:	Self		
Type of Vaccine	Vero Cell (Sinopharm)	Date:	1 st dose of Vaccine : 29-09-2021
Vaccine Certificate No.	BD822503765261		2 nd dose of Vaccine : 28-10-2021
			3 rd dose of Vaccine : N/A
Address of the Client: (Including Tel, Fax, E-mail)	NOWPARA, PANGSHA, PANGSHA, RAJBARI Cell : 01770381936 E-mail :asmot607@gmail.com		

Specimen Type	Blood
Specimen Description	Blood Serum
Lab Specimen ID	MSSA22060507

S/N	Parameter	Method/ Instrument	Unit	Antibody Index Value of patient	Antibody Index Interpretation Reference
01	COVID-19 IgG Antibody	ELISA	-	3.6	<0.9 : Not detectable IgG antibody to Covid-19 0.9-1.1 : Borderline positive. >1.1 : Detectable IgG antibody to Covid-19

Comments: Positive



Special Notes:

- The result reported here pertained to the specimen received in the laboratory only.
- The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced and/or published partly or fully without prior approval of the laboratory.
- The analysis is done only for research purpose.
- Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

Analysis Performer

Imrul

Process Owner

Date: 05-06-22

Checked by

[Signature]

QC In-Charge

Date: 05.06.22

Approved by

[Signature]

QA In-Charge

Date: 5.6.22

Md. Iqbal Hossain
Scientific Officer

Bangladesh Reference Institute for
Chemical Measurements (BRiCM)

Zabed Bin Ahmed
Senior Scientific Officer

Bangladesh Reference Institute for
Chemical Measurements (BRiCM)

Dr. Mala Khan
Chief Scientific Officer

Bangladesh Reference Institute for
Chemical Measurements (BRiCM)