



BANGLADESH REFERENCE INSTITUTE FOR CHEMICAL MEASUREMENTS BRICM

Ministry of Science and Technology

Dr. Qudrat-e-Khuda Road (Laboratory Road), Dhanmondi, Dhaka-1205, Bangladesh
Contact: 02-44612451, +8801308030003, rmd@bricm.gov.bd, www.bricm.gov.bd

শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন



Measurement Service Section (MSS)

Reference Measurement Division

Measurement Service Report

BRICM Report Ref:	BRICM/MSR/2022/06/30-03	Report Delivery Date:	30 JUNE 2022
Service Ref: JUN2022A001708			
Name of the Client:	SELINA AKTER RUMI Passport no : A02919761	Sample Receiving Date:	30 JUNE 2022
Age:	30 y	Sex:	Female
Ref. by:	Self		
Type of Vaccine	Vero Cell(Sinopharm)	Date:	1 st dose of Vaccine 05-12-2021 2 nd dose of Vaccine 05-01-2022 3 rd dose of Vaccine N/A
Vaccine Certificate No.	BD911849074155		
Address of the Client: (Including Tel, Fax, E-mail)	NIZGAW, WARD NO 05, RAJNAGAR, NALUARMUKH-3117, MOULVIBAZAR Cell : 01747281470 E-mail : rumia9680@gmail.com		

Specimen Type	Blood
Specimen Description	Blood Serum
Lab Specimen ID	MSSA22063001

S/N	Parameter	Method/ Instrument	Unit	Antibody Index Value of patient	Antibody Index Interpretation Reference
01	COVID-19 IgG Antibody	ELISA	-	3.6	<0.9 : Not detectable IgG antibody to Covid-19 0.9-1.1 : Borderline positive. >1.1 : Detectable IgG antibody to Covid-19

Comments: Positive



Special Notes:

- The result reported here pertained to the specimen received in the laboratory only.
- The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced and/or published partly or fully without prior approval of the laboratory.
- The analysis is done only for research purpose.
- Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

Analysis Performer Process Owner Date: 30.06.22	Checked by QC In-Charge Date: 30.06.22	Approved by QA In-Charge Date: 30.6.22
--	---	---

Md. Iqbal Hossain
Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)

Zabed Bin Ahmed
Senior Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)

Dr. Mala Khan
Chief Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)

Bureau
International des
Poids et
Mesures



BRICM is the participatory member of BIPM, CIPM MRA and full member of APMP