

Reference Measurement Division

Measurement Service Report

BRICM Report Ref:	BRICM/MSR/2022/06/08-01		Report Delivery Date: 08 JUNE 2022	
Service Ref: JUN2022A001629				
Name of the Client:	RASHED MIAH Passport no : A01014879		Sample Receiving Date: 08 JUNE 2022	
Age:	25 y	Sex:	Male	
Ref. by:	Self			
Type of Vaccine	Vero Cell (Sinopharm), Moderna		Date:	1 st dose of Vaccine 05-10-2021
Vaccine Certificate No.	BD585298404127	Date:	2 nd dose of Vaccine 04-01-2022	
			3 rd dose of Vaccine 01-06-2022	
Address of the Client: (Including Tel, Fax, E-mail)	KADIR PUR, WARD NO 09, KULAURA, KAZOLDHARA-3234, MOULVIBAZAR Cell : 01711249907 E-mail :mijua1223@gmail.com			

Specimen Type	Blood
Specimen Description	Blood Serum
Lab Specimen ID	MSSA22060801

S/N	Parameter	Method/ Instrument	Unit	Antibody Index Value of patient	Antibody Index Interpretation Reference
01	COVID-19 IgG Antibody	ELISA	-	3.3	<0.9 : Not detectable IgG antibody to Covid-19 0.9-1.1 : Borderline positive. >1.1 : Detectable IgG antibody to Covid-19

Comments: Positive



Special Notes:

- The result reported here pertained to the specimen received in the laboratory only.
- The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced and/or published partly or fully without prior approval of the laboratory.
- The analysis is done only for research purpose.
- Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

Analysis Performer

Inbaraj

Process Owner

Date: 08-06-22

Checked by

Zabed Bin Ahmed

QC In-Charge

Date: 08.06.22

Approved by

Dr. Mala Khan

QA In-Charge

Date: 8.6.22

Md. Iqbal Hossain
Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)

Zabed Bin Ahmed
Senior Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)

Dr. Mala Khan
Chief Scientific Officer
Bangladesh Reference Institute for
Chemical Measurements (BRICM)