



BANGLADESH REFERENCE INSTITUTE FOR CHEMICAL MEASUREMENTS BRiCM

Ministry of Science and Technology

Dr. Qudrat-e-Khuda Road (Laboratory Road), Dhanmondi, Dhaka-1205, Bangladesh
Contact: 02-44612451, +8801308030003, rmd@bricm.gov.bd, www.bricm.gov.bd

"শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন"



Measurement Service Section (MSS)

Reference Measurement Division

Measurement Service Report

BRiCM Report Ref:	BRiCM/MSR/2022/07/03-03	Report Delivery Date:	03 JULY 2022
Service Ref: JUL2022A001714			
Name of the Client:	SUDEN Passport no : EE0734091	Sample Receiving Date:	03 JULY 2022
Age:	22 y	Sex:	Male
Ref. by:	Self		
Type of Vaccine	Vero Cell(Sinopharm)	Date:	1 st dose of Vaccine 30-04-2022 2 nd dose of Vaccine 28-05-2022 3 rd dose of Vaccine N/A
Vaccine Certificate No.	BD594715825388		
Address of the Client: (Including Tel, Fax, E-mail)	KALSUR, CHITRAKOTE, SIRAJDIKHAN, MUNSHIGANJ Cell : 01980650967 E-mail :kumararnob73@gmail.com		

Specimen Type	Blood
Specimen Description	Blood Serum
Lab Specimen ID	MSSA22070303

S/N	Parameter	Method/ Instrument	Unit	Antibody Index Value of patient	Antibody Index Interpretation Reference
01	COVID-19 IgG Antibody	ELISA	-	2.3	<0.9 : Not detectable IgG antibody to Covid-19 0.9-1.1 : Borderline positive. >1.1 : Detectable IgG antibody to Covid-19

Comments: Positive



Special Notes:

- The result reported here pertained to the specimen received in the laboratory only.
- The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process.
- The result should not be reproduced and/or published partly or fully without prior approval of the laboratory.
- The analysis is done only for research purpose.
- Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

Analysis Performer

[Signature]

Process Owner

Date: 03-07-22

Checked by

[Signature]

QC In-Charge

Date: 03.07.22

Approved by

[Signature]

QA In-Charge

Date: 3.7.22

Md. Iqbal Hossain

Scientific Officer

Bureau International des Poids et Mesures
Bangladesh Reference Institute for Chemical Measurements (BRiCM)

Zabed Bin Ahmed

Senior Scientific Officer

Bangladesh Reference Institute for Chemical Measurements (BRiCM)

Dr. Mala Khan

Chief Scientific Officer

Bangladesh Reference Institute for Chemical Measurements (BRiCM)

BRiCM is the participatory member of BIPM, CIPM MRA and full member of APMP

