

1. National QoS KPI Performance

KPI Name	Threshold	BTRC Mointored Value	Operator Declared Value
2G Call Drop Rate(%)	<= 1.00	complied	complied
2G Call Setup Success Rate (%)	>= 99.00	complied	complied
4G Avg. UE throughput DL (Mbps)	>= 3.50	complied	complied
4G Counter Mobile Data NRR - LTE ERAB Non-Retainability(%)	<= 0.50	complied	complied
4G RRC Success Rate (%)	>= 99.00	complied	complied
4G VoLTE Call Setup Success Rate (%)	>= 99.00	complied	complied
4G VoLTE drop/Abnormal Release Rate (%)	<= 0.50	complied	complied
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	<= 1.00	complied	complied
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	>= 99.00	complied	complied
CSFB Success Rate (%)	>= 98.00	complied	complied
SMS Completion Rate (%)	>= 98.00	complied	complied
Accumulated Down Time of BTSs, eNodeBs and beyond (%)	<= 1.00	complied	complied

2. District-wise Compliance with QoS KPIs

KPI Name	BTRC Mointored Count (Compliant/Total)	Operator Declared Count (Compliant/Total)
2G Call Drop Rate(%)	64/64	64/64
2G Call Setup Success Rate(%)	64/64	64/64
4G Avg. UE throughput DL(Mbps)	64/64	64/64
4G RRC Success Rate(%)	64/64	64/64
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	64/64	64/64
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	61/64	61/64

3. Upazila-wise Compliance with QoS KPIs

KPI Name	No. of Upazila/Area	No. of Upazila/Area where Service Available	No. of Compliant Upazila (BTRC Mointored)	No. of Compliant Upazila (Operator Declared)
2G Call Drop Rate (%)	544	539	538	538
2G Call Setup Success Rate (%)	544	539	538	538
4G RRC Success Rate (%)	544	539	538	538
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	544	539	538	538
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	544	539	512	512

Total BTS (BTS, eNodeB etc.) Count	24192
------------------------------------	-------

:Complied

:Non-Complied

KPI (Key Performance Indicator) Name	Short description
2G Call Drop Rate (%)	Percentage of 2G calls disconnected unexpectedly.
2G Call Setup Success Rate (%)	Percentage of 2G call attempts successfully connected.
4G Avg. UE Throughput DL (Mbps)	Average 4G download speed experienced by users.
4G Counter Mobile Data NRR – LTE E-RAB Non-Retainability (%)	Percentage of 4G data sessions disconnected unexpectedly.
4G RRC Success Rate (%)	Percentage of successful 4G network connection attempts.
4G VoLTE Call Setup Success Rate (%)	Percentage of VoLTE call attempts successfully connected.
4G VoLTE Drop/Abnormal Release Rate (%)	Percentage of VoLTE calls disconnected unexpectedly.
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	Percentage of VoLTE and GSM calls disconnected unexpectedly.
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	Percentage of VoLTE and GSM call attempts successfully connected.
CSFB Success Rate (%)	Percentage of successful transfers from 4G to 2G for voice calls.
SMS Completion Rate (%)	Percentage of SMS attempts successfully completed .

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release Rate			MIXED VoLTE+GSM Combined Voice Setup Success Rate			4G Avg. UE throughput DL		
		Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value
34. Madaripur	Lalmoinihat Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patgram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
	Kalkini	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madaripur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Rajoir	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
35. Magura	Shib Char	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Magura Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Mohammadpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shalkha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
36. Manikganj	Sreepur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
	Daultapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ghior	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Harirampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manikganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Saturia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shiblalaya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Singair	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
37. Meherpur	Gangni	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		compliant
	Meherpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mujib Nagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
	Barlekha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
38. Maulvibazar	Juri	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Karnalganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kulaura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Mauvi Bazar Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
39. Munshiganj	Sreemangal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
	Gazaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lohajang	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Munshiganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Serajdikhan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreenagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tongibari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
40. Mymensingh	Bhaluka	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhobaura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fulbaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gaffargaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gauripur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Haluaghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Ishwarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Muktagachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mymensingh Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nandail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
41. Naogaon	Phulpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Trishal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant
	Atrai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Badalgachhi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhamoirhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mahadebpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		
	Naogaon Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Niametpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
42. Narail	Patnitala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Porsha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Raninagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sapahar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50		compliant
	Kalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lohagara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Narail Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant		compliant	compliant

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release Rate			MIXED VoLTE+GSM Combined Voice Setup Success Rate			4G Avg. UE throughput DL		
		Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value	Threshold	BTRC Maintored Value	Operator Declared Value
60. Sirajganj	Sherpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Sreebardi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Belkuchi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chauhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	non-compliant	non-compliant			
	Karnakhandha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kazipur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Royganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shahjadpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sirajganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
61. Sunamganj	Tarash	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Ullah Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bishwambarpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chhatak	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dakshin Sunamganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Derai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dharampasha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dowarabazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jagannathpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
62. Sylhet	Jamalganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Sulla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sunamganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tahirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Balaganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Beani Bazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bishwanath	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Companiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dakshin Surma	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
63. Tangail	Fenchuganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Golabganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gowainghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jaintapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kanaighat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sylhet Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Zakiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Basail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	64. Thakurgaon	Bhuapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant			
Delduar		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Dhanbari		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Ghatal		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Gopalpur		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Kailhati		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Madhupur		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Mirzapur		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Nagarpur		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Sakhipur		<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Tangail Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant				
64. Thakurgaon	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Baliadangi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Haripur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pirganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ranisankail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
Thakurgaon Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant				