

১৬/ ৭১

CHATTOGRAM WATER SUPPLY AND SEWERAGE AUTHORITY



**MANAGEMENT INFORMATION SYSTEM REPORT
FOR THE MONTH OF June-2025**

**WASA BHABAN
DAMPARA
CHATTOGRAM, BANGLADESH**

Phone : 880-31-2851806
Fax : 880-31-610465
Email : info@ctg-wasa.org.bd

HLD *GCH*

Chattogram Water Supply & Sewerage Authority
Monthly MIS Report
June 2025

	Unit	This month	Year to date	Previous year actual	This year target *1	Evaluation *2	Remarks *3 ++ Too good ! Very bad	
Selected Key Indicators								
E 17*	Non Revenue Water= {1-(billed water(C2)/distributable water production(E15*))} X 100	%	24	26	30	25	-4%	
C 4*	Revenue collection efficiency (monthly coll.+ outstand. Coll.)/ monthly bill. = (collection(C3)/billing(C1)) X100	%	92	89	90	129	-29%	!
D 9*	Collection period = (accounts receivable(D6)/monthly billings(C1)) X number of days of month	Day	324	323	270	200	-62%	!
F 2*	No. of perma. employee per 1000 connections(excl. non-perma. Empl.) = (No. of permanent staff(F1) + non-permanent staff(F5) / total billable connections (A1.1)) X1000	Nos.	5.3	N/A	5.8	6.0	12%	
D 8*	Operating Ratio = (personal cost (D2.1) + electricity cost (D2.2) + chemical cost (D2.3) + other O & M (D2.5.1)) / (Total Revenues(D1))	Ratio	0.94	0.74	0.71	0.56	-31%	!
A 3.5*	Functioning meter rate of installed meter = no. of metered (A3.1)/ (no. of metered (A3.1) + average reading (A3.2)) X 100	%	90	N/A	90	90	0%	
E 19	Water quality sample (E19)	No./month	240	2,880	2,880	240	0%	
E 18*	Leakage occurrence = (no. of leakage recognized by complaint (G3)/ Length of Pipeline at the end of period(E9)/ no. of months covered)	No./km/mth	0.13	0.23	0.28	2.27	90%	++
A 6*	Water supply coverage = ((Billed connection (A1.3) X 26 Person per Connection) + (Total Street Hydrant (A4) X 80 Person per Street Hydrant) / Total Population in water Supply Area (N.B)) X 100	%	66	N/A	66	67	-1%	
B 5*	Average tariff = (Total billing(C1)/ Billed volume(C2)) / 1000	Tk/m3	17.94	18.61	19.00	20.00	-10%	
E 16*	Unit production cost (in/c Capt. Cost,Deprec. & Financial Expense.) = Expenses Total(D2)/(Production distributable water(E15*) +DTW Water directly distributed (E15.1*)) / 1000	Tk/m3	26.76	20.98	20.30	21.90	4%	
A) Connection data								
A 1	Total registered connections	Nos.	101,482	N/A	97,137	101,222	0%	
A 1.1	Billable (non-disconnected) connection	Nos.	95,369	N/A	91,121	95,220	0%	
A 1.2	Non-billable (disconnected) connection	Nos.	6,113	N/A	6,016	6002	-2%	
A 1.3	Billed connection	Nos.	91,276	N/A	89,508	91,932	-1%	
A 2	Breakdown of billable connection (by customer type)							
A 2.1*	Domestic	%	93	N/A	93	91	2%	
A 2.2	Non-domestic	%	7	N/A	7	9	24%	
A 3	Breakdown of billable connection (by meter status)							
A 3.1	Metered	Nos.	85,361	N/A	81,589	85,572	0%	
A 3.2	Average reading	Nos.	9,907	N/A	9,430	9,546	-4%	
A 3.3	Non meter	Nos.	101	N/A	102	102	1%	
A 3.4*	Meter installation rate	%	100	N/A	100	100	0%	
A 3.5*	Functioning meter rate of installed meter	%	90	N/A	90	90	0%	
A 4	Street Hydrant	Nos.	689	N/A	689	689	0%	
A 5	Religious Institutions	Nos.	368	N/A	368	368	0%	
A 6*	Water supply coverage	%	66	N/A	66	67	-1%	
A 7	Bill sent-out ratio	%	96	N/A	98	97	-1%	

w *k*

86(2) 71(2)

		Unit	This month	Year to date	Previous year actual	This year target *1	Evaluation *2	Remarks *3
								++ Too good ! Very bad
B) Tariff								
B 1	Domestic	Tk/m3	18.00	N/A	18.00	18.90	-5%	
B 2	Non-domestic	Tk/m3	37.00	N/A	37.00	38.85	-5%	
B 3	Street Hydrant	Tk/m3	18.00	N/A	18.00	18.90	-5%	
B 4	Religious Institutions	Tk/m3	18.00	N/A	18.00	18.90	-5%	
B 5*	Average tariff	Tk/m3	17.94	18.61	19.00	20.00	-10%	
C) Billing and Collection								
C 1	Total billing	Tk	193,858,984	2,366,807,829	2,347,888,407	2,400,000,000	-1%	
C 1.1*	Private	Tk	170,289,669	2,087,378,804	2,062,051,833	2,160,000,000	-3%	
C 1.2*	Government	Tk	23,569,315	279,429,025	285,836,574	240,000,000	16%	
C 2	Billed volume (Total Volume Accounted)	ML	10,805	127,149	123,549	120,000	6%	
C 3	Total collection	Tk	177,428,644	2,101,279,167	2,105,177,399	3,094,120,000	-32%	!
C 3.1*	Private	Tk	161,186,449	1,980,058,840	1,992,878,824	2,929,067,275	-32%	!
C 3.2*	Government	Tk	16,242,195	121,220,327	112,298,575	165,052,725	-27%	!
C 4*	Revenue collection efficiency (monthly coll.+ outstand. Coll.)/ monthly bill.	%	92	89	90	129	-29%	!
C 4.1*	Private	%	95	95	97	136	-30%	!
C 4.2*	Government	%	69	43	39	69	0%	
D) Financial data								
D 1	Revenue (Total)	Tk	197,978,568	2,418,341,233	2,425,189,135	3,457,920,000	-30%	!
D 1.1	Water revenue	Tk	177,428,644	2,101,279,167	2,105,177,399	3,094,120,000	-32%	!
D 1.2*	Tubewell license	Tk	5,873,222	116,071,886	115,878,743	100,000,000	16%	
D 1.3*	Other operating revenues	Tk	6,343,368	100,990,180	114,132,993	163,800,000	-38%	!
D 1.4*	Interest income	Tk	8,333,333	100,000,000	90,000,000	100,000,000	0%	
D 2	Expenses (Total)	Tk	378,095,807	3,607,174,306	3,583,597,467	4,396,985,820	18%	
D 2.1*	Personnel cost	Tk	51,396,201	495,484,777	517,744,367	631,470,000	22%	
D 2.2	Electricity cost	Tk	85,098,000	1,016,463,000	912,448,000	920,000,000	-10%	
D 2.3	Chemicals	Tk	23,238,000	138,232,000	139,542,000	140,000,000	1%	
D 2.4*	Depreciation	Tk	129,182,985	1,550,195,820	1,500,000,000	1,550,195,820	0%	
D 2.5	Other operating cost	Tk	69,267,000	399,891,000	513,863,100	935,960,000	57%	++
D 2.5.1	Other O & M	Tk	25,672,000	139,182,000	159,148,100	260,700,000	47%	++
D 2.5.2	Capital cost from revenues	Tk	43,595,000	260,709,000	354,715,000	675,260,000	61%	++
D 2.6*	Financial expense	Tk	627,974	6,907,709	0	7,200,000	4%	
D 3	Net Income (Loss)	Tk	(180,117,239)	(1,188,833,074)	(1,158,408,332)	(939,065,820)	27%	++
D 4*	Cash at bank	Tk	0	N/A	0	0	N/A	
D 5*	Stock & stores	Tk	0	0	0	0	N/A	
D 6	Accounts Receivable	Tk	2,096,154,776	N/A	1,737,729,584	1,737,729,584	-21%	
D 6.1*	Accounts receivable from Government	Tk	526,816,674	N/A	366,318,888	366,318,888	-44%	!
D 6.2*	Accounts receivable from Private	Tk	1,569,338,102	N/A	1,371,410,696	1,371,410,696	-14%	
D 7*	Long term loans	Tk	19,285,647	212,142,120	212,142,000	212,160,000	91%	++
D 8*	Operating Ratio	Ratio	0.94	0.74	0.71	0.56	-31%	!
D 9*	Collection period	Day	324	323	270	200	-62%	!

Handwritten signatures and initials at the bottom of the page.

66(13)
71(13)

		Unit	This month	Year to date	Previous year actual	This year target *1	Evaluation *2	Remarks *3
								++ Too good ! Very bad
E) Water Supply								
E 3	Capacity of Surface WTP (Mohora+Sk.H.WTP-1+Sk.H.WTP-2+SRPS)	MLD	466	N/A	466	466	0%	
E 4	Capacity of Ground WTP	MLD	68	N/A	68	68	0%	
E 5	Deep Tube Wells in Operation	Nos.	40	N/A	45	55	-27%	!
E 6*	Capacity of DTW - direct distribution	MLD	30	N/A	33	48	-36%	!
E 7*	Capacity of DTW - supply to GWTP	MLD	0	N/A	0	0	#DIV/0!	#DIV/0!
E 8*	Capacity of distributable water production	MLD	564	N/A	566	581	-3%	
E 9	Length of Pipeline	km	962	N/A	962	992	-3%	
E 15*	Production (distributable water)	ML	14,127.41	171,962	176,510.35	200,750	-14%	
E 15.1*	DTW water to users before boosters	ML	0	0	0	0	N/A	
E 16*	Unit production cost (in/c Capt. Cost, Deprec. & Financial Expense.)	Tk/m3	26.76	20.98	20.30	21.90	4%	
E 17*	Non Revenue Water	%	24	26	30	25	-4%	
E 18*	Leakage occurrence	No./km/mth	0.13	0.23	0.28	2.27	90%	++
E 19	Water quality sample	No./month	240	2,880	2,880	240	0%	
E 20*	Satisfactory sample in chlorine level	%	100	100	100	100	0%	
E 21*	Satisfactory sample in microbiological level	%	100	100	100	100	0%	
F) Personnel								
F 1	No. of permanent employees (Total)	Nos.	505	N/A	527	570	11%	
F 1.1	Grade-3-9	Nos.	56	N/A	56	60	N/A	++
F 1.2	Grade-10-11	Nos.	35	N/A	36	30	N/A	++
F 1.3	Grade-12-16	Nos.	191	N/A	203	260	N/A	++
F 1.4	Grade-17-20	Nos.	223	N/A	232	220	N/A	++
F 5	No. of non-permanent employees (Total)	Nos.	0	N/A	0	0	#DIV/0!	#DIV/0!
F 5.1	Work charge (6 month contract worker)	Nos.	0	N/A	0	0	N/A	++
F 5.2	Master roll (Daily basis casual worker) Outsource in	Nos.	0	N/A	0	300	N/A	++
F 5.3	Project staff (hired by project budget)	Nos.	25	N/A	50	50	N/A	++
F 2*	No. of perma. employee per 1000 connections(excl. non-perma. Empl.)	Nos.	5.3	N/A	5.8	6.0	12%	
F 3	Average Monthly Salary	Tk	20,979	N/A	21,044	33,516	37%	++
F 4*	% of Overtime to Basic Salary	%	12.56	N/A	24	32	61%	++
G) Customer Services								
G 1	New Service Connection							
G 1.1	Service Connection Application Received	Nos.	141	3,066	4,570	4,000	-23%	
G 1.2	Service Connection given	Nos.	164	3,130	4,480	3,800	-18%	
G 2	Billing complaints							
G 2.1	Complaints received	Nos.	170	2,180	2,335	2,800	22%	
G 2.2	Complaints acted on	Nos.	150	1,930	1,960	2,300	16%	
G 3	Leakage complaints received and attended	Nos.	124	2,676	3,237	2,250	-19%	

Handwritten signatures

86(4) 71(4)

N/A = not applicable (= pointless to calculate, or nonexistent)

Some numbers may show the same value in spite of different values, which is due to rounding.

*1: "this year target" can be set according to (1) Business Plan, (2) Performance Agreement, (3) discussion with D M D (Engineering), (same or modified value of previous year)

*2: Evaluation is made on the basis of variance from the set target. An evaluation result "X %" means that performance of particular indicator is X % better than what is set as the target.

if the NRW is 24% and the target is 20%, this performance is considered unfavorable. The evaluation result is shown as -20% (= 1 - 24 / 20).

if the number of water quality sample is recorded as 24 when the target is set at 20, this performance can be considered favorable. The evaluation result is shown as 20% (= 24 / 20 - 1).

*3: A warning sign " ++ " appears when the evaluation result exceeds 25%, which is considered as the high-end threshold indicating "too good".

A warning sign " | " appears when the evaluation result is less than - 25%, which is considered as the low-end threshold indicating "very bad".

A2.1: If the total number of billable connections is 45,000 and the number of domestic connections in billable connections is 36,000, this will be 80% (= 36000 / 45000).

A3.4: Meter installation rate = 1 - (number of non-meter connection / number of billable connection).

A3.5: Functioning meter rate = 1 - (number of average reading connection / number of billable connection). This indicator is used as a proxy of ratio of metered water sold to total water sold.

A6: Water supply coverage is defined as (population served with piped water + population served by street hydrant) / population in service area.

In FY 2010/11, this was estimated at 42% (= (1.192 million + 0.07 million) / 2.98 million)

Supply coverage of this month is computed based on the following assumptions used in Business Plan.

(population in service area = 3 million; user population per connection = 30; population served with standpipes = 100,000; number of standpipes = 689)

A6* :Water Supply Coverage=(Billed Connection x 26 Person per Connection + Total Street Hydrant x 80 Person per Street Hydrant) / Total Population in Water Supply Area *100.

A7: Bill sent-out ratio = Billed connection / Billable connection x 100.

B5: Average water tariff = total billing / total billed volume

C1.1: "Private" includes private customers and users of loose water (sold by bowser)

C1.2: "Government" includes government users, street hydrants and religious institutions

C3.1: Same as C1.1,

C3.2: Same as C1.2

C4: Revenue collection efficiency = collection /billing x 100. CWASA's existing accounting system cannot classify accounts receivable by age.

Therefore the revenue collection efficiency can be shown merely as (total collection during a period ÷ total billing during the same period).

C4.2: Same as C4

C4.1: Same as C4,

C5: Metered volume to billed volume ratio data currently becomes available twice a year due to capacity limitation of computer section.

D1.2: "License and renewal fee of tubewell" in "other operating revenue"

D1.3: Excludes "License and renewal fee of tubewell"

D1.4: As the interest income is not obtainable until the year end, a proxy value is used here so that the net income can be computed. The proxy value is the previous year's monthly interest.

D2.1: Includes salary & allowances, provident fund, gratuity, festival bonus, overtime and earn leave encashment

D2.4: Data is only available quarterly instead of monthly. The cost of the latest three month is converted to a monthly average and shown in the monthly data column.

D2.6: Data is only available quarterly instead of monthly. The cost of the latest three month is converted to a monthly average and shown in the monthly data column.

D4: Under the current system, this value is not obtainable until the year end. However it is expected to become obtainable monthly in the future.

D5: Under the current system, this value is not obtainable until the year end. However it is expected to become obtainable monthly in the future.

D6.1: Same as C1.1,

D6.2: Same as C1.2

D7: Long term liabilities outstanding as unpaid at the end of month

D8: To see more clearly the CWASA capacity to generate the operating profit before depreciation and interest,

the operating ratio is defined as (personnel cost + elec. cost + chemical cost + other O & M) / (total Revenues).

D9: Collection period = (accounts receivable) / (monthly billings/number of days in month)

E6: Production capacity of deep tube wells that supply water directly to users

E7: Production capacity of deep tube wells that supply water to Karulgaht WTP

E15: Distributable water (or system input water) = Water produced at Surface WTP + Water produced at Ground WTP + Water directly distributed from DTW

E15.1: Raw water distributed directly to users from some DTWs on the way to boosters are not included in the distributable water (E15).

E16: Unit production cost =Expenses(Total)/((Distributable Water Volume+DTW Water directly distributed)*1000)

E17: NRW = (unbilled water / water produced x 100) = [1 - billed water / (distributable water production + DTW Water directly distributed)] x 100

E18: Leakage occurrence = Number of leakage recognized by complaint / length of pipeline at the end of period / number of months covered

E20: This is the rate of satisfactory sample complying with the chlorine standard.

E21: This is the rate of satisfactory sample complying with the microbiological standard.

F2: No. of employee per 1000 connections = (number of permanent staff + non-permanent staff) / (total billable connections/1000)

F4: Only staff workers (Class 3 and Class 4) receive overtime. Thus this ratio is computed based on Class 3 and Class 4 workers' pay.

[Signature]
 ১০/১০/২০২০
 ডি. সারন বিভাগ
 চট্টগ্রাম ওয়াসা, চট্টগ্রাম।

AE

[Signature]
 ১০/১০/২০২০
 (Richard Nelson POEN)
 Executive Engineer (A/C)
 Design Division
 Chattogram WASA Chattogram

[Signature]
 ১০.১০.২০২০
 SE (P&C)
 চট্টগ্রাম ওয়াসা।

[Signature]
 ১০/১০/২০
 মাকসুদ আলম
 প্রধান প্রকৌশলী
 চট্টগ্রাম ওয়াসা, চট্টগ্রাম।

[Signature]
 ১০/১০/২০২০
 উপব্যবস্থাপনা পরিচালক (প্রকৌশল)
 চট্টগ্রাম ওয়াসা, চট্টগ্রাম।