

Government of the People's Republic of Bangladesh

Ministry of Environment and Forests

**Monthly Air Quality Monitoring Report
Reporting Month: July, 2018**

**Clean Air and Sustainable Environment Project
(নির্মল বায়ু এবং টেকসই পরিবেশ প্রকল্প)**

August, 2018

Department of Environment

Content

1. Introduction.....	1
2. Monitoring Network.....	2
3. Monthly Air Quality.....	3
4. Summary and conclusion.....	4
5. ANNEX.....	9

1. Introduction

Air quality management plans based on knowledge of sources, appropriate air quality standards, accurate air quality data, and effective incentives; and enforcement policies is therefore needed to be adopted.

At this backdrop, real-time measurements of ambient level pollutants were made at 8 major cities (Namely, Dhaka, Narayangonj, Gazipur, Chittagong, Rajshahi, Khulna, Barisal and Sylhet) of Bangladesh. The data generated will be used to define the nature and severity of pollution in the cities; identify pollution trends in the country; and develop air models and emission inventories.

The program encompasses operation of the sampling and monitoring network, and quality assurance activities to ensure the quality of the data collected and disseminated by the CASE project.

CASE project monitors the criteria pollutants such as carbon monoxide, nitrogen dioxide, ozone, sulfur dioxide, PM10 and PM2.5. Monitoring is performed to demonstrate attainment or non-attainment of national ambient air quality standards to assess the trends of air pollution levels.

The main purpose of this report is to present, analyze and make available of these data to the general public, stakeholders, researchers and policy makers to develop effective air pollution abatement strategies. This report summarizes the air quality data collected at the different CAMS in operation under the Department of Environment (DoE) air quality monitoring network.

The basis for discussion of air quality has been the data collected from the Air Quality monitoring Network stations under DoE. The data have been quality controlled and the air pollution levels have been compared to the Bangladesh Ambient Air Quality Standard as adopted in 2005. Table 1 represents the current and approved air quality standards for Bangladesh.

Table 1: National Ambient Air Quality Standards for Bangladesh

Pollutant	Objective	Average
CO	10 mg/m ³ (9 ppm)	8 hours(a)
	40 mg/m ³ (35 ppm)	1 hour(a)
Pb	0.5 µg/m ³	Annual
NO _x	100 µg/m ³ (0.053 ppm)	Annual
PM10	50 µg/m ³	Annual (b)
	150 µg/m ³	24 hours (c)
PM2.5	15 µg/m ³	Annual
	65 µg/m ³	24 hours
O ₃	235 µg/m ³ (0.12 ppm)	1 hour (d)
	157 µg/m ³ (0.08 ppm)	8 hours
SO ₂	80 µg/m ³ (0.03 ppm)	Annual
	365 µg/m ³ (0.14 ppm)	24 hours (a)

Notes:

- (a) Not to be exceeded more than once per year
- (b) The objective is attained when the annual arithmetic mean is less than or equal to 50 µg/m³
- (c) The objective is attained when the expected number of days per calendar year with a 24-hour average of 150 µg/m³ is equal to or less than 1
- (d) The objective is attained when the expected number of days per calendar year with the maximum hourly average of 0.12 ppm is equal to or less than 1 (Source: AQMP, DOE).

2. Monitoring Network

The main objective of the Bangladesh AQM network is to provide reliable information to the authorities and to the public about the air quality in most populous cities of Bangladesh.

As a part of the air quality monitoring strategy, several objectives can be achieved, including:

- Establish source/receptor relationships;
- Identify which are the pollutants of concern and their current status;
- Show how widespread air pollution problems are and indicate the general extent of the public exposure;
- Provide benchmarks against which trends in overall air quality can be compared and devise performance indicators for assessing the impact of an air quality management plan or strategy;
- Provide a data base for evaluation of effects; of urban, land use management, and transportation planning; of development and evaluation of abatement strategies; and of development and validation of atmospheric processes and models.

Another objective in the monitoring and management programme is to provide input data for modeling. These data will serve as a background for performing air quality planning and abatement studies. Model results may also serve as input to other studies such as health related investigations and exposure assessments.

The ambient air quality monitoring network Bangladesh consists of eleven (11) fixed Continuous Air Monitoring Stations (CAMS). The locations of the 11 CAMS are shown in Figure 1. Brief description of the monitoring stations and the list of measured parameters recorded at each station are provided in Table 2.

Table 2: Description of Monitoring Network:

City	ID	Location	Lat/Lon	Monitoring capacity
Dhaka	CAMS-1	SangshadBhaban, Sher-e-Bangla Nagar	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC concentrations with meteorological parameters.
	CAMS-2	Firmgate	23.76N 90.39E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
	CAMS-3	Darus-Salam	23.78N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Gazipur	CAMS-4	Gazipur	23.99N 90.42E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Narayangonj	CAMS-5	Narayangonj	23.63N 90.51E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Chittagong	CAMS-6	TV station, Khulshi	22.36N 91.80E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters.
	CAMS-7	Agrabad	22.32N 91.81E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Khulna	CAMS-8	Baira	22.48N 89.53E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological parameters
Rajshahi	CAMS-9	Sopura	24.38N 88.61E	PM10, PM2.5, CO, SO2, NOX, O3, and HC with meteorological

City	ID	Location	Lat/Lon	Monitoring capacity
				parameters.
Sylhet	CAMS-10	Red Crecent Campus	24.89N 91.87E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.
Barisal	CAMS-11	DFO office campus	22.71N 90.36E	PM10, PM2.5, CO, SO2, NOX and O3 with meteorological parameters.




Figure 1: CAMS Location in Bangladesh

Monitoring data from network stations are transferred to a central data centre at the Department of Environment office in Dhaka and simultaneously database maintained by the designated officials for quality check, control, evaluation, validation and statistical analysis. Quality controlled data are then stored in the final database for further analysis, reporting, presentations and future use.

3. Monthly Air Quality

The data presented in this report are based on monitoring results of air quality parameters during the month of July, 2018 from 11 CAMS operated by CASE-DoE monitoring network. Table-3 summarizes the basic statistics of the data along with the data capture rate and the number of days for which specific pollutant exceeded the Bangladesh National Ambient Air Quality Standard (BNAQS). Since NO_x have only annual standard, so for this pollutant daily 24-hours average concentration levels were compared with the annual average. During data quality control some data, which are outliers (beyond 3rd and 97th percentile) and inconsistent data, were flagged as invalid and those were not included in the analysis. Time series plots based on the data generated in the CAMS are also given in Annexes.

In general the data capture rate found little bit low compare to the previous month except few parameters in some CAMS in operation. During the reporting month several analyzers were not functional for some days due to routine preventive/corrective maintenance.

Inspection of the available data shows that there were few occurrences of non-compliance for PM₁₀ & PM_{2.5} levels at all monitoring stations during the month of July, 2018. It is observed that the 24 hr average concentration level of PM_{2.5} exceeded BNAAQs for 01 days in BARC and 01 days in D.salam CAMS, 01 day at Gazipur CAMS during the month of July, 2018. For PM₁₀ non-attainment with respect to BNAAQs occurred for 05 days at Narayanganj CAMS only during the reporting month. The monthly average concentration level of PM_{2.5} and PM₁₀ measured at different CAMS were found 11.06-41.20 µg/m³ and 26.90-104.00 µg/m³ respectively during the monitoring month of July, 2018. The concentration level of those was found 18.50-47.08 µg/m³ and 35.60-96.20 µg/m³ in the month of June, 2018. From the time series plot of both PM₁₀ and PM_{2.5}, it is seen in most cases PM concentrations less than the BNAAQs. 24-hours average PM levels in all cities monitored are decreasing compared to previous month because of increasing average wind speed and good number of rainy days along with some other emission situations. It is also observed that gaseous pollutants measured at different CAMS did not exceed the BNAAQs during the month of July, 2018.

In general PM pollution levels in the cities monitored during the reporting month found lower compared to previous month in respect of public health. Usually in the dry seasons the pollution level reached highest peak compare to the wet season, which is reflected in the data monitored in all CAMS during the month of July, 2018. It is observed that average wind speed and precipitation compared to previous month has an increasing tendency, which increases the rate of deposition and dispersion of the pollutants and this might be a reason for observed lower PM concentration.

Daily air quality index (AQI) values were calculated based on the available air quality data and summary of the AQI by categories are presented in annex Figure 5. Summary data shows majority of the days AQI values were Good and Moderate along with some Caution days and few Unhealthy in Gazipur city.

4. Summary and conclusion

Data obtained from CAMS operated under DoE air quality monitoring network during July, 2018 have been analyzed and reported. Data availability was 60-90% for all the criteria pollutants monitored at different CAMS with few exceptions. Air quality data for few pollutants were not reported because either the analyzer was not functional or the data capture rate was too low. From the analysis of the data following conclusion can be drawn:

- PM₁₀ and PM_{2.5} are the most critical pollutants. 24-hour average for both PM₁₀ and PM_{2.5} concentrations were found lower than the BNAAQs during the month of June, 2018 with few exceptions. It is observed that the average concentration level of PM_{2.5} and PM₁₀ measured at different CAMS were 11.06-41.20 µg/m³ and 26.90-104.00 µg/m³ respectively during the monitoring month of July, 2018
- The gaseous pollutants measured at different CAMS did not exceed limit values of the BNAAQs.
- Due to increasing average wind speed and some precipitation during June, 2018, the pollution concentration levels showed lower than the previous month.
- Monthly summary of calculated AQI values based on data from different CAMS showed that during this month most of day's air qualities were Good and Moderate along with some Caution days and few Unhealthy in Gazipur and in all cases most frequent responsible pollutant was PM_{2.5}.

During the reporting month number of analyzer especially gaseous analyzers of some CAMS did not produced data because of their repair and maintenance activities.

Table 3: Summary Air Quality and Meteorological data measured during July, 2018 at different CAMS operated under DoE

Parameter	unit	NAAQS	Summary	CAMS-1 (S-Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayonganj)	CAMS-6 TV-St (Chittagong) ^a	CAMS-7 Agrabad (Chittagong)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi) ^a	CAMS-11 (Barisal)
SO ₂ -24 hr	ppb	140	Average	DNA	2.09	9.11	15.9	7.92	15.1	DNA	DNA	22.7	2.86	16.8
			Max	DNA	2.47	10.6	35.7	12.7	31.0	DNA	DNA	32.3	4.16	24.1
			Min	DNA	1.48	2.18	3.87	3.68	3.39	DNA	DNA	1.15	1.40	14.2
			Excedance(Days)	DNA	0	0	0	0	0	DNA	DNA	0	0	0
			Data capture(%)	DNA	45	40	72	33	48	DNA	DNA	25	95	36
NO ₂ -24 hr	ppb	53 (Annual)	Average	DNA	43.4	6.85	1.65	15.6	20.2	DNA	9.20	15.8	DNA	27.6
			Max	DNA	96.9	8.70	3.89	28.7	44.3	DNA	12.7	22.6	DNA	35.2
			Min	DNA	24.6	3.78	0.66	4.90	11.8	DNA	5.75	9.56	DNA	21.2
			Excedance(Days)	DNA	0	0	0	0	0	DNA	0	0	DNA	0
			Data capture(%)	DNA	59	60	86	78	89	DNA	94	40	DNA	87
CO- 1 hr	ppm	35	Average	DNA	2.38	3.45	DNA	0.55	1.33	DNA	DNA	1.02	0.82	DNA
			Max	DNA	7.76	9.56	DNA	2.00	4.02	DNA	DNA	10.9	3.23	DNA
			Min	DNA	0.05	2.68	DNA	0.18	0.13	DNA	DNA	0.05	0.06	DNA
			Excedance(Hour)	DNA	0	0	DNA	0	0	DNA	DNA	0	0	DNA
			Data capture(%)	DNA	30	90	DNA	78	11	DNA	DNA	26	99	DNA
CO-8hr	ppm	9	Average	DNA	2.92	3.45	DNA	0.54	1.41	DNA	DNA	1.16	0.82	DNA
			Max	DNA	6.60	4.44	DNA	1.81	2.69	DNA	DNA	10.6	2.34	DNA
			Min	DNA	0.11	2.81	DNA	0.28	0.38	DNA	DNA	0.14	0.32	DNA
			Excedance(Hour)	DNA	0	0	DNA	0	0	DNA	DNA	3	0	DNA
			Data capture(%)	DNA	22	88	DNA	75	10	DNA	DNA	19	99	DNA
O ₃ -1hr	ppb	120	Average	DNA	4.28	1.85	DNA	DNA	3.50	DNA	DNA	DNA	0.76	DNA
			Max	DNA	22.9	16.7	DNA	DNA	8.81	DNA	DNA	DNA	3.01	DNA
			Min	DNA	0.46	0.45	DNA	DNA	1.14	DNA	DNA	DNA	0.16	DNA
			Excedance(Hour)	DNA	0	0	DNA	DNA	0	DNA	DNA	DNA	0	DNA
			Data capture(%)	DNA	76	69	DNA	DNA	88	DNA	DNA	DNA	23	DNA
O ₃ -8hr	ppb	80	Average	DNA	3.98	1.86	DNA	DNA	3.49	DNA	DNA	DNA	0.75	DNA
			Max	DNA	14.4	13.6	DNA	DNA	6.52	DNA	DNA	DNA	1.33	DNA
			Min	DNA	0.93	0.56	DNA	DNA	2.96	DNA	DNA	DNA	0.35	DNA
			Excedance(Hour)	DNA	0	0	DNA	DNA	0	DNA	DNA	DNA	0	DNA
			Data capture(%)	DNA	73	65	DNA	DNA	87	DNA	DNA	DNA	23	DNA

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS, PM= Particulate Matter
DNA= Data Not Available

Table 3: Summary Air Quality and Meteorological data measured during July, 2018 at different CAMS operated under DoE (Cont'd)

Parameter	unit	NAAQS	Summary	CAMS-1 (S-Bhaban)	CAMS-2 (BARC) ^a	CAMS-3 (D-salam)	CAMS-4 (Gazipur)	CAMS-5 (Narayonganj)	CAMS-6 TV-St (Chittagong) ^a	CAMS-7 Agrabad-(Chittagong)	CAMS-8 (Sylhet)	CAMS-9 (Khulna) ^a	CAMS-10 (Rajshahi) ^a	CAMS-11 (Barisal)
PM _{2.5} -24hr	µg /m ³	65	Average	DNA	41.2	32.6	28.0	26.6	14.6	DNA	16.1	11.6	29.4	17.4
			Max	DNA	101	68.3	74.5	63.8	26.5	DNA	38.7	22.7	49.8	28.8
			Min	DNA	23.6	23.0	7.76	11.4	8.67	DNA	9.18	5.36	10.6	8.40
			Excedance(Days)	DNA	1	1	1	0	0	DNA	0	0	0	0
			Data capture(%)	DNA	71	93	68	70	80	DNA	72	38	97	66
PM ₁₀ -24hr	µg /m ³	150	Average	DNA	64.1	71.4	52.8	104	26.9	DNA	38.7	33.5	67.0	32.2
			Max	DNA	101	138	117	249	47.1	DNA	59.4	77.8	129	52.8
			Min	DNA	37.6	45.8	21.0	32.3	16.4	DNA	21.6	15.0	31.8	14.8
			Excedance(Days)	DNA	0	0	0	5	0	DNA	0	0	0	0
			Data capture(%)	DNA	73	87	82	72	79	DNA	81	42	98	76
Solar rad. 1hr	watt/m ²	NA	Average	DNA	393	157	DNA	DNA	DNA	DNA	178	DNA	DNA	141
			Max	DNA	637	960	DNA	DNA	DNA	DNA	997	DNA	DNA	983
			Min	DNA	375	7.09	DNA	DNA	DNA	DNA	6.02	DNA	DNA	8.06
			Data capture(%)	DNA	6	96	DNA	DNA	DNA	DNA	96	DNA	DNA	87
Relative Humidity 1hr	(%)	NA	Average	DNA	88.7	78.4	DNA	DNA	81.1	DNA	84.2	DNA	DNA	87.8
			Max	DNA	96.5	92.3	DNA	DNA	88.4	DNA	97.6	DNA	DNA	99.1
			Min	DNA	59.7	14.5	DNA	DNA	12.0	DNA	47.8	DNA	DNA	53.2
			Data capture(%)	DNA	5	97	DNA	DNA	79	DNA	96	DNA	DNA	87
Ambient Temp. 1hr	(°c)	NA	Average	DNA	29.9	29.6	DNA	DNA	30.2	DNA	28.6	DNA	DNA	29.6
			Max	DNA	35.3	37.2	DNA	DNA	37.4	DNA	38.0	DNA	DNA	38.1
			Min	DNA	4.66	25.3	DNA	DNA	22.2	DNA	24.9	DNA	DNA	26.5
			Data capture(%)	DNA	6	96	DNA	DNA	88	DNA	96	DNA	DNA	87
Rainfall 1hr	(m.m.)	NA	Average	DNA	0.78	0.06	1.63	DNA	2.36	DNA	0.46	DNA	DNA	DNA
			Max	DNA	2.01	4.14	3.41	DNA	10.5	DNA	7.53	DNA	DNA	DNA
			Min	DNA	0.05	0.02	0.06	DNA	0.02	DNA	0.02	DNA	DNA	DNA
			Data capture(%)	DNA	1	33	91	DNA	4	DNA	58	DNA	DNA	DNA

CAMS= Continuous Air Monitoring Station, NAAQS=National Ambient Air Quality Standard, a=Refurbishment CAMS, PM= Particulate Matter

DNA= Data Not Available

FIGURE 3: TIME SERIES OF ALL PARAMETERS (SO₂, NO_x AND O₃) MEASURED IN ALL CAMS DURING JUNE, 2018







FIGURE 4: TIME SERIES OF ALL PARAMETERS (CO, PM10 AND PM2.5) MEASURED IN CAMS DURING JUNE, 2018







Figure 5: Monthly Summary of AQI for month of July, 2018

