

ইস্টার্ন রিফাইনারী লিমিটেড

উত্তর পতেঙ্গা, চট্টগ্রাম

তারিখ: ২০/০৭/২০২৩

বিষয়: ইআরএল এর রাজস্ব বাজেটের আওতায় ২০২৩-২৪ অর্থবছরে বিভিন্ন যন্ত্রাংশ, কেমিক্যালস ও অন্যান্য পণ্যসামগ্রী ক্রয়ের জন্য বার্ষিক ক্রয় পরিকল্পনা (APP) প্রণয়ন।

ইস্টার্ন রিফাইনারী লিমিটেড এর সার্বিক পরিচালনার জন্য প্রতিবছর বিপুল সংখ্যক বিভিন্ন যন্ত্রাংশ, কেমিক্যালস ও অন্যান্য পণ্যসামগ্রী ক্রয় করার প্রয়োজন হয়। বর্তমানে ইআরএল এর স্টোরে প্রায় ১৭০০০ পণ্য মজুদ আছে এবং প্রতিটি পণ্যের বিপরীতে Material planning রয়েছে। উক্ত Material planning অনুযায়ী কোন পণ্য Material planning এর low level এ আসলে অবিচারণ উত্থাপন করা সহ যাবতীয় ক্রয় প্রক্রিয়া সম্পন্ন করা হয়। গত ২২/০৫/২০২৩ তারিখে বিপিসি কর্তৃক পত্রের মাধ্যমে (২৮.০৩.০০০০.০৪১.০৭.২১১.২০(ইআরএল)/ডিএলও/৩১৪ তারিখ: ২২/০৫/২০২৩) ইআরএল এর রাজস্ব বাজেটের আওতায় ক্রয়তব্য সকল যন্ত্রাংশ, কেমিক্যালস ও অন্যান্য পণ্যসামগ্রী ক্রয়ের জন্য বার্ষিক ক্রয় পরিকল্পনা প্রণয়ন, যথাযথ কর্তৃপক্ষের অনুমোদন ও তদানুযায়ী ক্রয়কার্য পরিচালনার জন্য অনুরোধ করা হয়। কিন্তু ইআরএল এর উৎপাদন প্রক্রিয়া নিরবচ্ছিন্ন রাখার জন্য প্রয়োজনীয় বিপুল সংখ্যক পণ্যের ব্যবহারের পরিমাণ পূর্ব নির্ধারণ করা একটি দূরহ বিষয়। এছাড়া নিম্নলিখিত পণ্যসমূহ বার্ষিক ক্রয় পরিকল্পনাতে অন্তর্ভুক্ত করার সুযোগ নাই।

- ১। সাটডাউনের জন্য প্রয়োজনীয় পণ্য সামগ্রী।
- ২। যেসকল পণ্য নিয়মিত ব্যবহৃত হয় না (প্রতিবছর ব্যবহার নাই)।
- ৩। নতুন ক্রয়কৃত যন্ত্রপাতির যন্ত্রাংশ বা নতুন সম্পাদিত প্ল্যান্টের কেমিক্যালসসমূহ।
- ৪। কোন যন্ত্রপাতির হঠাৎ Breakdown এর ফলে প্রয়োজনীয় যন্ত্রাংশ।

এতদসত্ত্বেও বিপিসি এর নির্দেশনা অনুযায়ী ২০২৩-২৪ অর্থবছরে ইআরএল এর রাজস্ব বাজেটের আওতায় ক্রয়তব্য বিভিন্ন যন্ত্রাংশ, কেমিক্যালস ও অন্যান্য পণ্যসামগ্রীর জন্য সংযুক্তমতে একটি বার্ষিক ক্রয় পরিকল্পনা (APP) প্রণয়ন করা হয়েছে। এছাড়া ১-৪ নং ক্রমে বর্ণিত পণ্যসমূহ প্রয়োজন অনুযায়ী ক্রয় করা হবে। এ সকল পণ্য ক্রয়ের নিমিত্তে ২০২৩-২৪ অর্থবছরে রাজস্ব বাজেটের রক্ষণাবেক্ষণ ও ওভারহোলিং (Stores, Spares, Maintenance & Overhauling) খাতে ৩৬৫০.০০ লক্ষ টাকা বরাদ্দ রাখা হয়েছে। অনুমোদিত হলে বার্ষিক ক্রয় পরিকল্পনাটি ইআরএল এর ওয়েবসাইটে প্রকাশ করা হবে।

এমতাবস্থায় প্রণয়নকৃত বার্ষিক ক্রয় পরিকল্পনাটি (APP) সদয় বিবেচনা ও অনুমোদনের জন্য পেশ করা হলো।

২০/৭/২৩
পার্চেজ অফিসার (ফরেন)
সহ-মহাব্যবস্থাপক (পার্চেজ)

২০/০৭/২৩
ব্যবস্থাপক (ফরেন পার্চেজ)

২০/০৭/২৩
মহাব্যবস্থাপক (কমার্শিয়াল)

ব্যবস্থাপনা পরিচালক- সদয় অনুমোদনের জন্য।

২৭/০৭/২৩

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
1	100427000	Aluminium Sulphate (ALUM). Specification : Chemical Formula= $Al_2(SO_4)_3$, 18 H ₂ O; Purity = 46% Min. Solubility-600mg/Liter minimum at 20°C	U&I	4500	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
2	100429000	Hydrated Lime (Ca (OH) ₂), (Industrial Grade) Specification: Ca(OH) ₂ Appearance: Powder, Available Lime as Ca(OH) : 75% (Minimum), Pack size: 25 KG/Bag	U&I	750	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
3	100779000	Ammonia Gas Filled Cylinder (50 Kg Per Cyl.)	PROCESS & SCP	127	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
4	101270220	ACETYLENE GAS CYLINDER	GENERAL	170	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
5	101579000	ARGON GAS CYLINDER	GENERAL	12	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
6	101950000	Biocide In Liquid Form, 01) Non -Oxidizing 02)Liquid, 03) Control : Algae, Fungi, Bacteria, 04) Soluble in water, 05) Active Content: 50% w/w Minimum, 06) Packing : 25 Kg in Plastic drum, 07) Shelf life: Minm 2 years, 08) Use: Treatment of industrial cooling water.Note: Technical Brochure and Lab test result should be provided.	U&I	3600	Do	MD/ERL Board	ERL	9-12 Months	ICT
7	102320000	CAUSTIC SODA (NaOH), PHYSICAL FORM : FLAKES OR PEARL, PURITY: 96% MINIMUM, PACKING: 25KG/50KG, AIR TIGHT BAGS	PROCESS & U&I	248	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
8	103250210	RE-SOLVE (R) EC2040A. 15 (PROCESS TREATMENT CHEMICALS EQUIVALENT TO DEMULSIFIER). PACKING : 217 KG EACH DRUM.	Process	5000	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
9	103650230	CORROSION INHIBITOR NALCO EC 1007A. 15. (Each Drum Contain 215 Kg.)	PROCESS & SCP	4945	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
10	108370220	NITROGEN GAS CYLINDER	GENERAL	34	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
11	108550230	NALCO -19 PULV , Each Drum Contain 60 kg.	PROCESS & U&I	200	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
12	109130000	OIL COLOURING DYE - RED , Colour Index Reference : Solvent Red 24 , Colour Index No : 26105 , Physical Form : Dry Powder , Chemical Class : Azo Alkyl Derivatives , Solubility : Oil Soluble , Packing : 20/25 Kg/Drum.	PROCESS & U&I	500	Do	MD/ERL Board	ERL	9-12 Months	ICT
13	109330000	OIL COLOURING DYE ORANGE . Colour Index Reference : Solvent Yellow 14 , Colour Index No. : 12055 , Physical Form : Dry Powder , Chemical Class : Azo alkyl derivatives / DISAZO , Solubility : Oil soluble , Packing : 20/25 Kg. Each Drum.	PROCESS & U&I	800	Do	MD/ERL Board	ERL	9-12 Months	ICT
14	109570220	OXYGEN GAS CYLINDER	GENERAL	242	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
15	110650000	RIS NT DEVELOPER, BRAND: RED MARK(450 CC/270GM AEROSOL CAN)	INSPECTION	22	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
16	110750000	RIM NT CLEANER/REMOVER, BRAND: RED MARK (450CC/250GM AEROSOL CAN)	INSPECTION	20	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
17	111759000	SULPHURIC ACID (COMMERCIAL), STRENGTH : 98% (W/W)	U&I	60601	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
18	111850000	SODIUM HYPO CHLORIDE (NaOCL) , PHYSICAL FORM : PALE GREENISH LIQUID , SPECIFIC GRAVITY : 1.1 - 1.15 , AVAILABLE CHLORINE : 7.2% (W/V) min , NaOH CONTENT : 0.75% (W/V) max	U&I	300	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
19	112550000	SCALE INHIBITOR (For Cooling Tower) COOLING WATER SPECIFICATIONS : Cooling Water PH : 7.5 - 9,TDS : 1500 - 1800 ppm, CaH : 20 - 40 ppm, Chloride : 750 - 900 ppm. SCALE INHIBITOR SPECIFICATIONS : PH < 4 & Conductivity minimum 60 ms/cm , Form : Liquid , Shelf Life : Min. 2 Years. Packing : 25/50 Kg.	U&I	3000	Do	MD/ERL Board	ERL	9-12 Months	ICT
20	116050000	OIL FINDING PASTE	U&I	10	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
21	116140000	WATER FINDING PASTE (KOLOR KUT)	U&I	20	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
22	1112302061	MILD STEEL ANGLE, SIZE: 5/16"X3"X3"	GENERAL USE	413	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
23	1112303002	STAINLESS STEEL SHEET, , MAT: ASTM A240, TP410, SIZE: 1.5MM X 1200 X 2400MM	GENERAL USE	2	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
24	1112400001	STEEL GRATING (GALVANIZED COATED), SIZE: 5' X 3' X 5MM. (AS PER OUR SAMPLE)	GENERAL USE	500	Do	MD/ERL Board	ERL	3-06 Months	NCT/e-Gp/DPM/RFQ
25		Various Studs, Bolts & Nuts		36687	Do	MD/ERL Board	ERL	9-12 Months	ICT
26	125061323X	ALUMINIUM COATED SCREW, SIZE: 1/2" (As per sample)	GENERAL USE	13400	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
27	125068037X	STEEL WOODEN SCREW, SIZE: 1" (BEST QUALITY)	GENERAL USE	769	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
28		Various Seamless Pipe		3020	Do	MD/ERL Board	ERL	9-12 Months	ICT
29		Various ERW Pipe		1979	Do	MD/ERL Board	ERL	9-12 Months	ICT
30	2152311400	Seamless Cold Drawn Low Carbon steel Heat Exchanger tubes, Mat.: ASTM A179, Length: 4877mm OD-19.05mm, Thickness : 2.11 mm (BWG. 14).	UNIT & TANK FARM AREA	5000	Do	MD/ERL Board	ERL	9-12 Months	ICT
31	2182323800	Copper Tube, Size : OD 8mm, Thickness - 1mm. (15/20 meter in each coil)	INSTRUMENT	300	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
32	2182424400	Copper Tube, Size : OD 12mm, Thickness - 1mm. (15/20 meter in each coil).	INSTRUMENT	150	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
33	2192315002	Threaded Nipple, Size: 1/4"X4", Sch. 80 (As per sample).	UNIT & TANK FARM AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
34		Various Pipe Fittings		853	Do	MD/ERL Board	ERL	9-12 Months	ICT
35		Various Pipe Fittings		485	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
36		Various Valves		947	Do	MD/ERL Board	ERL	9-12 Months	ICT
37	2692013530	SOOT BLOW VALVE OF FURNACE F 1101 A/B, 1. ROTARY MULTI JET SOOTBLOWER LIX/D. OPERATION : DIRECT MANUAL , ELEMENT LENGTH : 1950 MM ,ELEMENT MATERIAL : T 321 STEEL , ROTATION : UP to 180 , SPINDLE MATERIAL : STAINLESS STEEL , SEAM INLET FLANGE : ANSI B 16.5, DIA 2" , CLASS- 150 , INCLUDED : WALL BOX , ELEMENT SUPPORT BEARING, COMPANION FLANGE. SERVICE CONDITIONS: FLUE GAS TEMPERATURE : 700 C , STEAM TEMPERATURE : 12 KG/CM , STEAM TEMPERATURE : 250 C (TYPICAL) , FLUEL BURNT : FO/NG/RG. 02. PISTON RING , PART REF. 15 , DRG NO. K18674 , PART NO. RI 4493	Soot Blow Valve	1	Do	MD/ERL Board	ERL	9-12 Months	ICT
38	2697301004	GUIDE PIN, PART REF. 13, DRG. NO. K18674, P/NO. 4 GPK 16844	Soot Blow Valve	6	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
39		Various Pipe Fittings with Valves		25	Do	MD/ERL Board	ERL	9-12 Months	ICT

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
40	3207501001	Filter Element for cartridge Filter upto 5 micron particles in poly 40" length	OPEN SHED	108	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/Rfq
41	3221137430	FIN TUBES : Base Tube : Seamless Cold Drawn low carbon steel Aero-Condenser tubes. Mat : ASTM A179 , OD : 25.4 mm , Thickness : 2.77 mm , Length : 9144 mm	EC-3001	200	Do	MD/ERL Board	ERL	9-12 Months	ICT
42	3223110020	CR SEAL # 18733 , REF NO. 815 , PART NO. SV135	EM 1123 A-F	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
43	3223111600	SEAL RING, P/NO. 80.100.12, DRG. CL 16.1.003	AERO CONDENSOR REDUCER GEAR BOX	12	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
44	3223111900	CIRCLIP, P/NO. E70, DRG. CL 16.1.003	AERO CONDENSOR REDUCER GEAR BOX	6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
45	3223501036	V-Belt, SPD 4250, P/No. WR17366	SCP COMPRESSOR	16	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
46	3223502034	V-VELT, SPB 4370, P/NO. WR 17368	EC 3002 (AV)	15	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
47	3223506001	PLUG DIA 11/8, PT. NO. 2610	VIS BREAKER	27	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
48	3225090000	Set of Blades (Each set contain 4 piece), Type : TB14H complete with Hub & Retainer Ring.	EM 1123 A-F	8	Do	MD/ERL Board	ERL	3-12 Mofths	ICT/DPM
49		Spares for Aero-condenser EM 6001 A/B/C		59	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
50		Spares for Aero-condenser EM 6001 D/E		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
51		Spares for Aero-condenser EM 6001 F/G		45	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
52		Various Rods, Nuts and fittings		14160	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
53		Spares for Pump P-1205A		18	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
54		Spares for Pump P-1201A/B		45	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
55		Spares for Pump P1109A & 1111A/B		73	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
56		Spares for Pump PM 6105/06/09/10		28	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
57		Spares for Pump PM 1112B & 1113B		80	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
58		Spares for Pump P1204		92	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
59		Spares for Pump PM 1202 A/B		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
60		Spares for Pump PM 1107 A/B		17	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
61		Spares for Pump PM 1103 A/B		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
62		Spares for Pump PM 1108 A/B		6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
63		Spares for Pump PM 1105 A/B		22	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
64		Spares for Pump P1113		21	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
65		Spares for Pump P1110A		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
66		Spares for Pump P1101 & 1102		18	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
67	3416422154	M.S. SOCKET SET SCREW OR ALLEN SCREW, DIA: 6MM	ALL PUMP	200	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
68		Spares for Pump P1102A		35	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
69		Spares for Pump P1101A/B		17	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
70		Spares for Pump P1102B		34	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
71		Spares for Pump P1203 & 1302		6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
72		Spares for Pump P1203A/B		19	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
73		Spares for Pump GA 3003 & S		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
74		Spares for Pump GA 3002 & S		133	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
75		Spares for Pump GA3006 & S, P 1302 B, 1305B, 6016 AB		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
76	3417602586	SEAT GASKET, PT. 568229 GU	GA 3005 & S, 3011 & S	8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
77		Spares for Pump GA 3004 & S		24	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
78		Spares for Pump GA 3001 & S		297	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
79		Spares for Various Pumps		362	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
80	3443071503	HUB SCREW, P/Ref: 3	GA 3006/S, 3007, 3009/S, P-1112B, P-1113B	3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
81	3443071705	HUB SCREW , PT. 1512-3149 P/Ref: 5	GA 3005/S, 3011/S, 3016/S	3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
82		Spares for Pump GA 3003 & S		12	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
83		Spares for Pump P 10G05 A/B		10	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
84		Spares for Pump P 10GM03 & 04A/B		63	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
85		Spares for Pump PM 10G03A		10	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
86		Spares for Pump PM 30G01		10	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
87		Spares for Pump PM 10GM02		39	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
88		Spares for Pump PM 1402 & 1502		9	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
89		Spares for Pump P6005 A/B		58	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
90		Spares for Pump ED6002A		68	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
91		Spares for Pump P6004C		1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
92		Spares for Pump P6004A/B		20	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
93		Spares for Pump P6006		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
94		Spares for Pump PM 6118B		1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
95		Spares for Pump PM 6119 A/B		14	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
96		Spares for Pump PM 1301 C/D		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
97		Spares for Fire Engine ED 6002 B/E		5	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
98		Spares for Pump P1121A		37	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
99		Spares for Pump P1122A		30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
100		Spares for Pump P1121B		30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
101		Spares for Pump P1109B		5	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
102		Spares for Pump P1112B		9	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
103		Spares for Pump P1113B		6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
104		Spares for Pump PM1120 A/B		30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
105		Spares for Pump PM 6009 A/C		51	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
106		Spares for Pump P1204 A/B		151	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
107		Spares for Pump P1205 & 1305		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
108		Spares for Pump P1106 & 1111		6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
109		Spares for Pump P1107 & 1108		18	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
110		Spares for Pump P1113A		5	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
111		Spares for Pump 1202 A/B		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM





Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
112		Spares for Pump 1109 A		5	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
113		Spares for Pump 1201 A/B		68	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
114		Spares for Pump GA 3002 & S		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
115		Spares for Pump P1101 & 1102		3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
116		Spares for Pump P1102 B		1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
117		Spares for Pump PM 6061B		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
118		Spares for Pump GA 3003 & S		15	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
119		Spares for Pump GA 3004 & S		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
120		Spares for Pump GA 3016 & S		24	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
121		Spares for Pump PM 6002D		23	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
122		Spares for Pump GP 102A/B & 6062 B		25	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
123		Spares for Pump GP 102A		12	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
124		Spares for Pump 6062 B		3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
125		Spares for Pump 1110 B		20	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
126		Spares for Pump P6118		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
127		Spares for Pump P1602		55	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
128		Spares for Pump P6701 A/B		72	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
129		Spares for Pump P6704 A/B		3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
130		Spares for Pump P6602 A/B		1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
131		Spares for Pump P6603 A/B		31	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Qwazaf
✓

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
132		Spares for Pump P6601 A/B		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
133		Spares for Pump P10G04 B		22	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
134		Spares for Pump P1115		8	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
135		Spares for Raw Water Pump- 2,3,4,5		182	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
136		Spares for Pump P 6002 B		12	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
137		Spares for Pump P 6002 C		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
138		Spares for Pump GA 3010 & S		117	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
139		Spares for Pump GA 3013 & P6062 & S		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
140		Spares for Pump GA 3014		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
141		Spares for Pump P6062		20	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
142		Spares for Pump GA 3010C		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
143		Spares for Pump P10G06		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
144		Spares for Pump P30G02C		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
145		Spares for Pump P1001 A/B		24	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
146		Spares for Pump P6107 & 6108		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
147		Spares for Pump P1123 & 1124		64	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
148		Spares for Pump GP 101A/B		13	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
149		Spares for SP Pump		37	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
150		Spares for Pump GP 101 A/B		7	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
151		Spares for Pump P6117		27	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
152		Spares for Compressor KM 1202A/B		153	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
153		Spares for Compressor KM 1203		104	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
154		Spares for Compressor K 1301 & 1302 A/B		121	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
155		Spares for Compressor K 6001 A/B/C		89	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
156		Spares for Compressor 10K01/02		88	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
157		Spares for Air Compressor GB 3001 & S		479	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
158		Spares for Compressor K 6051 A/B		176	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
159		Spares for H2 Compressor (C-1)		104	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
160		Spares for Compressor KM 6001D		178	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
161		Spares for 3MW Ebara Turbine		20	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
162		Spares for 2MW DEG- MHI		72	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
163		Spares for 2MW Caterpillar Engine		32	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
164		Spares for 2MW Diesel Engine		189	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
165		Actuator/ Governor for 2ME Disesel Engine		1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
166		Spares for 2MW Diesel Engine		2007	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
167		Spares for Agitator Motor AGM- 6111, 28,29,30		17	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
168		Spares for AGM 6702 A/B and Crude Tank		2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
169		Complete Ejector for Vaccum System		3	Do	MD/ERL Board	ERL	9-12 Months	ICT
170		Spares for Filling Unit		32	Do	MD/ERL Board	ERL	9-12 Months	ICT
171		Spares for Welding Machine		59	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
172		Spares for Corrogation and Seaming Machine		70	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
173		Spares for Press Machine- PRF 100		18	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
174		Spares for Sheet Shearing Machine		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
175		Various Gaskets		874	Do	MD/ERL Board	ERL	9-12 Months	ICT
176	4261110023	MECHANICAL PACKING - ½", STYLE : 1740	PUMPS & VALVE	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
177	5011800001	Easidew TX I.S. ATEX certified Dewpoint Transmitter , ATEX..... Ex II 1 G Ex ia IIC T4 Tamb -20°C to +60°C , Measurement Range : -100/+20°C dp , Output : 4-20 mA (-100 to +20°C dp as standard , °F dp or ppm(v) optional , Voltage : 12-28 Vdc, Base Model: EA2-IS-TX, Type: +B3 5/8" UNF process connection, Range:+C1-100to +20 degCdp (-148to 68 degFdp), Protection: +D1 Standard HDPE guard (Protection against fine particles 10µm)	REFORMING & MHC UNIT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
178	5019111110	VIBRATION HORN.MODEL:450W-125VDC-RA2333	REFORMING & MHC UNIT	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
179		Spares for Control Valve		14	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
180	5031032100	COMPLETE POSITIONER WITH LINKAGE ASSY FOR MOUNTING WITH CONTROL VALVE.TYPE:737S-D.PNEU-PNEU	ALL PLANT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
181		Various Pressure Switch		3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
182	5049000014	MEMBRANCE.P/NO-80760	ALL PLANT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
183		Regulator with Manometer for 3MW Generator		30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
184		Instrument Spares for Topping/Reforming/ABP Unit		340	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
185	5211181002	MODULE SUB ASSY P/NO-03311-0409-0003	HYDROGEN PLANT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
186	5211181009	O RING FOR COVER.P/NO-03311-0421-0001	HYDROGEN PLANT	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
187	5221105752	THERMO WELLS 2"300RF 1250MM	INSTRUMENT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
188		Various Thermocouple Elements		10	Do	MD/ERL Board	ERL	9-12 Months	ICT
189	5222122011	Multipoint Thermocouple (for R 1201), Basic Thermocouple element, Model: 800-J-D-(30,54,78,108,132,156)-W4-316-0	REACTOR 1201	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
190	5222122110	MULTIPOINT THERMOCOUPLE ASSY FOR REACTOR R 1201	TOPPING/REFORMING	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
191	5230101000	Complete Skin Thermocouple (F-1101A/B), Type:1830L-K-392mm-141.3mm-90-U-446-C1-S809-999	FURNACE-1101 A/B	3	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM





Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
192	5230101001	Retaining Clip M2443 (F-1101 A/B)	FURNACE-1101 A/B	6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
193	5230102000	Complete Skin Thermocouple (F-1101A/B) Type:1830R-K-392mm-141.3mm-90-U-446-C1-S809-999	FURNACE-1101 A/B	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
194	5241641001	CAPSULE BASE MODEL:P0121AR	INSTRUMENT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
195	5310100748	RECORDER CHART PAPER.P/REF-86029701,TYPE-1/24H.0-10R	INSTRUMENT	2000	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
195	5316200106	BELLOUES ASSY.P/NO-C0149EZ	INSTRUMENT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
197	5316200127	SCREW.P/NO-0024105	INSTRUMENT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
198	5316200201	RELAY MANIFOLD.P/NO-C0146NV	INSTRUMENT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
199	5351100040	O - RING	MODEL 13 A 1 - MK 2 TRANSMITTER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
200	5352400127	Teflon Tape (Pedrollo Brand), Size: 12mm x 20 mtr. x 0.08mm, Made in Bangladesh (As per our sample)	INSTRUMENT	471	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
201	5352500011	BONNET ASSEMBLY COMPLETE , P/NO. DO128MH	INSTRUMENT	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
202	5414201012	VISITEST SMALL BAG N 65" DISTRIBUTOR INCLUDE.P/REF-19920095C	AIR COMPRESSOR(ERL)	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
203	5414201052	VALVE ELEMENT.TAG NO-A-24.P/REF-18401551L	AIR COMPRESSOR(ERL)	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
204	5452410303	BODY GASKET , P/REF. 51004501A	LPW SWEETENING PLANT	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
205	5452410406	DIAPHRAGM OF ACTUATOR , P/REF. 50777401C	LPW SWEETENING PLANT	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
206	5452410603	RING PACKING GRAPHITE , P/REF. 51005201L	LPW SWEETENING PLANT	10	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
207	5452410605	SEAT , P/REF. 51004880M	LPW SWEETENING PLANT	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
208		Axial Flow Valve for N.G Regulators		4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
209	5461012101	Inspirator Mainfold Block, Brand : Elster GmbH, Country of Origin: Germany	N.G. REGULATORS	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
210	5461012107	SPRING, P.REF. 71403P012	N.G. REGULATORS	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
211	5461012108	WASHER, P.REF. 78034P016	N.G. REGULATORS	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
212	5461012111	RING, RETAINING, P.REF. 78074P029	N.G. REGULATORS	6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
213	5466030901	COIL 3 WAY SOLENOID VALVE 813-D125	GAS CONVERSION	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
214	5492720100	2/2 Way Metal Diaphragm Valve , Model : 385.15 8PFA.35 , DN 15 , Body : GGG40.3 PFAlined	WATER TREATMENT PLANT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
215	5492720600	Metal Diaphragm Valve, Model : 487.80.8F.1. SIZE : 80 mm. Control Function : NC. Actuator Size : 3/3	WATER TREATMENT PLANT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
216	5493110101	CONDUCTIVITY PROBE FOR CONDUCTIVITY METER , MODEL : CM200	WATER TREATMENT PLANT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
217	5521130221	PARABOLIC LINEAR PLUG-S.S,-1 1/2"x1 1/2",440°C, REF-532-354/55	INSTRUMENT	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
218	5521244141	V - PORT PLUG - D.S 3"X3", 562-080/51	INSTRUMENT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
219	5521245141	V - PORT PLUG D.S, 3"X2 1/2", 562-081/51, F-316	INSTRUMENT	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
220	5521659151	3 WAY PLUG D.S 562-026-51, TRCV-1103/4, (6" X 5")	INSTRUMENT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
221	5531010703	PLUG STEM,F316, 6" (FOR NON COOLING PACKING BOX) P/REF-503-29251	CONTROL VALVE	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
222	5561011002	016436-0000 REAR COVER PACKING.TYPE:0615	TANK (6101 A-F)	12	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
223	5561011003	016436-0000 TAPE DRUM.TYPE:5151	TANK (6101 A-F)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
224		Spares for Radar Type Auto Tank Gauging System		53	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
225	5590112055	8 Port Analog Extension Line (SLT) Blade w/MW & Caller ID Model : CD-8LCA	TELEPHONE EXCHANGE	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
226	5590112059	8 Port Analog Extension Line (SLT) Daughter Board, Model : PZ-8LCE	TELEPHONE EXCHANGE	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
227	5591200010	TELEPHONE SET. MODEL: PANASONIC KX-T7703X, (MADE IN MALAYSIA)	TELEPHONE EXCHANGE	24	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
228	5591200020	Telephone Set: DT300 Series DTZ-06D-1P (BK) Tel; Model : DLV (XD) Z-Y (BK); -48VDC, 45 mA +24 VDC, 90 mA	TELEPHONE EXCHANGE	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
229	5611400017	LEVEL CONTACT MECHANISM 2MC	BOILER LEVEL ALARM	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
230	5611601010	MAGNETIC PISTON FOR LEVEL CONTACT	BOILER LEVEL ALARM	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ




Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
231	5611802000	Variable Area Flow Meter, Type: Metal Tube Variable Area Flow Meter, Accuracy: Class 1.6%, Meter Size: DN50, End Connection: 2" ASME 150 LBS (Mounting length - 250 mm). Indication: Via Magnetic Coupling, Indication Type: Analog output, SMART local display, Indicator Housing: Die Cast Coupling, Measuring Cone: SS316L, Flange Material of Connection: SS316L, Float Material of connection: SS316L, Maximum operating Temperature: 200 deg C, Maximum operating Pressure: As per Flange standard, Rangeability (Min): 1 : 10, Installation Length: 250 mm, Mounting: Vertical Flow from Bottom to top, Physical data of Fluid: Origin fluid: Bitumen, Density: 945.0 KG/m3, Viscosity: 140-150cSt, Temperature: 200 deg C, Pressure: 5.5 Kg/cm2 abs. Approval: FCC/IC, CE, Ingress Protection: IP67 or better, Calibration Certificate: Provided, Transmitter Power Supply: 4-20 mA, 2 wire, 24 V DC, HART comply, Accessories: with integral Heating Jacket, Other Tests/certificates: Calibration Certificate -5 point measure	ABP LEVEL ALARM	1	Do	MD/ERL Board	ERL	9-12 Months	ICT
232	5640101000	MALE CONNECTOR.SIZE:6MMx1/8" NPT	UNIT AREA	40	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
233	5640102000	MALE CONNECTOR.SIZE:6MMx1/4" NPT	UNIT AREA	250	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
234	5640103000	MALE CONNECTOR.SIZE:6MMx1/2" NPT	UNIT AREA	80	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
235	5640105000	MALE ELBOW CONNECTOR.SIZE:6MMx1/4" NPT	UNIT AREA	80	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
236	5640107000	FEMALE CONNECTOR.SIZE:6MMx1/8" NPT	UNIT AREA	25	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
237	5640108000	FEMALE CONNECTOR.SIZE:6MMx1/4" NPT	UNIT AREA	40	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
238	5640113000	UNION,6MM	UNIT AREA	45	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
239	5640114000	UNION ELBOW.6MM	UNIT AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
240	5640115000	UNION TEE.6MM	UNIT AREA	40	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
241	5640116000	MALE RUN TEE,6MM x 1/4" NPT	UNIT AREA	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
242	5640118000	MALE BRANCH TEE,6MMx1/4" NPT	UNIT AREA	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
243	5640120000	UNION,6MM	UNIT AREA	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
244	5640121000	UNION CAP,6MM	UNIT AREA	25	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
245	5640125000	HEX NIPPLE 1/2" NPT TAPERED PIPE THREAD	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
246	5640201000	MALE CONNECTOR, SIZE : 8 MM x 1/8" NPT	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
247	5640202000	MALE CONNECTOR, SIZE: 8MMX1/4" NPT	UNIT AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
248	5640203000	MALE CONNECTOR, SIZE : 8 MM x 1/2 " NPT	UNIT AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
249	5640209000	FEMALE CONNECTOR SIZE : 8MM x 1/2" NPT	UNIT AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
250	5640213000	UNION,8MM	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
251	5640214000	UNION FEMALE ELBOW, 8MM	UNIT AREA	30	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
252	5640215000	UNION TEE, 8MM	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
253	5640223000	SLIP RING (FERRULE), 8 MM	UNIT AREA	130	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
254	5640302000	MALE CONNECTOR, SIZE: 12MMX1/4" NPT	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
255	5640313000	UNION, 12 MM	UNIT AREA	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
256	5640323000	SLIP RING(FERRULE),12 MM	UNIT AREA	80	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
257		Different Pressure Gauge		152	Do	MD/ERL Board	ERL	9-12 Months	ICT
258		Various Thermometer and Thermometer Gauge		12	Do	MD/ERL Board	ERL	9-12 Months	ICT
259	5671121724	Klinger Glass B7 Plate c/w non asbestos gaskets. Glass type Borosilicate 280.0 X 34.0 X 17.0	UNIT AREA	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
260	5671121922	LEVEL GLASS BODY.MODEL:2T19	UNIT AREA	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
261		Solenoid Valve			Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
262	5683114505	SPARE PARTS KITS (125) CODE:977 00 433 STANDARD SEAL KIT	ALL PLANT	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
263	5711012219	SPRING.P/NO-1030180C.(L-103ST-1)	SAFETY VALVE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
264	5820311114	MICA SHEET.P/NO-G5	3MW (EBARA)	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
265	5824101000	DRUM LEVEL CONTROL VALVE: Reference : LCV-66004, Model no: DY-CODOO, Size: 65A, CV-19.1, Rating: 300, Connection: ANSI 300lb R.E trim no.1, Actuator Type: 410DB, Flow Characteristic: Modified Parabolic, Serial No: 87K4230	Boiler - E	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
266	5824101006	VALVE,SOS-403	3MW BOILER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
267	5824101010	CAGE.MAT:SCS24.HEAT TREETMENT.TAG NO-13 DRG NO-KDO 13711	3MW BOILER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
268	5824102021	DIAPHRAGM ,MAT:CR.TAG NO-25.DRG NO-KDO20496	3MW BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
269	5824108036	GASKET,MAT:V*6590M.TAG NO-38.DRG NO-KDO14313	3MW BOILER	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
270	5824251000	Regulated Control valve, Model: 535C, Cv=15, Size: Body: 1 1/2", Port: 1 1/2", Set: 0.35 Kg/cm . Material: Body: SCPH2, Rating: JPI 150 RF, TRIM: SUS 316, Tag: PCV-66402, Serial no: D137A0598-1	3MW (EBARA)	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
271	5824251003	DIAPHRAGM	3MW BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
272	5824252000	Regulated Control valve, Model: 526E B, Cv=75, Size: Body: 4", Port: 3", Range: 0.11 ~ 0.42 Kg/cm , Set: 0.35 Kg/cm . Material: Body: SCPH2, Rating: JPI 150 RF TRIM: SUS 316, Tag: PCV-66403, Serial no: D137A0598-2	3MW (EBARA)	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
273	5824252004	GLAND PACKING SET	3MW BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
274	5828111003	SPEED METER. MODEL: XL-110C, SCALE : 0-15000 RPM, INPUT : DC 4-20 mA WITH TERMINAL COVER.	3MW TURBINE	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
275	5829311015	ADGUST SCREW,MAT:SS41,TAG NO-37	3MW BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM




Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
276	5859072300	ACTUATOR.EL POSITIONER CCW.LIMIT SWITCHES.DIN PLUG & MONITOR AS PER SERIAL NO-679906. P/NO-070-424EL00COM	3MW TURBINE	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
277		Instrument Spares for 2MW Diesel Generator		37	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
278	5963020200	PNEUMATIC VALVE (GAS SHUT OFF VALVE) 30-AF51-4466-TT-150-150E	BOILER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
279	5965020102	RUBBER BUSH	BOILER	18	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
280	5966010000	SOLENOID VALVE CAT NO-BAB320B176,VOITAGE:220V,50HZ	BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
281	5966010200	SOLENOID VALVE FT8320A 185MO 3 WAY CLOSED,1/4" NPT 3/32",EXPLO.PRAF-4.7.9. F/10.5 W	BOILER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
282	5966010700	SOLENOID VALVE (2-WAY) CATALOG NO-8211100 VOLTAGE 220AC.50HZ	BOILER	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
283	5966010900	SOLENOID VALVE (2-WAY) CATALOG NO-8215B50 VOLTAGE 220AC.50HZ	BOILER	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
284	6030170422	SCREW SIGNAL LAMP	Boiler Control	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
285	6030326666	UV FLAME DETECTOR,MODEL: C 7012 F 1060	BOILER - D	5	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
286	6030327350	AUXILIARY RELAY WITH BASE, TYPE:MK3P,11 PIN, 200V AC, 50HZ, WITH LED INDICATOR. BRAND: OMRON, MADE IN JAPAN	Boiler-D	30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
287	6030330213	CIRCUIT BREAKER,NF 125-SV ,3P,TP100A	Boiler-D	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
288	6030330313	CIRCUIT BREAKER,NF 125-SV ,3P,100A	Boiler-D	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
289	6030330813	MAGNETIC CONTACTOR, S-N125, AC 200V	Boiler-D	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
290	6030331613	MAGNETIC CONTACTOR, S-N65 AC 220V	Boiler-D	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
291	6030337022	FLAME EYE F1-TEG(D2G4), 200V, 50 HZ	Boiler-D	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
292	6040102508	RECTIFIER DIODE K4040	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
293	6040103108	THYRISTOR TK-4	S/R Battery	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
294	6040106508	CURRENT TRANSFORMER, P.NO. 936175	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
295	6040107108	IMPULSE TRANSFORMER, PT.NO. 935552	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
296	6040120008	AUTOMATIC CHARGING PANEL, PT.NO. 7717648	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
297	6040124008	CONTROL RELAY, EP3EX 220V AC	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
298	6040124503	CONTROL RELAY, EP3EX 120 V DC	S/R Battery	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
299	6040128508	TRANSISTOR	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
300	6040128608	TRANSISTOR 2N1893	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
301	6040128708	TRANSISTOR - 2945	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
302	6040132508	DIODE	S/R Battery	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
303	6040132808	DIOD, PZ 22 A	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
304	6040138408	RESISTOR 47 K.OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
305	6040138508	RESISTOR 6.8 K.OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
306	6040138608	RESISTOR 1.2 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
307	6040138708	RESISTOR 2.2 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
308	6040138808	RESISTOR 1 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
309	6040139008	RESISTOR 1.5 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
310	6040139108	RESISTOR 220 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
311	6040139208	RESISTOR 10 K.OHM	Sta-Battery	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
312	6040139408	RESISTOR 1 K.OHM	Sta-Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
313	6040139508	RESISTOR 22 K OHM, 2922 5354 DA	S/R Battery	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
314	6040139608	RESISTOR 47 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
315	6040139708	RESISTOR 470 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
316	6040139808	RESISTOR 68 K.OHMS	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
317	6040139908	RESISTOR 1.2 K.OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
318	6040140008	RESISTOR 2.2 KOHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
319	6040140108	RESISTOR 1 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
320	6040140308	RESISTOR 560 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
321	6040140508	RESISTOR 3.3 KOHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
322	6040140608	RESISTOR 330 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
323	6040140708	RESISTOR 330 OHM	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
324	6040140808	RESISTOR 4.7 KOHM1	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
325	6040162116	VOLT METER 0.150A	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
326	6040163016	AMMETER 50-0-50	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
327	6040163216	AMMETER 100-0-100A	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
328	6040164016	AMMETER 0-90A	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
329	6040164116	AMMETER 0-100A	S/R Battery	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
330	6080042008	NULL	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
331	6080044808	THREE POLE THERMAL OVERLOAD RELAY, TYPE: LR9-F5371, CURRENT RANGE 132-220A	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
332	6080046708	THREE POLE MEGNETIC RELAY, B644A 2.5A	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
333	6080049109	RELAY(LR1D12316A65)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
334	6080051709	LR2-D2553, 23-32A DIFFERENTIAL & TEMPERATURE COMPENSATED THERMAL OVERLOAD RELAY	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
335	6080053632	FUSE BASE, TYPE S1810-P97050, FUSE HOLDER, TYPE 5S, 3 POLE, CODE REF. 5SIII14	C/B Air	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
336	6080053732	INDUSTRIAL CARTRIDGE FUSE WITH TRIP INDICATOR, 25A, SIZE: 14X51	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
337	6080053917	CONTROL FUSE, 4A. 500V	C/B Air	12	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
338	6080053921	FUSE BASE, REF. 2557490/25574935	C/B Air	12	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

[Handwritten mark]

[Handwritten signature]

[Handwritten mark]

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
339	6080054119	PORECTAIN FUSE BASE	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
340	6080055608	KNIVE CARTRIDGE FUSE 160A	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
341	6080056132	KNIVE CARTRIDGE FUSE 500A	C/B Air	7	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
342	6080056832	INDUSTRIAL CARTRIDGE FUSE. 8A, 14X51MM	C/B Air	8	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
343	6080057232	HRC CARTRIDGE FUSE 20A, CAT NO. 14520, SIZE: 14X51MM	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
344	6080057332	HRC CARTRIDGE FUSE 25A, SIZE: 14X51MM, CAT NO. 14525	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
345	6080057532	HRC CARTRIDGE FUSE 40A, SIZE: 14X51MM	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
346	6080057732	INDUSTRIAL CARTRIDGE FUSE 63A, SIZE: 22X58MM, CAT NO. 16653	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
347	6080057832	INDUSTRIAL CARTRIDGE FUSE 80A,, SIZE: 22X58MM, CAT NO. 15580	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
348	6080059132	INDUSTRIAL CARTRIDGE FUSE 20A, 500V, SIZE: 14X51MM PT. X93446	C/B Air	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
349	6080066533	SCREW SIGNAL LAMP (14/20), SIZE: 14X43, 7W, 140V, CODE: 010101823	C/B Air	17	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
350	6080301308	ELECTRICAL CHARGING MOTOR, 125 VDC 485188	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
351	6080301608	COLLAPSIBLE TOGGLE, PT. 862-4916	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
352	6080372808	CURRENT TRANSFORMER, RS 2500/5, 5VA, C12	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
353	6080378516	VOLT METER 0-500V	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
354	6081763308	FOUR POLE POWER BUSHING SUPPLY, REF. 4070007	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
355	6081763408	FOUR POLE POWER BUSHING OUTGOING, REF. 4070011	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
356	6081937709	CLOSING COIL	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
357	6082032609	3 POLE CONTACTOR ASSY.	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
358	6082037709	CLOSING COIL 220 VAC	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
359	6082063108	3 POLE POWER BUSHING SUPPLY, REF. 4070007	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
360	6082063208	3 POLE POWER BUSHING OUT GOING, REF. 4070008	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
361	6082063508	3 POWER FUSE HOLDER	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
362	6082204408	MOVING ARCING CONTACT	CBR	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
363	6082205308	ARC RUNNER, 1000A, PT. 487439	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
364	6082932609	THREE POLE CONTACTOR LC1 D403S	CBR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
365	6083037709	CLOSING COIL, 220VAC, PT. WB3-JC 220	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
366	6085110008	UNDERVOLTAGE DEVICE MECHANISM, 220 VAC	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
367	6085110308	UNDERVOLTAGE DEVICE COIL, 220 VAC, PT. 964623	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
368	6085210008	NULL	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
369	6085210308	UNDER VOLTAGE DEVICE COIL, 240VAC, 963128	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
370	6085244208	4 POLE 10/15 THERMAL MAGNETIC TRIP UNIT(CODIES 100R)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
371	6085244308	4 POLE 15/25 AMP THERMAL MAGNETIC UNIT(CODIES 100R)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
372	6085410008	UNDER VOLTAGE DEVICE MECHANISM 380VAC, PT. 483184C	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
373	6085410308	UNDER VOLTAGE DEVICE COIL, 380V AC/220V, PT. 486608	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
374	6085459808	FUSE STRIKER, P119D, 250A-500V	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
375	6085643708	CODIES C200	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
376	6085664508	3 POLE REAR CONNECTING BUSHING, PT. 8200060 & 8240003	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
377	6087432609	3 POLE CONTACTOR ASSY., CVI-GA/WB/GA220	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
378	6087437708	CLOSING COIL, TYPE 220 FC3	C/B Air	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
379	6087450709	3 POLE THERMAL OVERLOAD RELAY, RAI FA46(4-6)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
380	6087450808	THREE POLE THERMAL OVERLOAD RELAY	CBR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
381	6087537709	CLOSING COIL, WB1-EB-220	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
382	6087548909	3 POLE THERMAL OVERLOAD RELAY, RAI-BB 558	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
383	6087549009	3 POLE THERMAL OVERLOAD RELAY, RAI-CB710 (7-10A)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
384	6087549409	3 POLE THERMAL OVERLOAD RELAY, RAI-DB 1825	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
385	6087553508	BAKELITE THREE LEGSTICH ACTUATING TRIPPING STICK), PT. 25575134	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
386	6087649309	THREE POLE THERMAL OVERLOAD RELAY RAI DB 1420(14-18A)	CBR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
387	6087664608	4 POLE REAR CONNECTING BUSHING WITH SOCKET, PT. 4039407 H	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
388	6087942008	CHANGE OVER CONTACT LMI(4542.0914)	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
389	6087964508	3 POLE REAR CONNECTION BUSHING WITH SOCKET, PT. 4024143 A&E	C/B Air	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
390	6088040108	CLOSING COIL BRIDE RECTIFIER, PT. BH-27-701/AM/967307/7715	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
391	6088064508	3 POLE REAR CONNECTION BUSHING WITH SOCKET , PT. 4024147A&E	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
392	6088120608	STATIONARY MAIN CONTACT, PT. 956814	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
393	6088123108	ARC CHUTE BRAID, PT. 956831	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
394	6088126108	MAIN CONTACT PRESSURE SPRING, PT. 958137	C/B Air	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
395	6088141020	SWITCH, TYPE 18/D26	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
396	6088164608	4 POLE REAR CONNECTION BUSHING WITH SOCKET, PT. 4024150 B&F	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
397	6088348409	THERMAL OVERLOAD RELAY, LR2-D1302, 0.16-0.25A	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
398	6088348609	3 POLE THERMAL OVER LOAD RELAY, RAI-BB-1625	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
399	6088350609	3 POLE THERMAL OVERLOAD RELAY, RAI BR 0025	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
400	6088370009	KNOB SWITCH XB2 MD 32	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
401	6088466609	SIGNAL LAMP, SCREW TYPE, D41-EA006(OLD REF) 6V	C/B Air	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
402	6088467909	SIGNAL LAMP GREEN REFLECT	C/B Air	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
403	6088549809	3 POLE THERMAL OVER LOAD RELAY, RAI-FA 116	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
404	6088553732	CONTROL FUSE, 1A, 500V, TYPE GI 10/02-T81980	C/B Air	6	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
405	6088573709	ISOLATOR SWITCH HANDLE, DK1-EB18	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
406	6088637809	CLOSING COIL, WB1-GA 380	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
407	6089100009	CIRCUIT BREAKER, TYPE LE4D0925 DIA	C/B Air	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
408	6112201100	FLEXIBLE WIRE (2x23 / 076, BRB)	Cable /Wire	500	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
409	6130112658	INSULATED SLEEVE CONNECTOR, DIA 7.5MM, H3912	C/W Accessories	100	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
410	6130235518	CABLE TIE(74/220MM)	C/W Accessories	40	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
411	6130401000	Heat Shrinkable Tube for 3X50 mm NYSEYFGbY Cable, Rated voltage: 11KV (Outdoor use)	C/W Accessories	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
412	6150500233	AUXILIARY RELAY, RA-6E3/42A220, AC220/240V, 4AA2BB 50/60HZ	TURBINE SPARES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
413	6150503437	EARTH LEAKAGE RELAY. LGY-30A 300-100-200-500MA, AC100/200V, 50/60HZ, MFG. CODE NO. LCR 000017	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
414	6150504115	CIRCUIT BREAKER, NF100-S AC100A, 3P, TH AX.AL. MFG. CODE NO. MCB 079104	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
415	6150507012	PILOT LAMP KR-320, AC 220V, ORANGE, MFG. CODE NO. PL 000827	TURBINE SPARES	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
416	6150507112	PILOT LAMP, KR-320, AC220V, WHITE, MFG. CODE NO. PL 000828	TURBINE SPARES	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
417	6150507933	THERMAL RELAY RH-35/26, 20-30A, 1C 2P 80-120%, MFG. CODE NO. OL 000726	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
418	6150508033	THERMAL RELAY. RH 35/30, 25-35A, 1C 2P, 80-120%, MFG. CODE NO. OL 000727	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
419	6150508933	MAGNETIC CONTACTOR HI-30E/22A220, 35A, 220V, 2AA2BB, MFG. CODE NO. 002748	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
420	6150901111	TIMER RELAY, TYPE H3BA-8, 0-10 MIN. AC220V	TURBINE SPARES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
421	6160202105	SELECTOR SWITCH(3 NATCH), TAG NO. COS12/42/52/62/1034, TYPE AH30-P3B11	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
422	6160202205	SELECTOR SWITCH(2 NOTCH, 1a16), TAG NO. COS22/32/72/82/055, TYPE-AH30-P2B11	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
423	6160202505	PUSH BUTTON SWITCH, TAG NO. PB-ACK, TYPE-AH30-FB11	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
424	6160301705	MAGNETIC CONTACTOR,Coil:220V,50Hz,Type: SC-5N, 55KW,Brand:Fuji Electric,Japan.	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
425	6160301905	MAGNETIC CONTACTOR, 220V, 5A, 2B, TAG NO. MCS1/M2/D2/M3/D3, TYPE-SC-3N	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
426	6160302005	MAGNETIC CONTACTOR, 220V, 5A, 2B, TAG NO. MC52/53, TYPE-SC-2N	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
427	6160303105	THERMAL RELAY, 110-160A, 3 ELEMENTS, TAG NO. THR1. TYPE-TR-6N4	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
428	6160303205	THERMAL RELAY, 85-125A, 3 ELEMENT, TAG NO. THR2/3, TYPE-TR-6N	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
429	6161201452	FLAME RELAY, FSG, TYPE-NFR-3-S	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
430	6161201552	PROGRAM CONTROL CHASIS, (PC-1C-5),DWG. NO. BR305695 P/N : PC , DWG. NO. BR305696 P/N : 16	TURBINE SPARES	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
431	6161202954	FLAME DETECTOR, MODEL NO. PBS-1, SL/NO.NFR-3-S000104 & 000105	TURBINE SPARES	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
432	6170002705	PUSH BUTTON. TAG NO. PB-1-PB4, TYPE: AH30FB11	TURBINE SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
433	6170003511	AUXILLIARY RELAY, TAG NO. FRX&ANN-TX, TYPE MM2P	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
434	6170400233	MAGNETIC CONTACTOR. HI-20E/22A220. 20A,220V, 2AA2BB, TAG NO. MC 002736	TURBINE SPARES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
435	6170400433	MAGNETIC CONTACTOR, TYPE- HI-35E/22A220. 50A,220V, 2AA2BB, TAG NO. MC 002754	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
436	6170400733	THERMAL RELAY, RH-35/26, 20-30A 1C 2P, 80-120%, MFG.CODE NO. OL 000726	TURBINE SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
437	6170406309	EG 10P ACTUATOR WITH SUMP AND MOTOR : ACTUATOR : EG 10P Actuator , P/NO. B 9900-294 , S/NO. 2190443 , CIRCUIT 30 V max. Normal 1 VDC , 29 mA , Max 9 VDC 260 mA. SUMP : Part No. 8250-505 , S/No. : 2190444 , ELECTRIC MOTOR : Duty Master A-C Motor HP= 1/2 , RPM : 1425 , Voltage : 230V , Hz= 50Hz , PH=1 , FRAMB : HB56C , TYPE : CS , ID : C56H 3964P-KH , ORIGIN : WOODWARD GOVERNOR COMPANY , USA.	TURBINE SPARES	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
438	6250160038	AMMETER. FAGET MAKE, TYPE-EIV 72.0-30-150A, 30/5A	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
439	6250165038	PUSH BUTTON, SPRECHER & SCHUM MAKE. TYPE-DT2L-E-1X11-GREEN/I. CODE-S/13, DRG. R3-C-335-252.III/10	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
440	6250174038	H.V. FUSE(INCLUDING STRIKER PIN), TYPE-K81SDX63, IN=63A, UN=7.2KV	VIS-BREAKER	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
441	6250235008	Incoming Circuit Breaker, Type: Master Pact M16N1, Ui: 1000V, 50Hz, Ue: 380V, IN: 3 x 1600A, Icu: 40KA, Ics: 40KA, Icw: 40Ka, 0, 5s, Standard: IEC 947-2, Manufacturer: Schneider Electric	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
442	6250333038	CURRENT TRANSFORMER TA2RB 30/1, 10VA, CL 0.5-RS	MCC-LRV/MHC	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
443	6250334038	SIGNAL LAMP RED F/220V/R, FAZIM	MCC-LRV/MHC	30	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
444	6250335038	SIGNAL LAMP GREEN F/220V/G, FAZIM	MCC-LRV/MHC	30	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
445	6250339038	AMMETER, C48 TC1, 0-40-120	MCC-LRV/MHC	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
446	6250340038	AMMETER C48TC1, 0-50-150	MCC-LRV/MHC	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
447	6250361009	LC1D32M7-32A,3P,1th 50A, Magnetic Contactor Coil:220V AC	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
448	6250363009	LC1D65M7-65A,3P,1th 80A, Magnetic Contactor Coil:220V AC	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
449	6250364009	LC1D80M7-80A,3P,1th 125A, Magnetic Contactor Coil:220V AC	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
450	6250368009	LADN22-2 no+2 NC Auxiliary Contact Block	LT panel of LRV Substation	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
451	6250369009	LRD05-Overload Relay 0.63-1A	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
452	6250371009	LRD14-Overload Relay 7-10A	VIS-BREAKER	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
453	6250373009	LRD21-Overload Relay 12-18A	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
454	6250374009	LRD22-Overload Relay 16-24A	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
455	6250377009	LRD3357-Overload Relay 37-50A	LT panel of LRV Substation	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
456	6250378009	LRD3361-Overload Relay 55-70A	LT panel of LRV Substation	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
457	6250379009	Base for Thermal Relays, LA7D1064	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
458	6250386008	CIRCUIT BREAKER C101N.33.D80, PART REF: 38516	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
459	6250504115	MAGNETIC CONTACTOR, MODEL: LC1D95, 3P, 95A, COIL: 380VAC, 50HZ, SCHNEIDER ELECTRIC	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
460	6250507115	ON DELAY TIMER, TYPE: LADT2, 0.1-30S, SCHNEIDER ELECTRIC	VIS-BREAKER	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
461	6250518115	FUSE, P/REF. 204207P (BREAKER)	VIS-BREAKER	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
462	6250706019	FLOOD LIGHT 125W	VIS-BREAKER	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
463	6250708019	POLYCARBONATE COVER FOR LIMINAIRES.20W	VIS-BREAKER	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
464	6250709019	BALLAST 2 x 20W	VIS-BREAKER	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
465	6250736043	FLUORESCENT TUBE 2' 20W(SINGLE PIN TYPE) 220V AC	VIS-BREAKER	200	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
466	6251003107	NULL	VIS-BREAKER	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
467	6251311108	BASE PST8 (8X32)REF F081218.P/REF-0108040016	Battery Charger	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
468	6251402108	MODULE.SKKH26/08.P/REF-0104020311	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
469	6251403108	THERMAL RELAY.T25 DU19 P/REF-0106050026	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
470	6251404108	FUSE.6.621 CPURGA 22/80.P/REF-0108020013	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
471	6251405108	FUSE HOLDER.5S122.P/REF-0108030005	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
472	6251406108	MC 1.5-22 FL1-51 OF FOR HOLDER 1 POLE.P/REF-0108030017	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
473	6251408108	PRINTED CIRCUIT BOARD.RCD.P/REF-0416010395	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
474	6251409108	AMMETER AC72 TC1/L 75A.50MV CL1.5 P/REF-0107010011	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
475	6251410108	SHUNT 75A-50MV.P/REF-0107020003	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
476	6251411108	CAPACITOR 5UF 330V .P/REF-0110010010	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
477	6251412108	BOX OF PROTECTION WITH FUSES SWITCH.100A,P/REF-7000000812	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
478	6251413108	FUSE.22X58,80A GL.P/REF-0108010027	UPS Spares	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
479	6251414108	CAPACITOR 1500UF 160V.P/REF-0110550030	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
480	6251417108	CAPACITOR 70UF 280V.P/REF-0110010007	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
481	6251421108	AUTO TRANSFO.ST8773 P/REF-0215128773	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
482	6251422108	FAN.R2E225 220V,AK 01.05.50.60 HZ+COND 4UF.P/REF-0108040090	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
483	6251423108	PAVILLON FAN R4E225 REF RE250 P/REF-0108040053	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
484	6251424108	FUSE.14X51,6A,AM.P/REF-0108050022	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
485	6251425108	FUSE.14X51,4A GL.P/REF-0108010013	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
486	6251426108	LEVEL II 14 REF D96143.P/REF-0108030009	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
487	6251427108	MCI-51 OF FOR HOLDER MULT I PALE.P/REF-0108030019	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
488	6251428108	CURRENT TRANSDUCER 400A,REF400AENHN.P/REF-0107500030	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
489	6251429108	THERMOSTAT DANFOSS AT 41E000+30° T 090°C.P/REF-0108040026	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
490	6251431108	ROTATING SWITCH.XB2-BD-25 P/REF-0106030032	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
491	6251432108	CAPACITOR 10N F 250V.P/REF-0416070204	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
492	6251433108	FUSE.6.621 CPURGA 221100.P/REF-0108020014	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
493	6251435108	AMMETER C72 TC160/5A,CL2.5 P/REF-0107510018	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
494	6251436108	INTENSITY TRANSFORMER.60ACI2 60/5A,2.5V P/REF.0115510019	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
495	6251437108	SWITCH PR 40 67353EQ72MNAS+PR1067353E. P/REF.0106530002	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
496	6251438108	TRANSFORMER.REF10676B, P/REF.0115010003	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
497	6251439108	AUXILIARY FUSE,8.5X31.5 2AGL P/REF-0108010001	UPS Spares	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
498	6251440108	MODULE.SKK T41/08D, P/REF-0104020114	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
499	6251441108	TRANSFO ST9039 P/REF-0215109039	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
500	6251442108	FUSE.14X51,6A,AM P/REF.0108050022	UPS Spares	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
501	6251444108	AUXILIARY FUSE.8.5X31.5 2Agl	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
502	6251445108	PRINTED CIRCUIT BOARD.C10, P/REF-0416010396	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
503	6251446108	PRINTED CIRCUIT BOARD.MT950	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
504	6251447108	PRINTED CIRCUIT BOARD.C1B104ED	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
505	6251448108	TRANSISTOR BRIDGE SQD400BA60	UPS Spares	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
506	6251449108	PRINTED CIRCUIT BOARD.SNOT 1+2	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
507	6251450108	PRINTED CIRCUIT BOARD.RC0104AC	UPS Spares	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
508	6252103111	THERMOSTAT WITH MANUAL RSET FOR ITEM NO. EA3012 / EA3012S, DWG.REF.-36118A, PF/7131B.001020.RANGE 20-150ø	VIS-BREAKER	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
509	6260102118	N/O CONTACT BLOCK, TYPE: ZB2-BE-101 , MANUFACTURER: SCHNEIDER ELECTRIC FRANCE.	2MW SWITCHGEAR	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
510	6260103118	N/C. CONTACT BLOCK, TYPE:ZB2-BE-102 , MANUFACTURER : SCHNEIDER ELECTRIC FRANCE.	2MW SWITCHGEAR	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
511	6260115118	POWER FUSE FOR PT1-2, 3-34 CPT, TYPE: EJ-1, CAT. 9F60BDE001	2MW SWITCHGEAR	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
512	6260405118	RELAY (CTR-ERR), TYPE: LY4N. COIL: 24V DC, OMRON	ENG. PROTECT BOX	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Handwritten mark

Handwritten signature

Handwritten mark

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
513	6260604118	PLUG COMPONENT, 115-2542	ENGINE SENSOR PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
514	6260608118	RIGHT END CAP TERMINATOR, CATALOG NO. 1769-ECR, BRAND: ROCKWELL,USA	2MW GENERATOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
515	6260610118	RIGHT BANK-TO- LEFT BANK EXPANSION, CATALOG NO/1769-CRL1, BRAND: ROCKWELL,USA	ENGINE SENSOR PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
516	6260611108	FLEX 1/0 24VDC DIGITAL INPUT A/B, 1794-1B16	ENGINE SENSOR PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
517	6260612118	FLEX 1/0 ANALOG OUTPUT, 1794-OE4	ENGINE SENSOR PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
518	6260615118	FLEX 1/0 MODULE	ENGINE SENSOR PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
519	6260723118	WATT. HOUR METER, REF. 154-2525. PT RATIO : 6000/120 , CT RATIO : 300/5 , SCALED : 0-2500KW	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
520	6260724118	KVAR METER, REF. 154-2526. PT RATIO : 6000/120 , CT RATIO : 300/5 , SCALED : 1600-0-1600 KVAR , LEEDING : 0-1600 KVAR , LGGING : 0-1600 KVAR	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
521	6260727118	LOW VOLTAGE, 2301A LOAD SHARING AND SPEED CONTROL, PT.NO. 9907-024. WOODWARD	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
522	6260729123	COMBINED AC WATT/VAR TRANSDUCER, MODEL: 246943-541-AHD-0-0-M, RATED INPUT FREQUENCY 50HZ, WATTS-4-20MA DC, VARS-12+1-8 MA DC	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
523	6260732118	POWER SUPPLY, INPUT: 24 VDC, OUTPUT: 5VDC, 2A , CATALOG NO.1769-PV2, BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
524	6260733118	COMPACT LOGIX 5370 L3 CONTROLLER, 2 MB MEMORY,W/SUPERCAP BACKUP UP TO 16 1769 I/O EXPANSION MODULES. 32 ETHERNET/IP AND 120 TCP CONNECTIONS, CATALOG NO. 1769-133ER, ALLEN BRADLEY	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
525	6260734118	8 CHANNEL ANALOG VOLTAGE/CURRENT INPUT MODULE, CATALOG NO.1769-IF8,BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
526	6260735118	8 CHANNEL ANALOG VOLTAGE OUTPUT MODULE, CATALOG NO.1769-OF8V,BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
527	6260736118	16 POINT 24VDC SINKING INPUT MODULE, CATALOG NO. 1769-IQ16, BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
528	6260737118	16 POINT 24VDC SOURCING OUTPUT MODULE, CATALOG NO. 1769-OB16, BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
529	6260738118	STRATIX 2000 SWITCH, UNMANAGED, 5 COPPER PORTS, CATALOG NO. 1783-US5T, BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
530	6260744118	PANELVIEW PLUS 7 STANDARD TERMINAL, TOUCH SCREEN,10.4 inches, TFT COLOR, SINGLE ETHERNET.BRAND: ROCKWELL,USA	MAIN CONTROL PANEL	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
531		Spares (Bearing) for 2MW Diesel Generator		6	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
532	6271217129	CIRCUIT BREAKER, CODE NO. 2 ZK/32K C45N 3P/IA	TURBINE'S PANEL	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
533	6280105134	3UG4632-1AW30, Digital Monitoring Relay, Voltage Monitoring, 22.5 mm From 10 to 600V AC/DC , Overshoot and Undershoot AC/DC 24 to 240V, DC and AC 50 to 60 HZ. Spike Delay, 0.1 to 20S, Hysteresis 0.1 to 300V, 1 Changeover Contact, W.OR W/O Error Log, Screw Terminal, Replacement Product F. 3UG3532-1AL20, 3UG3532-1AG20	AIR CIRCUIT BREAKER(ACB)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
534	6280110134	AMMETER SELECTOR SWITCH, 2 POS, 48 X38, 690V(SELECTOR) 1TH=20A, CH10A017-620 FT2	AIR CIRCUIT BREAKER(ACB)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
535	6280202134	3VA2225-5HL32-0AA0, Circuit Breaker 3VA2 IEC, Frame 250, Breaking Capacity Class M, ICU=55KA @ 415V, 3 Pole, Line Protection, ETU 320, LI, IN=250A, Overload Protection , IR=100A...250A, Short Circuit Protection, II =1,5...10 X In,Busbar Connection.	MOLDED CASE CIRCUIT BREAKER(MCCB)	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
536	6280203134	3VA2225-5HL32-0AA0, Circuit Breaker 3VA2 IEC, Frame 250, Breaking Capacity Class M, ICU=55KA @ 415V, 3 Pole, Line Protection, ETU 320, LI, IN=250A, Overload Protection , IR=100A...250A, Short Circuit Protection, II =1,5...10 X In,Busbar Connection.	MOLDED CASE CIRCUIT BREAKER(MCCB)	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
537	6280205134	3VA2340-5HL32-0AA0, Circuit Breaker 3VA2 IEC, Frame 400, Breaking Capacity Class M, ICU=55KA @ 415V, 3 Pole, Line Protection, ETU 320, LI, IN=400A, Overload Protection , IR=160A...400A, Short Circuit Protection, II =1,5...10 X In,Busbar Connection.	MOLDED CASE CIRCUIT BREAKER(MCCB)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
538	6280206134	3VA2110-5HL32-0AA0, Circuit Breaker 3VA2 IEC, Frame 160, Breaking Capacity Class M, ICU=55KA @ 415V, 3 Pole, Line Protection, ETU 320, LI, IN=160A, Overload Protection , IR=63A...160A, Short Circuit Protection, II =1,5...10 X In,Busbar Connection.	MOLDED CASE CIRCUIT BREAKER(MCCB)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
539	6280213134	MCCB 3 POLE, 63A, CODE: 3RV 1341-4JC10	MOLDED CASE CIRCUIT BREAKER(MCCB)	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
540	6280214134	MCCB 3 POLE, 50A, CODE: 3RV 13314HC10	MOLDED CASE CIRCUIT BREAKER(MCCB)	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
541	6280301134	MAGNETIC CONTACTOR, S007, US, 230V AC, MLFB NO.: 3RT 1015 - 1AP01	MAGNETIC CONTACTOR	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
542	6280302134	MAGNETIC CONTACTOR, S012A, US 230V AC, MLFB NO.: 3RT 10241AP00	MAGNETIC CONTACTOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
543	6280308134	MAGNETIC CONTACTOR, S40A, US 230V AC MLFB NO.: 3RT 10361AP00	MAGNETIC CONTACTOR	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
544	6280309134	MAGNETIC CONTACTOR, S65A, US 230V AC MLFB NO.: 3RT 1044-1AP00	MAGNETIC CONTACTOR	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
545	6280310134	MAGNETIC CONTACTOR, S60A, VS 230V AC MLFB NO.: 3RT 1045-1AP00	MAGNETIC CONTACTOR	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
546	6280315134	MAGNETIC CONTACTOR, 110KW/400V AC/DC OPERATION, MLFB NO.: 3RT 1064-6AP36	MAGNETIC CONTACTOR	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
547	6280408134	3RU2126IHBO, Overload Relay 5.5...8.0A, For Motor Protection, SZ S0, Class 10, F.Mounting Onto Contactor , Main Circuit : Screw Terminal, Aux. Circuit : Screw Terminal, Manul- Automatic-Reset.	THERMAL OVERLOAD	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
548	6280411134	THERMAL OVERLOAD RELAY, 9-12.5A MLFB NO: 3RU 1126-1KBO	THERMAL OVERLOAD	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
549	6280414134	THERMAL OVERLOAD RELAY, 15-50A, MLFB NO: 3RB-1036-1UBO	THERMAL OVERLOAD	6	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
550	6280415134	THERMAL OVERLOAD RELAY, 25-100A, MLFB NO: 3RD-1046-1EBO	THERMAL OVERLOAD	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
551	6280701134	LED FOR INDICATING LAMP, COMPLETE SET, 230V AC, MODEL: 3SB 3252-6AA40	LED (FOR INDICATION)	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
552	6281002134	COMPLETE SET OF SELF COUPLING POWER SUPPLY PLUG, FULL SIZE MODULE, NE 1X2X6, MODEL: 185-4004.3	SELF COUPLING	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
553	6281006134	COMPLETE SET OF SELF COUPLING POWER SUPPLY PLUG, HALF SIZE MODULE KE, MODEL: 185-0460.3	SELF COUPLING	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
554	6281007134	COMPLETE SET OF SELF COUPLING AUX. VOLTAGE SUPPLY PLUG, HALF SIZE MODULE, MODEL: 185-4006.3	SELF COUPLING	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
555	6300102905	POLE STUD, 14E 2037	ALTERNATOR (A.C.)	50	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
556	6300114405	FOR ALTERNATOR(AC) SAT. 12.35.12, RINGS 22 F 4048, ITEM NO.7, DRG. 14E4039	ALTERNATOR (A.C.)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
557	6300118000	CARBON BRASS, 50MM X 32MM X 10MM	ALTERNATOR (A.C.)	36	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
558	6300118105	BRASS HOLDER	ALTERNATOR (A.C.)	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
559	6300118405	BRUSH HOLDER ROD, 14E 4041	ALTERNATOR (A.C.)	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
560	6300125805	THREADED STEAM	ALTERNATOR (A.C.)	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
561	6300125905	THREADED STEM(M-16-50)	ALTERNATOR (A.C.)	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
562	6340102104	PROTECTION RELAY DGPTT2	ABP ELECTRICAL SPARES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
563	6350006132	CARTRIDGE FUSE, 5P CP AM 14X51,25A,Q94475	ABP ELECTRICAL SPARES	18	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
564	6350007096	COPPER CRIMPLUGS 4MM2, H 1404B/100 (M/O-3/8")	ABP ELECTRICAL SPARES	100	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
565	6350007596	COPPER CRIMPLUGS 50MM2, H 1420/50	ABP ELECTRICAL SPARES	84	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
566	6360100708	INTERUPTER SWITCH WITH FUSE.32A,REF-15614	ABP ELECTRICAL SPARES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
567	6390101009	LC1-D6510M7 25A,380/415V,3 PHASE, 50HZ MAGNETIC CONTACTOR.COIL VOLTAGE:220V,50/60HZ.	AIR COMPRESSOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
568	6390102009	MAGNETIC CONTACTOR , TYPE : LC1-D2510M7 , AC3,COIL VOLTAGE:220V,50HZ.	AIR COMPRESSOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
569	6390108009	MAGNETIC CONTACTOR , TYPE : LC1-D2501M7 , COIL VOLTAGE:220V,50Hz.	AIR COMPRESSOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
570	6390120009	LC1-D25,12A,3 PHASE,50HZ MAGNETIC CONTACTOR.COIL VOLTAGE:220V,50/60HZ	AIR COMPRESSOR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
571	6390206078	THYRISTORS IGNITION CIRCUIT (TTF), CA 724/1	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
572	6390214078	2 POSITION SELECTOR SWITCH (METAL), TYPE: ZB4 BJ2+ZB4 BZ101, SCHNEIDER ELECTRIC	WELDING MACHINE	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
573	6390216078	PUSH BUTTON, GREEN (METAL BEZEL), TYPE:ZB4 BA3+ZB4, SCHNEIDER ELECTRIC	WELDING MACHINE	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
574	6390218078	RESISTANCE R2,DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
575	6390219078	RESISTANCE R3,DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
576	6390220078	POTENTIOMETER.P1,DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
577	6390222078	CAPACITOR C1,DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
578	6390223078	BRIDGE RECTIFIER.GECC.DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
579	6390224078	COOLING FAN.A,DRG-DD1878	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
580	6390227078	INDICATING LAMP LED, RED(PLASTIC BEZEL), 24VDC, MODEL: XB7-EV0. BPN, SCHNEIDEWR ELECTRIC	WELDING MACHINE	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
581	6390235009	ISOLATOR.LS1-D2531A65,25A,FUSED OFF-LOAD INSOLATOR	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
582	6390237009	MAIN CONTACT.TYPE-DSL6-40,380V	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
583	6390240019	FUSE.SU400/1,2A,250V,SIZE:5x20MM.CAT NO-010220	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ




Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
584	6390244078	RELAY D6 TYPE-MK2P DC4V	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
585	6390248078	FOOT SWITCH FOR FIXTURE CLOSING.REF-FS1. TYPE:FAK-S-KC/1,BLACK FS1	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
586	6390251078	THYRISTOR THERMAL SWITCHES.S1 65°NC.DRG-15.155	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
587	6390252078	P2 POTENTIOMETER ADJUSTMENT SPEED	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
588	6390253078	P3 POTENTIOMETERS 1M OHM.DRG-15.155	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
589	6390254078	K1 CONDENSER.1U F/400V	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
590	6390255078	K2 CONDENSERS 250U F/50V	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
591	6390256078	TR1 TRANSFORMER , PRIMARY:0-220-380VAC, 50Hz, SECONDARY: 110VAC, 50Hz, 150VA	WELDING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
592	6390406009	CA2-DN31BD(NEW REF)3NO+1NC CONTROL RELAY.COIL VOLTAGE:24V,DC	PRESS MACHINE-100	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
593	6390411009	Auxiliary Contact block, LADN22 ,2NO+2NC, Schneider Electric.	PRESS MACHINE-100	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
594	6390413009	MCCB , NSX100F , 63A, 3P, 500V , Schneider Electric.	PRESS MACHINE-100	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
595	6390504009	THERMAL OVER LOAD.LR2-D1310,(NEW REF)4-6A	PRESS MACHINE-PR-25	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
596	6390801009	LC1-D0901F7,9A,380/415V,,3 PHASE,50HZ MAGNETIC CONTACTOR.COIL VOLTAGE:110V,50HZ.	ROLLING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
597	6390901049	Photo Sensor, Type : E3JK-TR12, 24VDC, OMRON	SHEET SHEARING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
598	6390902050	Timer with Base, Type : H3CR-A8, 220VAC, OMRON	SHEET SHEARING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
599	6390904050	RELAY WITH BASE, TYPE: LY4N, 1EC 255 10A 240VAC, OMRON	SHEET SHEARING MACHINE	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
600	6390910117	ELGO 1 Axis Controller, Model : P8511-230-0-R-EN	SHEET SHEARING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
601	6390913117	Magnetic Contactor,LC1D25, 24 VAC, 50Hz	SHEET SHEARING MACHINE	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
602	6390918009	CONTROL STATION. Explosion Protection : II 2G Ex de IIC T6 or better. Ingress Protection : IP66 , Materials : Glass fiber reinforced/Polyamide, Number of push Buttons : 2 nos, 1 no. spring return Normally-Closed (NC) contact push-button (Colour : Red) and 1 no. spring return Normally-Open (NO) contact push-button (Colour : Green). Cable gland : 1 no. cable entry hole with M20 size cable gland. Conformity : ATEX directive 94/9/Ec or ATEX directive 2014/34/EU	SHEET SHEARING MACHINE	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
603	6391100320	Control Relay. Model : LY4N , Coil Voltage : AC 200/220V , Omron.	ABP UNIT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
604	6391100420	Control Relay. Model : LY4N , Coil Voltage : AC 24V , Omron.	ABP UNIT	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
605	6391100500	SOLENOID VALVE.TYPE-4V210-08 PRESSURE:1.5-8 KG/CM PORT THREAD 1/4" NPT	ABP UNIT	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
606	6400036400	SELF BALLAST MERCURY LAMP 500 W , E 40 , 220-230V , BRAND : OSRAM , MADE IN CHINA	L/B ACCESSORIES	200	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
607	6400307000	CEILING ROSE	L/B ACCESSORIES	18	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
608	6400309000	CHOKE COIL 40WATT (MADE IN AUSTRALIA)	L/B ACCESSORIES	200	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
609	6400309500	STARTER - 40WATT , BRAND : PHILIPS	L/B ACCESSORIES	300	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
610	6400310100	TUBE LIGHT HOLDER	L/B ACCESSORIES	50	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
611	6400330000	LED Bulb, 220V 50Hz, 16 watt, Pin Type	L/B ACCESSORIES	2000	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
612	6400330137	Surface Mounted LED Panel Light, Watt: 48, 85-265V-AC, 50H, Size: 2' x 2', Base: Surface, Material : Die Casting Aluminium, Brand: Osaka / Energy+ / Equivalent, Warranty: 2 year.	L/B ACCESSORIES	37	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
613	6400330237	Surface Mounted LED Panel Light, Watt: 18, 85-265V-AC, 50H, Size: 1' x 1', Base: Surface, Material : Die Casting Aluminium, Brand: Osaka / Energy+ / Equivalent, Warranty: 2 year.	L/B ACCESSORIES	31	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
614	6400330537	LED Panel Light, Size: 300mm x 1200mm x 9mm, Watt: 40, 85-265V-AC, 50 Hz, Lumen: 3400 lm, Brand: Osaka / Energy+ / Equivalent, Warranty: 2 year.	L/B ACCESSORIES	35	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
615	6400330737	Outdoor Flood Light, Watt: 200, 85-265V-AC, 50Hz, Base: Hanging, Material : Aluminium, IP:65, Brand: Osaka / Energy+ / Equivalent, Warranty: 2 year.	L/B ACCESSORIES	7	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
					Do				
616	6400330837	SCREW TYPE MEGA SPIRAL ENERGY SAVING LIGHT, WATT. 65, VOLT. 220	L/B ACCESSORIES	23	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
617	6400330937	LED Bulb , 220 V ,50 Hz,20 W, Screw Type, E-27, (Thread Type)	L/B ACCESSORIES	117	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
618	6400331000	LED Bulb, 220V 50Hz, 16 Watt, Screw (Thread Type)	L/B ACCESSORIES	300	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
619	6400331037	LIGHT SHADE FOR MEGA SPIRAL ENERGY SAVINGS LAMP	L/B ACCESSORIES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
620	6400331137	ENERGY SAVING LIGHT 23W,SPIRAL, PIN TYPE,220V,50Hz	L/B ACCESSORIES	799	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
621	6400331237	ENERGY SAVING LAMP 13W, PIN TYPE .	L/B ACCESSORIES	163	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
622	6400331437	ENERGY SAVING LIGHT 23W,SPIRAL, SCREW TYPE,220V,50Hz	L/B ACCESSORIES	27	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
623	6400331637	SCREW TYPE BULB - 100 W (PHILIPS)	L/B ACCESSORIES	361	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
624	6400332000	LED Bulb, 220V 50Hz, 9 Watt, Pin Type	L/B ACCESSORIES	350	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
625	6400332250	LED Purification Fixture, Type: Flat, Size: 4 Feet, Watt: 40, Material :High Quality Fiber Plastic & Aluminium, Supply: 85-265V-AC, Brand: Walton / Energy+ / Equivalent, Warranty: 2 year.	L/B ACCESSORIES	77	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
626	6400333000	LED Bulb, 220V 50Hz, 9 Watt, Screw (Thread Type)	L/B ACCESSORIES	80	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
627	6400335237	SELF BALLAST MERCURY LAMP , 250 WATT, E-40 , 220-230V , BRAND : OSRAM , MADE IN CHINA	L/B ACCESSORIES	200	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
628	6400335343	MERCURY LAMP 400W. 220-230V , BRAND : OSRAM ,MADE IN CHINA	L/B ACCESSORIES	60	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
629	6400336159	SELF BALLAST MERCURY LAMP 160W, E 27, 220-230V , BRAND : OSRAM ,MADE IN CHINA	L/B ACCESSORIES	300	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
630	6400338237	TWO PIN TUBE LIGHT 40W - 4' (EASTERN TUBE)	L/B ACCESSORIES	400	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
631	6400345100	SINGLE PORCELAIN BRIDGE FUSE(CUT-OUT)15A, CHINA	L/B ACCESSORIES	47	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
632	6410023621	NEUTRAL BRIDGE FUSE, PT. 14300	L/B ACCESSORIES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
633	6410025719	LAMP HOLDER, CAT. 060130	L/B ACCESSORIES	20	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
634	6410400043	Explosion-proof LED area floodlight. Ex mark : Exd IIC T6, IP66, Body : Die-cast aluminium, Enclosure : 4mm thick toughened glass. Total power : ≤ 250 Watt, Luminaire efficiency : ≤ 120 lm/W,Explosion-proof certificate of material must be submitted along with offer.	L/B ACCESSORIES	30	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
635	6410400443	LAMP LST-MF 400W/c/220 E40 LLOS	Electric General	80	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
636	6410802126	GLASS LAMP SHADE	L/B ACCESSORIES	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
637	6420018518	SINGLE PORCELAIN BRIDGE FUSE	L/B ACCESSORIES	4	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
638	6420028009	ONE POLE KNOB SWITCH	L/B ACCESSORIES	8	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
639	6420028618	TWO POLE KNOB SWITCH	L/B ACCESSORIES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
640	6420056518	JUNCTION BOX	L/B ACCESSORIES	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
641	6422000024	NULL	L/B ACCESSORIES	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
642	6423900023	SEALED INCENDESCENT LANTERN BULK HEAD, 200WATT. CAT.NO. 095019	L/B ACCESSORIES	15	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
643	6423935223	TUBE PIPE FAEMALE COUPLING	L/B ACCESSORIES	36	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
644	6487000900	motor for pm 1123 & pm 1124, 3 phase induction motor, , 380V, 50 HZ, RPM 960	MOTOR INDUCTION	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
645	6500200900	SUPER ENAMEL COPPER WIRE 19 SWG	MOTOR ACCESSORIES	100	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
646	6500201200	SUPER ENAMEL COPPER WIRE 22 SWG	MOTOR ACCESSORIES	50	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
647	6500307400	EMPIRE TUBE 6MM	MOTOR ACCESSORIES	36	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
648	6500307500	EMPIRE TUBE 8MM	MOTOR ACCESSORIES	24	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
649	6500307600	EMPIRE TUBE 9MM	MOTOR ACCESSORIES	24	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
650	6500307700	EMPIRE TUBE 10MM	MOTOR ACCESSORIES	24	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
651	6500310600	EMPIRE TAPE, 3/4"	MOTOR ACCESSORIES	6	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
652	6500400400	SUPER ENAMELLED COPPER WIRE 12 SWG	MOTOR ACCESSORIES	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ

Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
653	6500412100	COTTON TAPE 3/4"	MOTOR ACCESSORIES	12	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
654	6520308018	PLUG,500V,25A,2P+E TYPE:156P (54241)	PLUG/ACCESSORIES	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
655	6570101019	LIGHTING FIXTURE,EEXD IIC T4,CAT NO-95001,200W	LPG SWEETENING PLANT	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
656	6570101219	NULL	LPG SWEETENING PLANT	6	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
657	6580242818	CABLE GLAND SCREWED.CAT.NO-093400	CABLE/SOCKET/SLEEV E	5	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
658	6580340918	CABLE GLAND FLANGED.RA-13.CAT NO-095541	CABLE/SOCKET/SLEEV E	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
659	6580400100	2 PIN SOCKET, 5 A (MEP,BANGLADESH)	CABLE/SOCKET/SLEEV E	99	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
660	6590000208	FUSARE FUSE, 12 KV, 100A, 757352CM	SWITCH GEAR	2	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
661	6600044808	CURRENT TRANSFORMER TCR3, 30/5, 20VA, CL 1 , KS8, 24KV	SWITCH GEAR	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
662	6630400200	THREE PIN PLUG, 13A, FLAT PIN	SWITCH / SOCKET	30	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
663	6640110718	LEVER SWITCH 40A, Triple Pole (TP)	SWITCH / SOCKET	3	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
664	6800103804	SIGNAL LAMP , 24V, 2W EPNE 133R, ACP 100	GAS CONVERSION	30	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
665	6800104104	SCREW TYPE SIGNAL LAMP, 18V, 2W	GAS CONVERSION	96	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
666	BPC0058	CONVENTIONAL DISC(RUPTURE DISC/BURSTING DISC)	ABP COLUMN	10	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
667	BPINS032	POSITIONER MANOMETER.TYPE:KR.REF-80056004W	ABP	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
668	BPINS033	PISTON MONOMETER.TYPE:KR. REF-80056005K. 0-2 BAR	ABP	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
669	BPINS044	ASPARE VALVE FOR MANIFOLD.1947 REF-2.02	ABP	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
670	BPINS068	CIRCULAR CHART.860297.01	ABP	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
671	BPINS070	3 TO 4 WAY VALVE 1923(ASTARA) 111119/GRFOM,FO NO-9/475	ABP	1	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
672		Various Flexible Hose		44	Do	MD/ERL Board	ERL	9-12 Months	ICT
673	LB01	JAMUNA SUPER HD-40, (EACH DRUM CONTAIN 205 LTR.)	GENERAL	697	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
674	LB02	JAMUNA AUTO GEAR OIL EP90(5 LTR JAR)	GENERAL	25	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
675	LB03	GREASE (MOBILUX EP3)	GENERAL	180	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
767	LB04	MOBIL BRAKE FLUID DOT 4 (EACH CAN CONTAIN 500 ML)	GENERAL	63	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
677	LB05	MOBIL GEAR 600 XP 220 (208 LTR STEEL DRUM)	GENERAL	1872	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
678	LB06	MOBIL DELVAC 1340 (208 LTR EACH DRUM)	POWER HOUSE	16599	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
679	LB07	MOBIL RARUS 427 (20 LTR PLASTIC JAR)	GENERAL	1853	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
680	LB08	MOBIL ESSU NUTO H-100 (208 LTR STEEL DRUM)	PROCESS & SCP	3952	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
681	LB10	MOBIL ESSO NUTO H-68 (208 LTR STEEL DRUM)	PROCESS & U&I	1373	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
682	LB17	MOBIL DTE OIL LIGHT ISO32 (208 LTR. EACH DRUM)	GENERAL	1498	Do	MD/ERL Board	ERL	3-6 Months	NCT/e-Gp/DPM/RFQ
683	SCP001	GATE VALVE CLASS 800 API 602 OS&Y BB BODY TO ASTM A182 GR.F5, TRIM F6 STELLITED END SCREW NPT, SIZE: ½" - 800 LBS.	SCP	4	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM



Eastern Refinery Limited
Annual Procurement Plan 2023-2024

Sl. No.	Code	Item Full Name	Equipment ID	Qty	Est. (to be prepared before starting proc. process)	Approving Authority	Source of Fund	Time of Procurement	Procurement Method: (Enquiry/ Tender/ Direct Method)
684	SCP022	GATE VALVE ACC TO API 600, BB, OS&Y RISING STEM, FLEXIBLE WEDGE, RENEWABLE SEATS GRAPHITE PACKING, ANSI B16.5 & B16.10, HAND WHEEL OPERATED, SIZE: 3" - 600 LBS. RF, A217, GR. C5, TRIM-F6(13% CR)	SCP	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
685	SCP023	GATE VALVE ACC TO API 600, BB, OS&Y RISING STEM, FLEXIBLE WEDGE, RENEWABLE SEATS GRAPHITE PACKING, ANSI B16.5 & B16.10, HAND WHEEL OPERATED, SIZE: 4" - 150 LBS. RF, A217, GR. C5, TRIM-F6(13% CR)	SCP	1	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
686	SCP033	FORGED STEEL GLOBE VALVES, STD. BORE, BB, OS&Y, NPT ENDS AS PER ANSI B16.11, CONSTRUCTION: API602, B16.34, TEST: API 598, BODY & BONNET: ASTM A182, GR. F5, TRIM: API TRIM NO.1, SIZE: 1", 800 LBS.	SCP	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM
687	SCP068	90° LONG RADIUS ELBOW, MAT: A234, GR. WP9, SIZE: 4", SCH.-80	SCP	2	Do	MD/ERL Board	ERL	9-12 Months	ICT/DPM

