



Institute of Glass and Ceramic Research & Testing (IGCRT)
Bangladesh Council of Scientific and Industrial Research (BCSIR)
Dhanmondi, Dhaka-1205

Requisition for XRD Measurement

Date:

1.	Information of Applicant	:	Name & Designation				
		:	Division & Institution				
		:	Email:				
		:	Phone number:				
2.	Name of Project (for BCSIR)	:					
3.	Chemical Name and composition of sample (If possible)	:		No. of Sample tested under this R & D		No. of current Sample	
4.	Sample Condition	:	pH	Corrosive	Hazardous	Others	
5.	Type of experiment:	:	Sample			Scattering angle (2 θ)	
		:	Type	Size (minimum)		From	To
		:	a) Powder	----			
		:	b) Pallet	20 \times 20 mm ²			
:	c) Liquid	20 mL					

Acknowledging the work of the concerned scientist performing the analysis (for BCSIR only)

SL. No.	The type of recognition given by the concerned scientist	Number of samples in 01 financial year (for 01 approved R& D project)	Tick where applicable
01.	As co-author in a research article	Analysis 1 to 5 samples	
02.	As co-author in the research article and included as a research associate in the R & D project	Analysis of more than 05 samples	

Signature of applicant
(with date)

Signature of Director /Officer-In-Charge
of Concern Unit (with date)

Signature of Director (IGCRT)

FOR OFFICE USE ONLY

Serial No. of Sample:

Sample received on:

Marked to scientist:

Signature of Lab-in-Charge