

একই নম্বর ও তারিখের স্থলাভিষিক্ত

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার

মৎস্য ও প্রাণিসম্পদ মন্ত্রণালয়

প্রশাসন-২ অধিশাখা

www.mofl.gov.bd

নং-৩৩.০০.০০০০.১০৮.৩০.০০৬.১৭.৪৪৭

তারিখ: ২০ চৈত্র ১৪২৪
০৩ এপ্রিল ২০১৮

কোটেশন বিজ্ঞপ্তি

মৎস্য ও প্রাণিসম্পদ মন্ত্রণালয়ের দাপ্তরিক কাজে ব্যবহারের নিমিত্ত নিম্নবর্ণিত কম্পিউটার সামগ্রী সরবরাহের লক্ষ্যে কোটেশন দাখিলের আহবান করা যাচ্ছেঃ

ক্রমিক নং	কম্পিউটার সামগ্রীর বিবরণ	পরিমাণ	একক মূল্য	মোট মূল্য
১.	প্রিন্টার (Epson L130 Single Function Inkjet) Features: Bi-directional printing, Uni-directional Printing Printing Type: Colour Printing Technology: Inkjet Scanner Type: 0 Print Resolution: 5760 × 1440 DPI Print Speed Black: 27 PPM Print Speed colour: 15PPM Paper Size: A4, A5, A6, B5, C6, DL Network: USB2.0 Color: Black Paper Tray: 50 Sheets Warranty: 1 Year (s) Printer Type: Single Function	২		
২.	প্রিন্টার (LBP 151 dw) Printer-method: Monochrome Laser Beam Printing Print-speed: 27 PPM Print-Resolution: 600 X 600dpi, 1200 X 1200dpi equivalent First print out time(FPOT): Appro x. 8.Osecs. Warm-up time (from power on): 15 secs. or less Recovery time (from sleep mode): Appro x. 1.Osecs. Auto duple X Printing: Standard Available paper size for: A4, Letter, Legal*1, Indian Legal, Foolscap Auto Duplex print (60 to 105 g/m) Paper Input (based on 64g/m ²): Standard Cassette: 250 sheets Multi-Purpose Tray : 1 sheet Maximum Paper Capacity: 251 sheets Paper output (based on 64g/m ²): Standard Cassette : A4, B5, Legal *1, Letter, Statement, Executive, Foolscap, 3X5 Index Card, Indian Legal Invelope: COM 10, Monarch, C5, DL, Custom: width 76.2-216.Omm X length 210.0-356. Omm Multi-Purpose Tray: A4, B5, Legal *1, Letter, Statement, Executive, Foolscap, 3X5 Index Card, Indian Legal Invelope: COM 10, Monarch, C5, DL, Custom: width 76.2-216.Omm X length 127.0-356. Omm Paper weight: Standard Cassette : 60-163g/m ² Multi-Purpose Tray: 60-163g/m ² Paper type: Plain Paper, Heavy Paper, Bond Paper, Label, Envelope, Index Card Standard Interfaces: Wired: USB2.O High speed, 10BASE-T/100BASE-TX Wireless : Wi-Fi 802.11b/g/n Network Security: Wired: 1P/Mac address filtering, IEEE802.1 X, SNMPv Wireless : WEP, WPA-PSK (TKIP/AES-CCMP), WPA2-PSK (TKIP/AES-CCMP) Power Requirement: 220-240V, 50 / 60Hz	১		
৩.	Epson® Perfection® V39 Color Scanner Type: Flatbed Color Image Scanner Optical Sensor: CIS (Contact Image Sensor) Optical Resolution: 4800 dpi Hardware Resolution: 4800 × 4800 dpi Effective Pixels: 40,800 × 56,160 pixels (4800 dpi) Color Bit Depth: 48-bits per pixel internal/24-bits per pixel external Grayscale Bit Depth: 16-bits per pixel internal/8-bits per pixel external Maximum Scan Area: Flatbed 8.5" × 11.7" Light Source: Three Color RGB LEDs Scanning Speed: Color 300dpi approximately 10 Seconds (via USB 2.0) Color 300dpi approximately 10 Seconds (via USB 2.0)	২		

8.	HP ScanJet Pro 2500 F1 Flatbed Scanner (L2747A)	১		
	Scanner Type	Flatbed, ADF; Colour scanning: Yes		
	Resolution	Hardware: Up to 600 x 600 dpi (colour and mono, ADF); Up to 1200 x 1200 dpi (colour and mono, flatbed); Optical: Up to 600 dpi (colour and mono, ADF); Up to 1200 dpi (colour and mono, flatbed); Output: 75; 150; 200; 240; 300; 400; 500; 600; and 1200		
	Scan Area	ADF: 216 x 3100 mm (8.5 x 122 in); Flatbed: 216 x 297 mm (8.5 x 11.7 in)		
	Duplex Scan	Duplex ADF scanning, Single-pass E-Duplex, Scan Mode: Scan front-panel function: Save as PDF, Save as JPEG, E-mail as PDF and Send to Cloud. HP Scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN.		
	Paper Formats	Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index)		
	Optical Sensor	CMOS CIS (Contact Image Sensor)		
	Light Source	Light Emitting Diode (LED)		
	Speed	Up to 20 ppm/40 ipm (b&w, gray and colour, 300 dpi)		
	Control Panel	5 buttons (including Sleep/Power button); 7 LEDs (including Power, Error, Scan to which destination and Simplex/Duplex)		
	Media Size	Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS)		
	Media Weight	60 to 105 g/m ² (16 to 28 lb)		
	Duty Cycle	Up to 1,500 pages (ADF)		
	Output File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF		
	Environment	Operating humidity range: 15 to 80% RH (non-condensing); Non-operating humidity range: 0 to 90% RH (non-condensing); Recommended humidity operating range: 15 to 80% RH (non-condensing); Operating temperature range: 10 to 35° C (50 to 95° F); Storage tempe		
	Power	External Power adapter, Requirement: Input Voltage: 100 to 240 VAC, Energy Star Qualified		
	Power Consumption	6.11 watts (Ready), 1.35 watts (Sleep), 0.05 watts (Auto off), 0.05 watts (Off)		
	Interface	Hi-Speed USB 2.0		
	OS Compatibility	Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit); Mac OS X Mavericks 10.9, OS X Yosemite 10.10		
	Advanced Features	One pass duplex scanning; One button scan; OCR; Configurable Scan shortcuts		
	Included Accessories	HP ScanJet Pro 2500 f1 Scanner; HP ScanJet Pro 2500 f1 Flatbed Scanner Engine; Install Guide; HP Scan Software & Drivers CD; HP Bonus Pack Software CD; Supporting flyers; Cushions; USB cable; Power adaptor; Power cords		
	Dimension	WxDxH: 451 x 351 x 122 mm (17.8 x 13.8 x 4.8 in)		
	Weight	4.3 kg (9.5 lb)		
	Warranty	One-year limited hardware warranty		
৫.	ব্যবহৃত প্রিন্টারের টোনার (HP Laserjet P2035)-Original	৩		
৬.	ব্যবহৃত প্রিন্টারের টোনার (HP Laserjet P102a)- Original	১		
৭.	ব্যবহৃত প্রিন্টারের টোনার (Canon LBP 3300 series)- Original	৫		
৮.	ব্যবহৃত প্রিন্টারের টোনার (HP Laserjet Pro 400)- Original	৩		
৯.	ব্যবহৃত প্রিন্টারের টোনার (Canon image CLASS LBP 151 dw)- Original	৩		
১০.	ব্যবহৃত প্রিন্টারের টোনার (HP Laserjet P3015, Cartridge No-55A)- Original	১		
১১.	Color Laserjet Pro M252n মডেলের ব্যবহৃত প্রিন্টারের টোনার (HP Laserjet 201A)-০৪ (চার) কালারের সেট- Original	১		
১২.	ব্যবহৃত কালার প্রিন্টারের টোনার (HP Color Laserjet Pro M252n)-কালো কালারের- Original	১		
১৩.	2 GB Ram	১		
১৪.	এক্সিভাইরাস (1 user)	১৫		
১৫.	পেনড্রাইভ (৬৪ জিবি)	২		
১৬.	ল্যাপটপের ব্যাটারী-	১		
১৭.	মাল্টিপ্লাগ	৫		
১৮.	ব্যবহৃত কম্পিউটারের জন্য সাউন্ড সিস্টেম(স্পিকার)-উন্নত মানের	১		
	মোট=			

০২। কোটেশন আগামী ১১/০৪/২০১৮ তারিখ বেলা ০১ঃ০০ ঘটিকায় সচিবালয়ে ৬ নং ভবনের ৫ম তলায় ৫২৩ নং কক্ষে রক্ষিত বক্সে প্রদান করতে হবে এবং বেলা ০২ঃ৩০ ঘটিকায় প্রেরিত দরদাতাগণের সম্মুখে (যদি উপস্থিত থাকেন) কোটেশনসমূহ খোলা হবে।

২২৭


চলমান পাতা ২/৩

০৩। শর্তাবলী :

- ১। বিবরণী অনুযায়ী মালামাল নিজ খরচে মন্ত্রণালয়ে সরবরাহ ও সংযোজনপূর্বক চালু করে দিতে হবে।
- ২। মালামাল কার্যাদেশ প্রদানের ০৭ (সাত) কার্যদিবসের মধ্যে সরবরাহ করতে হবে।
- ৩। দরদাতাকে কোটেশনে উল্লিখিত টাকার পরিমাণ অংকে ও কথায় লিখতে হবে। কোন প্রকার ঘষা-মাজা গ্রহণযোগ্য হবে না।
- ৪। কোটেশনের সময় প্রয়োজনীয় ক্যাটালগ দাখিল করতে হবে।
- ৫। কোন কারণ দর্শানো ব্যতিরেকে যে কোন কোটেশন গ্রহণ/বাতিল করার ক্ষমতা কর্তৃপক্ষ সংরক্ষণ করে।
- ৬। সরবরাহকৃত মালামাল যথাযথ মানসম্পন্ন হতে হবে এবং বাজারে প্রাপ্ত একই মানের মালামালের সমমানের ওয়ারেন্টি প্রদান করতে হবে।
- ৭। সরবরাহকৃত মালামাল এক বছরের মধ্যে কোন প্রকার ত্রুটি দেখা দিলে তা সরবরাহকারীকে নিজ খরচে মেরামত/পরিবর্তন করে দিতে হবে এবং মালামাল সরবরাহের পর ৩ কপি বিল নিম্ন স্বাক্ষরকারীর নিকট জমা দিতে হবে।
- ৮। ক্রয় আদেশে দ্রব্যমূল্যের উপর থেকে বিধি মোতাবেক প্রযোজ্য ক্ষেত্রে মূল্য সংযোজন কর ও আয়কর কর্তন করে বিল পরিশোধ করা হবে।

০৪। কোটেশন দাখিলের সময় নিম্নবর্ণিত প্রমাণপত্র সংযুক্ত করতে হবেঃ

- ১। প্রস্তাবিত কোটেশন সরবরাহকারী প্রতিষ্ঠান এর পক্ষে দায়িত্বশীল ব্যক্তি কর্তৃক স্বাক্ষরিত হতে হবে এবং উদ্ধৃত দর বাংলাদেশী টাকায় উল্লেখ করতে হবে।
- ২। ট্রেড লাইসেন্স সংযুক্ত করতে হবে।
- ৩। বৈধ আয়কর রেজিস্ট্রেশন/টি আই এন নম্বর সংযুক্ত করতে হবে।
- ৪। ভ্যাট রেজিস্ট্রেশন সার্টিফিকেট সংযুক্ত করতে হবে।
- ৫। আর্থিক স্বচ্ছতার সমর্থনে ব্যাংকের সাম্প্রতিক সনদপত্র দাখিল করতে হবে।
- ৬। কাজ করার অভিজ্ঞতার প্রত্যয়নপত্র।


(মোঃ আব্দুল খালেক মিঞা)
সহকারী সচিব(প্রশাসন-৪ শাখা)

ও

সদস্য সচিব
প্রস্তাব উন্মুক্তকরণ ও দরপত্র মূল্যায়ন কমিটি
মৎস্য ও প্রাণিসম্পদ মন্ত্রণালয়।

অনুলিপিঃ

- ১। সচিবের একান্ত সচিব, মৎস্য ও প্রাণিসম্পদ মন্ত্রণালয়।
- ২। উপ-পুলিশ কমিশনার(নিরাপত্তা), বাংলাদেশ সচিবালয়, ঢাকা (কোটেশন দাখিলের দিন কোটেশন দাখিল করার জন্য একজন প্রতিনিধি-কে বাংলাদেশ সচিবালয়ে প্রবেশ করার অনুমতি দেয়ার জন্য অনুরোধ করা হলো)।
- ৩। নোটিশ বোর্ড, বাংলাদেশ সচিবালয়, ঢাকা।
- ৪। নোটিশ বোর্ড, মহা হিসাব নিয়ন্ত্রকের অফিস, সেগুনবাগিচা, ঢাকা।
- ৫। নোটিশ বোর্ড, বাংলাদেশ ব্যাংক, মতিঝিল, ঢাকা।
- ৬। মৎস্য ও প্রাণিসম্পদ মন্ত্রণালয়ের ওয়েবসাইট (www.mofl.gov.bd)।