

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2023

Session: 2022-2023

PTI: PTI Jhalkathi

District: Jhalkathi

Division: Barishal

Results Summary

Roll	GPA										
394157	3.18	394158	3.33	394159	3.19	394160	3.51	394161	3.29	394162	3.18
394163	3.22	394164	2.97	394165	2.83	394166	3.00	394167	3.33	394168	3.16
394169	3.47	394170	3.37	394171	3.34	394172	3.36	394173	3.00	394174	3.20
394175	3.45	394176	3.08	394177	3.37	394178	3.45	394179	3.31	394180	3.44
394181	3.13	394182	2.91	394183	3.61	394184	2.99	394185	2.87	394186	3.29
394187	2.97	394188	0.00	394189	3.39	394190	3.20	394191	2.81	394192	3.25
394193	2.79	394194	3.07	394195	3.55	394196	3.39	394197	3.62	394198	3.04
394199	3.03	394200	0.00	394201	3.31	394202	3.28	394203	3.27	394204	3.14
394205	3.25	394206	3.32	394207	2.83	394208	2.85	394209	3.43	394210	3.36
394211	3.06	394212	3.24	394213	3.28	394214	2.76	394215	0.00	394216	3.12
394217	3.21	394218	3.23	394219	3.28	394220	0.00	394221	2.66	394222	2.94
394223	3.46	394224	2.81	394225	3.50	394226	2.74	394227	0.00	394228	3.38
394229	3.26	394230	3.23	394231	3.00	394232	3.03	394233	2.99	394234	3.16
394235	3.43	394236	2.92	394237	2.92	394238	2.78	394239	3.22	394240	2.79
394241	2.99	394242	3.06	394243	3.13	394244	2.58	394245	3.18	394246	3.26
394247	3.11	394248	3.43	394249	3.01	394250	3.15	394251	3.42	394252	3.11
394253	3.26	394254	3.58	394255	3.53	394256	3.43	394257	3.32	394258	3.20
394259	3.17	394260	3.44	394261	3.33	394262	2.76	394263	2.47	394264	3.08
394265	3.08	394266	3.28	394267	3.04	394268	3.38	394269	2.72	394270	2.91
394271	2.98	394272	3.18	394273	3.18	394274	3.11	394275	3.46	394276	3.06
394277	2.48	394278	3.15	394279	2.78	394280	3.00	394281	3.03	394282	3.48
394283	3.43	394284	3.25	394285	2.88	394286	3.58	394287	3.46	394288	3.10
394289	3.09	394290	3.37	394291	3.08						

Result at a glance:	Total Regular Students:	135	Total Pass:	130	Total Regular Fail:	5
---------------------	-------------------------	-----	-------------	-----	---------------------	---

(Shahnaj Nurunnaher)

Controller of Examinations

Diploma in Primary Education Board

NAPE, Mymensingh

48

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2023

Session: 2022-2023

PTI: Pirojpur

District: Pirojpur

Division: Barishal

Results Summary

Roll	GPA										
398392	3.46	398393	2.77	398394	3.28	398395	3.28	398396	3.33	398397	3.26
398398	2.81	398399	3.13	398400	3.61	398401	3.37	398402	3.34	398403	3.38
398404	3.35	398405	3.52	398406	3.26	398407	3.49	398408	3.39	398409	3.57
398410	3.34	398411	3.29	398412	2.92	398413	3.24	398414	3.56	398415	3.09
398416	3.78	398417	3.49	398418	3.62	398419	3.59	398420	3.54	398421	3.34
398422	3.41	398423	3.06	398424	3.18	398425	2.39	398426	3.46	398427	3.60
398428	2.92	398429	2.94	398430	3.59	398431	3.59	398432	2.88	398433	3.49
398434	3.27	398435	3.24	398436	3.25	398437	3.21	398438	3.41	398439	3.15
398440	3.19	398441	3.18	398442	3.21	398443	3.01	398444	3.09	398445	3.17
398446	3.32	398447	3.09	398448	3.19	398449	3.27	398450	3.57	398451	3.46
398452	3.57	398453	3.06	398454	3.02	398455	3.18	398456	2.97	398457	2.96
398458	3.49	398459	2.36	398460	3.27	398461	2.57	398462	3.22	398463	3.58
398464	2.92	398465	3.24	398466	3.53	398467	3.56	398468	3.56	398469	3.21
398470	3.08	398471	3.07	398472	3.09	398473	3.15	398474	3.55	398475	3.18
398476	3.34	398477	3.16	398478	3.19	398479	3.46	398480	3.49	398481	3.52
398482	3.72	398483	3.44	398484	3.52	398485	3.40	398486	3.23	398487	3.25
398488	3.26										

Result at a glance:

Total Regular Students: 97

Total Pass: 97

Total Regular Fail: 0

(Shahnej Nurunnaher)

Controller of Examinations

Diploma in Primary Education Board

NAPE, Mymensingh

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2023

Session: 2022-2023

PTI: Sagordee
 District: Barishal
 Division: Barishal

Results Summary

Roll	GPA										
389860	3.51	389861	3.06	389862	3.03	389863	3.29	389864	3.54	389865	3.43
389866	3.56	389867	3.48	389868	2.91	389869	3.69	389870	3.58	389871	3.61
389872	3.33	389873	3.49	389874	2.98	389875	3.25	389876	2.88	389877	3.28
389878	2.94	389879	3.36	389880	3.07	389881	2.82	389882	2.87	389883	3.24
389884	3.35	389885	3.31	389886	3.37	389887	3.16	389888	3.36	389889	3.47
389890	3.31	389891	3.66	389892	3.53	389893	3.17	389894	3.29	389895	2.93
389896	3.53	389897	3.65	389898	3.68	389899	3.25	389900	3.17	389901	3.43
389902	3.08	389903	2.79	389904	3.55	389905	3.59	389906	3.39	389907	2.96
389908	3.69	389909	3.35	389910	3.37	389911	3.36	389912	3.04	389913	3.35
389914	3.22	389915	3.41	389916	3.34	389917	3.04	389918	3.17	389919	3.46
389920	3.06	389921	3.16	389922	3.33	389923	3.15	389924	3.20	389925	3.47
389926	3.33	389927	3.18	389928	2.80	389929	3.46	389930	3.61	389931	3.04
389932	3.54	389933	3.63	389934	3.24	389935	3.25	389936	3.26	389937	3.17
389938	3.11	389939	2.84	389940	2.95	389941	2.97	389942	3.19	389943	3.02
389944	3.33	389945	3.29	389946	3.65	389947	3.58	389948	3.16	389949	3.28
389950	3.11	389951	3.29	389952	3.35	389953	3.22	389954	3.45	389955	3.55
389956	3.42	389957	3.57	389958	3.40	389959	3.41	389960	3.36	389961	3.22
389962	3.34	389963	3.33	389964	0.00	389965	2.90	389966	3.19	389967	3.08
389968	3.41	389969	3.62	389970	3.26	389971	3.69	389972	3.43	389973	3.49
389974	3.42	389975	3.17	389976	3.41	389977	3.40	389978	3.49	389979	2.97
389980	3.03	389981	3.40	389982	3.33	389983	3.20	389984	3.59	389985	2.86
389986	3.44	389987	3.39	389988	3.69	389989	2.98	389990	3.07	389991	3.27
389992	3.37	389993	3.29	389994	3.39	389995	3.07	389996	3.55	389997	3.26
389998	3.20	389999	3.22	390000	2.77	390001	3.18	390002	2.98	390003	3.41
390004	3.30	390005	2.63	390006	3.02	390007	3.31	390008	3.13	390009	3.22
390010	3.07	390011	3.37	390012	3.27	390013	3.35	390014	3.63	390015	3.35
390016	3.43	390017	2.93	390018	2.97	390019	3.10	390020	3.24	390021	3.24
390022	3.57	390023	3.42	390024	3.33	390025	3.74	390026	3.31	390027	3.21
390028	3.19	390029	3.11	390030	2.96	390031	3.19	390032	3.08	390033	3.22
390034	2.96	390035	2.81	390036	2.91	390037	2.96	390038	2.94	390039	3.33
390040	3.20	390041	2.75	390042	2.86	390043	3.19	390044	3.46	390045	3.31
390046	3.53	390047	2.90	390048	3.38	390049	3.49	390050	3.64	390051	3.58
390052	3.18	390053	3.30	390054	3.09	390055	3.43	390056	3.37	390057	3.01
390058	2.87	390059	2.93	390060	3.23	390061	3.39	390062	2.90	390063	3.08
390064	3.31	390065	3.57	390066	3.28	390067	2.78	390068	3.00	390069	3.14
390070	3.28	390071	2.92	390072	2.90	390073	2.97	390074	2.73	390075	2.74
390076	3.12	390077	3.37	390078	0.00	390079	3.39	390080	3.28	390081	3.02
390082	0.00	390083	2.96	390084	3.35	390085	3.34	390086	2.86	390087	2.85
390088	3.00	390089	3.21	390090	3.08	390091	2.99	390092	3.02	390093	0.00
390094	3.41	390095	3.33	390096	2.93	390097	2.90	390098	2.93	390099	3.01
390100	2.90	390101	3.21	390102	3.13	390103	3.12	390104	3.37	390105	3.57
390106	3.53	390107	3.36	390108	3.16	390109	3.07	390110	2.86	390111	2.91
390112	3.11	390113	3.23	390114	3.22	390115	3.04	390116	3.25	390117	3.14
390118	3.12	390119	3.43	390120	3.45	390121	3.40	390122	3.43	390123	3.42
390124	3.44	390125	3.33	390126	3.03	390127	2.98	390128	3.38	390129	3.39

Roll	GPA										
390130	3.18	390131	3.22	390132	3.18	390133	3.10	390134	3.25	390135	3.44
390136	3.29	390137	3.44	390138	3.13	390139	2.87	390140	3.06	390141	3.07
390142	3.20	390143	2.94	390144	2.92	390145	3.01	390146	3.18	390147	3.29
390148	3.36	390149	3.33	390150	3.19	390151	3.09	390152	3.03	390153	3.02
390154	3.54	390155	3.43	390156	3.21	390157	3.08	390158	3.16	390159	3.12
390160	3.06	390161	2.99	390162	3.31	390163	3.30	390164	3.36	390165	3.40
390166	3.40	390167	3.59	390168	3.42	390169	3.14	390170	3.09	390171	3.22
390172	3.22	390173	3.44	390174	3.47	390175	3.54	390176	3.43	390177	3.40
390178	3.47	390179	0.00	390180	3.17	390181	3.23	390182	3.34	390183	3.27
390184	2.97	390185	3.07	390186	3.35	390187	3.41	390188	3.39	390189	0.00
390190	3.33	390191	3.49	390192	3.23	390193	3.33	390194	3.33	390195	3.29
390196	3.42	390197	3.44	390198	3.21	390199	3.42	390200	3.26	390201	3.14
390202	3.41	390203	3.29	390204	3.24	390205	3.28	390206	3.46	390207	3.41
390208	3.32	390209	3.49	390210	3.56	390211	3.30	390212	3.41	390213	3.29
390214	3.31	390215	3.26	390216	3.30	390217	3.24	390218	3.54	390219	3.28
390220	3.22	390221	3.47	390222	3.42	390223	3.34	390224	3.10	390225	3.29
390226	3.44	390227	3.35	390228	3.37	390229	3.32	390230	3.35	390231	3.39
390232	3.39	390233	3.15	390234	3.22	390235	3.23	390236	3.50	390237	3.33
390238	3.35	390239	3.41								

Result at a glance:	Total Regular Students:	380	Total Pass:	374	Total Regular Fail:	6
----------------------------	-------------------------	-----	-------------	-----	---------------------	---

(Signature)
 (Shahnaj Nurunnaher)

Controller of Examinations
 Diploma in Primary Education Board
 NAPE, Mymensingh

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2023

Session: 2022-2023

PTI: Patuakhali
 District: Patuakhali
 Division: Barishal

Results Summary

Roll	GPA										
398143	2.82	398144	3.28	398145	3.16	398146	3.53	398147	3.04	398148	2.71
398149	2.82	398150	2.96	398151	2.84	398152	3.29	398153	2.62	398154	2.83
398155	3.46	398156	3.28	398157	3.12	398158	3.23	398159	3.34	398160	3.59
398161	0.00	398162	3.66	398163	2.94	398164	3.19	398165	2.99	398166	3.11
398167	2.83	398168	2.57	398169	3.36	398170	3.43	398171	2.71	398172	3.47
398173	2.89	398174	2.84	398175	2.57	398176	2.79	398177	2.57	398178	2.64
398179	3.60	398180	3.09	398181	2.97	398182	3.24	398183	3.34	398184	3.08
398185	2.96	398186	3.34	398187	3.17	398188	3.27	398189	3.19	398190	2.52
398191	3.47	398192	3.42	398193	3.06	398194	3.19	398195	3.38	398196	3.27
398197	2.56	398198	3.39	398199	3.33	398200	2.85	398201	3.21	398202	3.56
398203	3.07	398204	2.82	398205	3.01	398206	3.14	398207	3.13	398208	2.98
398209	3.53	398210	2.94	398211	2.78	398212	2.98	398213	2.90	398214	3.02
398215	3.35	398216	3.13	398217	2.82	398218	2.67	398219	2.79	398220	2.92
398221	3.24	398222	3.25	398223	3.03	398224	3.13	398225	2.94	398226	3.09
398227	2.83	398228	3.44	398229	3.16	398230	2.84	398231	3.19	398232	3.13
398233	3.18	398234	2.89	398235	3.22	398236	3.09	398237	3.21	398238	2.44
398239	2.79	398240	2.61	398241	2.99	398242	3.03	398243	2.86	398244	2.93
398245	3.01	398246	3.15	398247	2.95	398248	3.03	398249	2.72	398250	3.04
398251	2.99	398252	3.31	398253	3.37	398254	3.13	398255	3.35	398256	3.12
398257	3.44	398258	3.08	398259	2.95	398260	3.35	398261	3.49	398262	3.48
398263	3.27	398264	3.02	398265	2.66	398266	2.95	398267	2.66	398268	2.85
398269	3.35	398270	3.08	398271	3.37	398272	2.94	398273	3.06	398274	3.14
398275	3.01	398276	3.33	398277	3.26	398278	3.19	398279	2.92	398280	2.83
398281	3.19	398282	3.42	398283	0.00	398284	3.35	398285	3.44	398286	0.00
398287	3.22	398288	3.05	398289	3.17	398290	3.28	398291	3.19	398292	3.47
398293	3.03	398294	3.15	398295	2.97	398296	2.91	398297	3.63	398298	3.05
398299	3.05	398300	3.23	398301	3.52	398302	3.04	398303	2.90	398304	2.88
398305	3.44	398306	3.37	398307	3.32	398308	3.19	398309	2.78	398310	2.73
398311	3.00	398312	2.79	398313	3.07	398314	3.67	398315	2.76	398316	3.24
398317	3.09	398318	2.66	398319	3.16	398320	3.03	398321	2.77	398322	2.79
398323	3.00	398324	3.37	398325	3.45	398326	3.18	398327	3.26	398328	3.41
398329	3.31	398330	3.16	398331	3.16	398332	3.23	398333	3.19	398334	3.31
398335	3.03	398336	3.40	398337	3.09	398338	3.17	398339	3.13	398340	3.46
398341	3.23	398342	3.06	398343	3.17	398344	3.23	398345	0.00	398346	3.13
398347	3.28	398348	3.32	398349	2.98	398350	3.38	398351	3.64	398352	3.44
398353	3.37	398354	3.36	398355	3.38	398356	3.06	398357	3.20	398358	2.84
398359	2.78	398360	3.28	398361	3.16	398362	3.12	398363	0.00	398364	2.89
398365	2.80	398366	3.16	398367	3.48	398368	3.52	398369	3.40	398370	0.00
398371	3.60	398372	3.29	398373	3.64	398374	3.37	398375	2.96	398376	3.29
398377	2.91	398378	3.27	398379	2.82	398380	3.45	398381	3.23	398382	3.66
398383	3.25	398384	2.86	398385	3.06	398386	3.08	398387	3.46	398388	3.06
398389	2.94	398390	3.23	398391	0.00						

Roll GPA Roll GPA Roll GPA Roll GPA Roll GPA Roll GPA Roll GPA

Result at a glance:	Total Regular Students:	249	Total Pass:	242	Total Regular Fail:	7
----------------------------	-------------------------	-----	-------------	-----	---------------------	---

(Signature)
 (Shahnaj Nurunnaher)
 Controller of Examinations
 Diploma in Primary Education Board
 NAPE, Mymensingh

Roll	GPA										
1	2.5	101	2.5	201	2.5	301	2.5	401	2.5	501	2.5
2	2.5	102	2.5	202	2.5	302	2.5	402	2.5	502	2.5
3	2.5	103	2.5	203	2.5	303	2.5	403	2.5	503	2.5
4	2.5	104	2.5	204	2.5	304	2.5	404	2.5	504	2.5
5	2.5	105	2.5	205	2.5	305	2.5	405	2.5	505	2.5
6	2.5	106	2.5	206	2.5	306	2.5	406	2.5	506	2.5
7	2.5	107	2.5	207	2.5	307	2.5	407	2.5	507	2.5
8	2.5	108	2.5	208	2.5	308	2.5	408	2.5	508	2.5
9	2.5	109	2.5	209	2.5	309	2.5	409	2.5	509	2.5
10	2.5	110	2.5	210	2.5	310	2.5	410	2.5	510	2.5
11	2.5	111	2.5	211	2.5	311	2.5	411	2.5	511	2.5
12	2.5	112	2.5	212	2.5	312	2.5	412	2.5	512	2.5
13	2.5	113	2.5	213	2.5	313	2.5	413	2.5	513	2.5
14	2.5	114	2.5	214	2.5	314	2.5	414	2.5	514	2.5
15	2.5	115	2.5	215	2.5	315	2.5	415	2.5	515	2.5
16	2.5	116	2.5	216	2.5	316	2.5	416	2.5	516	2.5
17	2.5	117	2.5	217	2.5	317	2.5	417	2.5	517	2.5
18	2.5	118	2.5	218	2.5	318	2.5	418	2.5	518	2.5
19	2.5	119	2.5	219	2.5	319	2.5	419	2.5	519	2.5
20	2.5	120	2.5	220	2.5	320	2.5	420	2.5	520	2.5
21	2.5	121	2.5	221	2.5	321	2.5	421	2.5	521	2.5
22	2.5	122	2.5	222	2.5	322	2.5	422	2.5	522	2.5
23	2.5	123	2.5	223	2.5	323	2.5	423	2.5	523	2.5
24	2.5	124	2.5	224	2.5	324	2.5	424	2.5	524	2.5
25	2.5	125	2.5	225	2.5	325	2.5	425	2.5	525	2.5
26	2.5	126	2.5	226	2.5	326	2.5	426	2.5	526	2.5
27	2.5	127	2.5	227	2.5	327	2.5	427	2.5	527	2.5
28	2.5	128	2.5	228	2.5	328	2.5	428	2.5	528	2.5
29	2.5	129	2.5	229	2.5	329	2.5	429	2.5	529	2.5
30	2.5	130	2.5	230	2.5	330	2.5	430	2.5	530	2.5
31	2.5	131	2.5	231	2.5	331	2.5	431	2.5	531	2.5
32	2.5	132	2.5	232	2.5	332	2.5	432	2.5	532	2.5
33	2.5	133	2.5	233	2.5	333	2.5	433	2.5	533	2.5
34	2.5	134	2.5	234	2.5	334	2.5	434	2.5	534	2.5
35	2.5	135	2.5	235	2.5	335	2.5	435	2.5	535	2.5
36	2.5	136	2.5	236	2.5	336	2.5	436	2.5	536	2.5
37	2.5	137	2.5	237	2.5	337	2.5	437	2.5	537	2.5
38	2.5	138	2.5	238	2.5	338	2.5	438	2.5	538	2.5
39	2.5	139	2.5	239	2.5	339	2.5	439	2.5	539	2.5
40	2.5	140	2.5	240	2.5	340	2.5	440	2.5	540	2.5
41	2.5	141	2.5	241	2.5	341	2.5	441	2.5	541	2.5
42	2.5	142	2.5	242	2.5	342	2.5	442	2.5	542	2.5
43	2.5	143	2.5	243	2.5	343	2.5	443	2.5	543	2.5
44	2.5	144	2.5	244	2.5	344	2.5	444	2.5	544	2.5
45	2.5	145	2.5	245	2.5	345	2.5	445	2.5	545	2.5
46	2.5	146	2.5	246	2.5	346	2.5	446	2.5	546	2.5
47	2.5	147	2.5	247	2.5	347	2.5	447	2.5	547	2.5
48	2.5	148	2.5	248	2.5	348	2.5	448	2.5	548	2.5
49	2.5	149	2.5	249	2.5	349	2.5	449	2.5	549	2.5
50	2.5	150	2.5	250	2.5	350	2.5	450	2.5	550	2.5
51	2.5	151	2.5	251	2.5	351	2.5	451	2.5	551	2.5
52	2.5	152	2.5	252	2.5	352	2.5	452	2.5	552	2.5
53	2.5	153	2.5	253	2.5	353	2.5	453	2.5	553	2.5
54	2.5	154	2.5	254	2.5	354	2.5	454	2.5	554	2.5
55	2.5	155	2.5	255	2.5	355	2.5	455	2.5	555	2.5
56	2.5	156	2.5	256	2.5	356	2.5	456	2.5	556	2.5
57	2.5	157	2.5	257	2.5	357	2.5	457	2.5	557	2.5
58	2.5	158	2.5	258	2.5	358	2.5	458	2.5	558	2.5
59	2.5	159	2.5	259	2.5	359	2.5	459	2.5	559	2.5
60	2.5	160	2.5	260	2.5	360	2.5	460	2.5	560	2.5
61	2.5	161	2.5	261	2.5	361	2.5	461	2.5	561	2.5
62	2.5	162	2.5	262	2.5	362	2.5	462	2.5	562	2.5
63	2.5	163	2.5	263	2.5	363	2.5	463	2.5	563	2.5
64	2.5	164	2.5	264	2.5	364	2.5	464	2.5	564	2.5
65	2.5	165	2.5	265	2.5	365	2.5	465	2.5	565	2.5
66	2.5	166	2.5	266	2.5	366	2.5	466	2.5	566	2.5
67	2.5	167	2.5	267	2.5	367	2.5	467	2.5	567	2.5
68	2.5	168	2.5	268	2.5	368	2.5	468	2.5	568	2.5
69	2.5	169	2.5	269	2.5	369	2.5	469	2.5	569	2.5
70	2.5	170	2.5	270	2.5	370	2.5	470	2.5	570	2.5
71	2.5	171	2.5	271	2.5	371	2.5	471	2.5	571	2.5
72	2.5	172	2.5	272	2.5	372	2.5	472	2.5	572	2.5
73	2.5	173	2.5	273	2.5	373	2.5	473	2.5	573	2.5
74	2.5	174	2.5	274	2.5	374	2.5	474	2.5	574	2.5
75	2.5	175	2.5	275	2.5	375	2.5	475	2.5	575	2.5
76	2.5	176	2.5	276	2.5	376	2.5	476	2.5	576	2.5
77	2.5	177	2.5	277	2.5	377	2.5	477	2.5	577	2.5
78	2.5	178	2.5	278	2.5	378	2.5	478	2.5	578	2.5
79	2.5	179	2.5	279	2.5	379	2.5	479	2.5	579	2.5
80	2.5	180	2.5	280	2.5	380	2.5	480	2.5	580	2.5
81	2.5	181	2.5	281	2.5	381	2.5	481	2.5	581	2.5
82	2.5	182	2.5	282	2.5	382	2.5	482	2.5	582	2.5
83	2.5	183	2.5	283	2.5	383	2.5	483	2.5	583	2.5
84	2.5	184	2.5	284	2.5	384	2.5	484	2.5	584	2.5
85	2.5	185	2.5	285	2.5	385	2.5	485	2.5	585	2.5
86	2.5	186	2.5	286	2.5	386	2.5	486	2.5	586	2.5
87	2.5	187	2.5	287	2.5	387	2.5	487	2.5	587	2.5
88	2.5	188	2.5	288	2.5	388	2.5	488	2.5	588	2.5
89	2.5	189	2.5	289	2.5	389	2.5	489	2.5	589	2.5
90	2.5	190	2.5	290	2.5	390	2.5	490	2.5	590	2.5
91	2.5	191	2.5	291	2.5	391	2.5	491	2.5	591	2.5
92	2.5	192	2.5	292	2.5	392	2.5	492	2.5	592	2.5
93	2.5	193	2.5	293	2.5	393	2.5	493	2.5	593	2.5
94	2.5	194	2.5	294	2.5	394	2.5	494	2.5	594	2.5
95	2.5	195	2.5	295	2.5	395	2.5	495	2.5	595	2.5
96	2.5	196	2.5	296	2.5	396	2.5	496	2.5	596	2.5
97	2.5	197	2.5	297	2.5	397	2.5	497	2.5	597	2.5
98	2.5	198	2.5	298	2.5	398	2.5	498	2.5	598	2.5
99	2.5	199	2.5	299	2.5	399	2.5	499	2.5	599	2.5
100	2.5	200	2.5	300	2.5	400	2.5	500	2.5	600	2.5

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2022

Session: 2022-2023

PTI: Bhola
District: Bhola
Division: Barishal

Results Summary

Roll	GPA										
390240	3.22	390241	2.64	390242	3.31	390243	0.00	390244	3.37	390245	3.27
390246	3.22	390247	3.33	390248	3.26	390249	2.84	390250	3.18	390251	3.17
390252	2.77	390253	3.02	390254	3.11	390255	3.18	390256	3.08	390257	2.97
390258	2.65	390259	3.29	390260	3.08	390261	3.04	390262	3.33	390263	3.04
390264	2.70	390265	3.20	390266	3.26	390267	2.90	390268	3.35	390269	3.14
390270	2.50	390271	2.80	390272	0.00	390273	2.66	390274	3.07	390275	0.00
390276	2.88	390277	2.68	390278	2.61	390279	3.09	390280	2.82	390281	3.23
390282	0.00	390283	2.50	390284	3.02	390285	2.80	390286	2.81	390287	2.91
390288	2.79	390289	2.98	390290	0.00	390291	2.91	390292	2.85	390293	2.85
390294	3.68	390295	3.43	390296	3.18	390297	2.79	390298	2.71	390299	3.28
390300	3.35	390301	3.58	390302	3.07	390303	2.72	390304	3.12	390305	3.23
390306	3.04	390307	3.36	390308	3.24	390309	3.33	390310	3.14	390311	3.28
390312	3.25	390313	3.20	390314	3.26	390315	3.23	390316	3.54	390317	3.16
390318	3.23	390319	2.72	390320	2.84	390321	3.47	390322	3.39	390323	3.21
390324	2.69	390325	3.20	390326	3.07	390327	2.84	390328	3.35	390329	2.79
390330	3.21	390331	2.70	390332	3.31	390333	3.41	390334	3.35	390335	2.81
390336	3.62	390337	3.53	390338	2.78	390339	3.11	390340	3.02	390341	3.37
390342	3.19	390343	3.22	390344	2.74	390345	3.61	390346	2.77	390347	3.44
390348	2.33	390349	2.72	390350	3.27	390351	3.33	390352	3.26	390353	3.13
390354	3.27	390355	3.23	390356	3.13	390357	3.20	390358	3.09	390359	3.11
390360	2.83	390361	3.19	390362	3.08	390363	2.89	390364	3.00	390365	2.96
390366	2.92	390367	2.90	390368	2.93	390369	2.98	390370	3.42		

Result at a glance:	Total Regular Students:	131	Total Pass:	126	Total Regular Fail:	5
---------------------	-------------------------	-----	-------------	-----	---------------------	---

(Shahnaj Nurunnaher)

Controller of Examinations

Diploma in Primary Education Board

NAPE, Mymensingh

National Academy for Primary Education (NAPE), Mymensingh

Diploma in Primary Education Board

Diploma in Primary Education Examination- 2022

Session: 2022-2023

PTI: Barguna
 District: Barguna
 Division: Barishal

Results Summary

Roll	GPA										
389761	3.51	389762	3.09	389763	3.14	389764	3.35	389765	2.75	389766	3.55
389767	3.16	389768	3.25	389769	3.12	389770	3.45	389771	3.24	389772	3.70
389773	3.37	389774	3.34	389775	3.57	389776	3.49	389777	3.66	389778	3.40
389779	3.46	389780	3.24	389781	3.62	389782	3.14	389783	3.25	389784	3.56
389785	2.74	389786	3.12	389787	3.24	389788	2.88	389789	2.97	389790	3.32
389791	3.29	389792	3.49	389793	2.92	389794	3.53	389795	3.50	389796	3.68
389797	3.39	389798	3.54	389799	3.45	389800	3.19	389801	3.72	389802	3.29
389803	3.55	389804	2.98	389805	3.64	389806	3.52	389807	3.04	389808	3.39
389809	3.45	389810	3.22	389811	3.48	389812	3.26	389813	3.14	389814	3.18
389815	3.13	389816	2.56	389817	3.32	389818	3.03	389819	2.93	389820	3.35
389821	2.66	389822	3.26	389823	2.83	389824	3.08	389825	3.07	389826	3.32
389827	2.93	389828	3.41	389829	3.60	389830	3.69	389831	3.17	389832	3.44
389833	3.28	389834	3.29	389835	3.38	389836	3.43	389837	3.44	389838	3.22
389839	3.41	389840	2.78	389841	3.70	389842	3.36	389843	3.07	389844	3.46
389845	3.32	389846	3.35	389847	3.23	389848	3.22	389849	3.03	389850	3.50
389851	3.90	389852	3.70	389853	3.77	389854	3.28	389855	3.51	389856	3.33
389857	3.36	389858	3.03	389859	3.07						

Result at a glance:	Total Regular Students:	99	Total Pass:	99	Total Regular Fail:	0
---------------------	-------------------------	----	-------------	----	---------------------	---

(Shahnaj Nurunnaher)

Controller of Examinations

Diploma in Primary Education Board

NAPE, Mymensingh