

তিতাস গ্যাস ট্রান্সমিসন এন্ড ডিস্ট্রিবিউশন পিএলসি
১০৫, কাজী নজরুল ইসলাম এভিনিউ,
কাওরান বাজার, বা/এ,
ঢাকা-১২১৫।

RFQ বিজ্ঞপ্তি

১।	মন্ত্রণালয়/ডিভিশন	বিদ্যুৎ, জ্বালানী ও খনিজ সম্পদ মন্ত্রণালয়/জ্বালানী ও খনিজ সম্পদ বিভাগ।
২।	সংস্থা	বাংলাদেশ, তৈল, গ্যাস ও খনিজ সম্পদ কর্পোরেশন।
৩।	প্রকিউরিং এন্টিটি	তিতাস গ্যাস ট্রান্সমিসন এন্ড ডিস্ট্রিবিউশন পিএলসি।
৪।	কাজের নাম	কোম্পানির ডেমরাস্ প্রিপেইড মিটার অপারেশন ও ম্যানেজমেন্ট বিভাগ কর্তৃক ব্যবহৃত পুরাতন ষ্টীল শেডের প্রোফাইল শিট পরিবর্তন ও অন্যান্য প্রয়োজনীয় আনুষঙ্গিক পূর্ত কাজ সম্পাদন।
৫।	সূত্র নং ও তারিখ	২৮.১৩.০০০০.০০০.৩০১.১৪.০০০৫.২৫; তারিখ: ০৭/০৭/২০২৫
৬।	প্রকিউরমেন্ট মেথড	RFQ (Request for Quotation)
৭।	অর্থায়নের উৎস	নিজস্ব অর্থায়ন।
৮।	কোটেশন দাখিলের সর্বশেষ তারিখ ও সময়	০৭/০৭/২০২৫ খ্রি. সকাল ১১:০০ ঘটিকা পর্যন্ত।
৯।	কোটেশন খোলার তারিখ ও সময়	০৭/০৭/২০২৫ খ্রি. দুপুর ১২:০০ ঘটিকা পর্যন্ত।
১০।	কোটেশন জমা প্রদান ও খোলার স্থান	উপমহাব্যবস্থাপক, সিভিল ইঞ্জিনিয়ারিং বিভাগ, তিতাস গ্যাস ভবন, লেভেল-৮, ১০৫, কাজী নজরুল ইসলাম এভিনিউ, কাওরান বাজার, ঢাকা-১২১৫।
১১।	দরদাতার যোগ্যতা	ঠিকাদারী প্রতিষ্ঠান।
১২।	কার্যসম্পাদনের সময়সীমা	সাইট হস্তান্তর এর তারিখ হতে পরবর্তী ৪৫ (পঁয়তাল্লিশ) দিন।
১৩।	কর্তৃপক্ষ কোন কারণ দর্শানো ব্যতিরেকেই যেকোনো অথবা সকল কোটেশন বাতিল অথবা যেকোনো কোটেশন গ্রহণ করার ক্ষমতা সংরক্ষণ করে।	


(প্রকৌ. মো. সফিকুল ইসলাম)
উপমহাব্যবস্থাপক
সিভিল ইঞ্জিনিয়ারিং বিভাগ
টিজিটিডিপিএলসি।

Titas Gas Transmission and Distribution PLC
(A company of Petrobangla)
105, Kazi Nazrul Islam Avenue, Kawran Bazar C/A,
Dhaka-1215

REQUEST FOR QUOTATION

For

**Replacement of Profile Roof Sheet Including Other Civil Works of Store Shed at Demra
CGS Area, Demra, Dhaka.**

RFQ No: 28.13.0000.000.301.14.0005.25

Date: 01/07/2025

Rahmat

M/A



The office of the Deputy General Manager
Titas Gas Transmission and Distribution PLC
L-8, Civil Engineering Department, Titas Gas Bhaban
105, Kazi Nazrul Islam Avenue, Kawran Bazar C/a,
Dhaka-1215.

REQUEST FOR QUOTATION

for

**Replacement of Profile Roof Sheet Including Other Civil Works of Store Shed at Demra
CGS Area, Demra, Dhaka.**

RFQ No: 28.13.0000.000.301.14.0005.25

Date: 01/07/2025

To

M/S

1. The **Deputy General Manager (CED)** has been allocated public funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and Design & Drawings for the intended Works and physical services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation is being requested on **Unit-Rate** basis.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in **Para 6** below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and execution of the Works (if awarded) respectively.
6. Quotation in sealed envelope or by fax or through electronic mail shall be submitted to the office of the undersigned **on or before** 07/07/2025 and 11:00 A.M. The envelope containing the Quotation must be clearly marked Quotation for "**Replacement of Profile Roof Sheet Including Other Civil Works of Store Shed at Demra CGS Area, Demra, Dhaka.**" and **DO NOT OPEN** before 07/07/2025 and 12:00 P.M. Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in **Para 6** above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days pursuant to Rule 71 (4) of the Public Procurement Rules, 2008.
9. Quotation shall be submitted as per Bill of Quantities of Works and physical services.
10. All Quotations must be valid for a period of at least **120 days** from the closing date of the Quotation.
11. No public opening of Quotations received by the closing date shall be held.

Rahmat





12. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
13. Rates shall be quoted and, subsequent payments under this Contract shall be made in Taka currency. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
14. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid **Trade License, Tax Identification Number (TIN), VAT Registration Number and Financial Solvency Certificate** from any scheduled Bank; without which the Quotation may be considered non-responsive.
15. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
16. In case of anomalies between unit rates or prices and the total amount quoted, in the quotation submitted on unit rate basis, the unit rates or prices shall prevail. In case of discrepancy between words and figures, the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
17. The execution of Works and physical services shall be completed within **45 (Forty-Five)** days from the date of commencement.
18. Letter inviting the successful Quotationer to sign the Contract shall be issued within **7 (seven)** days of receipt of approval from the Approving Authority. The Contract shall have to be signed within **7 (seven)** days of issuing such Letter of Invitation.
19. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.



Signature of the official requesting Quotation

Name: Engr. Md. Shafiqul Islam

Designation: Deputy General Manager (CED)

Date: 01/07/2025

Address: L-8, Civil Engineering Department, Titas Gas Bhaban
105, Kazi Nazrul Islam Avenue, Kawran Bazar C/A, Dhaka-1215.

Phone No: 02-41015312

Rahmat

Md. Shafiqul Islam

Quotation Submission Letter

RFQ No: 28.13.0000.000.301.14.0005.25

Date:

To:
The Deputy General Manager (CED)
L-8, Civil Engineering Department, Titas Gas Bhaban
105, Kazi Nazrul Islam Avenue, Kawran Bazar C/A,
Dhaka-1215.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named "**Replacement of Profile Roof Sheet Including Other Civil Works of Store Shed at Demra CGS Area, Demra, Dhaka.**"

The total Price of our Quotation is

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 28(e) of the Conditions of Contract and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on 01/07/2025.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal

Date:

Rashmat



SCHEDULE AND ESTIMATE FOR THE REPLACEMENT OF PROFILE ROOF SHEET INCLUDING OTHER CIVIL WORKS OF STORE SHED AT DEMRA CGS AREA

Item No	Group	Item Code	Description of Works	Unit	Quantity	Rate (Tk.)	Amount (Tk.)
1	Civil	N/A	MOBILIZATION & DEMOBILIZATION: Mobilization of contractor's man, machinries, equipment, erection of temporary site office with required furniture, light, fan and other facilities and cleaning site before commencing actual physical work and during contract period and demobilization after completion of the works under contract to be accepted by the Engineer-in-charge. This work shall also covers clayey cleaning and clearing, cutting or filling, dressing the project area on and in the ground to an extent that all the events of works of the project can be executed smoothly in a working environment with a particular attention on safety and security in all respects, and to stockpile the end outcome to a place for disposal agreed by the Engineer-in-charge, area determined by the Engineer-in-charge and be proportionate to the percentage progress of work under contract as a whole in all respects and approved by the Engineer-in-charge.	L.S.	1.00		
2	Civil	N/A	Labor for taking out C.I./ profil sheet roofing, walling and other area necessary and removal of debris to a safe distance as per direction and acceptance by the Engineer-in-charge.	Sqm	280.00		
3	Civil	N/A	PROFILE SHEET: Supply and installation of 0.47 mm thick zinc alum color coated profile sheet of durability class 2 with minimum warranty period of 10 years of durability, for roof, wall, caping, flashing, trimming, gutter etc. conforming to ASTM A792, Grade: 80, AZ150 gm/m2, including the cost of necessary accessories (sheeting screws with washers, silicon sealant etc.), testing of materials etc. all complete as per drawing specification and direction of Engineer-in-charge (supplier has to produce papers to proof the source of material).	Kg	1450		
4	Civil	N/A	SHEET RIDGING: 0.27 mm thick galvanized iron plain sheet ridging with 300 mm lap on either side fitted and fixed with galvanized bolts and nuts etc. all complete and accepted by the Engineer-in-charge. Galvanized	Rm	16		
5	Civil	N/A	Supply and installation of double bubble foil insulation at wall and roof of nominal thickness of 8 mm conforming to Class A in accordance with the ASTM-E84-09 fire test standard, including the cost of lapping, costape, adhesive and necessary accessories, all complete as per drawing, specification and direction of Engineer-in-charge.	Sqm	200		
6		N/A	DISMANTLING CEMENT PLASTERS: Picking up of unserviceable tiles including bonding mortar from ceiling and removal of debris to a safe distance.	Sqm	100.00		
7	Civil	N/A	CEMENT PLASTER: Minimum 12 mm thick cement (SCAN/LAFARGE/HOLCIM/SEVEN RINGS/SHAH CEM 1) sand (F.M. 1.2) plaster (1:4) including groove making as per directon with fresh cement (SCAN/LAFARGE/HOLCIM/SEVEN RINGS/SHAH CEM 1) to both wall inner and outer surface , finishing the corner and edges including washing of sand cleaning the surface, scaffolding and curing at least for 7 days , cost of water,electricity and other charges etc. all complete in all respect as per drawing and accepted by the E/C.	Sqm	100.00		

ASD
0.06.23

M/S/K

M/S/K
02/03/23

Item No	Group	Item Code	Description of Works	Unit	Quantity	Rate (Tk.)	Amount (Tk.)
8	Civil	N/A	NEAT CEMENT FINISHING: (12mm) :Minimum 12 mm thick cement sand (F.M. 1.2) plaster with neat cement finishing to dado with cement (1:4) up to 150 mm including washing of sand. finishing the edges and corners and curing at least for 7 days, cost of water, electricity, scaffolding and other charges etc. all complete in all respect as per drawing and accepted by the Engineer-in charge.(Cement:CEM-II/B-M) Ground floor	Sqm	10.00		
9	Civil	N/A	Interior standard acrylic emulsion paint (plastic or matt finish) of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container; applying to interior wall and ceiling with surface preparation including cleaning drying, making free from dirt, grease, wax, removing all chalked and scaled materials, fungus, mending good the surface defects using sand paper and necessary scaffolding; applying necessary interior sealer of specified brand on prepared surface; then applying necessary interior putty of specified brand for levelling, spot filling, crack filling and cutting by sand paper/zero water paper, finally applying 2 coats of interior emulsion paint spreading by brush/roller/spray & necessary scaffolding etc. upto desired finishing, clapsing specified time for drying or recoating; all complete in all floors and accepted by the Engineer-incharge.	Sqm	50.00		
	Civil	N/A	Renewing of interior standard acrylic emulsion paint(plastic) to wall and ceiling: 2 coat accepted by the E/C	Sqm	100.00		
11	Civil	N/A	Exterior standard acrylic emulsion paint of approved best quality and color having water resisting properties and resistance properties against fungi, fading & flaking delivered from authorized local agent of the manufacturer in a sealed container; applying to exterior surface with surface preparation including cleaning, drying, making free from dirt, grease, wax, removing all chalked and scaled materials, fungus, mending good the surface defects using sand paper and necessary scaffolding; applying necessary exterior sealer of specified brand on prepared surface; then applying necessary exterior putty of specified brand for levelling, spot filling, crack filling and cutting by sand paper/zero water paper; finally applying 2 coats of exterior emulsion paint spreading by brush/roller/spray & necessary scaffolding etc. upto desired finishing, elapsing specified time for drying or recoating; all complete in all floors and accepted by the Engineer-incharge.	Sqm	50.00		
12	Civil	N/A	Renewing of Exterior standard acrylic emulsion paint of approved brand and quality by the E/C	Sqm	100.00		
	Civil	N/A	ENAMEL PAINT: Renewing Enamel paint.1 coat on window grill,Door of approved best quality and colour delivered from authorized local agent of the manufacturer (Barger weather coat antidirt long life/Elite master coat/Asian apex ultima or equivalent brand) in a sealed container, having high water resistance, high bondibility, flexibility property, using specified brand thinner applying to metallic or wooden surface by brass/roller/spray in 2 coatover single coat anti corrosive coating including cleaning, drying, making free from dirt, grease, wax, removing all chalked and scaled materials, all complete in all floors and accepted by the Engineer-in-charge				
13	Civil	N/A	a. Window, truss and collapsible gate	Sqm	81.00		
14	Civil	N/A	b. Sliding gate, parlin and tie member of inter truss	Sqm	60.00		

ASP
01-06-25
Mony RK

Mony RK
02/05/20

Item No	Group	Item Code	Description of Works	Unit	Quantity	Rate (Tk.)	Amount (Tk.)
15	Electrical	N/A	TUBE LIGHT: Supply & fixing of LED tube / panel light fitting of the following features, size and model with all necessary elements such as driver, chips etc. complete. Model & sample shall be approved by the Engineer. (i) GLORIA cat No- GTF (LED). 774 or equivalent product of ENERGY+ / ENERGYPAC / SUNKO etc. (ii) Rated life : 30,000 hr.(minimum) (iii) luminous flux : 100 + lm/w (iv) LED chips : EDISON / EPSTAR / OSRAM / PHILIPS / CREE / BRIDGELUX. (v) Driver: MEANWELL / OSRAM / PHILIPS / IEC standard. (vi) Size : 4 ft. (vii) Power: 18 W	Each	10.00		
16	Electrical	N/A	LIGHT HOLDER WITH BULB: Supplying, fitting and fixing LED bulb 1 x 16 watt . All complete as per direction of the E/C.	Each	6.00		
17	Electrical	N/A	SOCKET: -do- 05 Amp. 2 pin single phase socket, premium quality	each	2.00		
18	Electrical		GANG SWITCH and Regulator: Providing & fixing 250 volts, 5/6 amps (minimum) concealed type following switch / switch socket Manufactured / Assembled and tested in accordance with IEC / VDE / NEMA / BS / JIS along with relevant BDS IEC standards mounted on required size 18 SWG galvanized plain sheet / PVC board (Self-extinguishing 650 Degree Centigrade) of 76.2 mm (3") depth. All electrical contacts shall be of brass / copper. MADE IN ENGLAND/GERMANY/JAPAN/USA or EU countries. 3 Gang - 1 way (Original catalogue and money receipt from authorized showroom must be submitted)	sets	6.00		
19	Electrical	N/A	Concealed wiring (BYM) Concealed conduit wiring with following PVC insulated and sheathed stranded cable (BYM) & PVC insulated Green / White coloured ECC wire (BYA) through PVC conduit of reputed manufacturer complete with 18 SWG GP sheet and pull box with 3mm thick ebonite sheet cover, fixing materials etc. as required including mending the damages good. All electrical contacts shall be of brass / copper connected through connector or soldering (no twisting shall be allowed) and cables shall be manufactured and tested according to relevant IEC / BDS / BS / VDE standards and as per detailed specification mentioned in Annexure-1. The work shall be carried out as per direction & approval of the Engineer. Cables manufactured by govt. of BANGLADESH owned / shared company ltd. (Eastern cables) approved by the Engineer. a) 1C-2x 1.5 sqmm (BYM) cable with 1.5 sqmm (BYA) ECC wire through PVC pipe of minimum inner Dia. 16 mm having wall thickness of 1.5 mm	Rm	150.00		
						Total Tk.	

ASL
01-06-25
[Signature]

[Signature]
02/05/20